



## MASTER CATALOG

**Become a  
Distributor  
Today!**

See Page 3  
For Details



Phone: 888.543.9464 | [zinggreenproducts.com](http://zinggreenproducts.com)

# Table of Contents

## A Message from Sal Longo

I started in this industry back in the 1980s, selling gloves and first aid supplies out of the back of a truck. What began as a small operation grew into Northern Safety, one of the leading safety distributors in the count-



After selling the business, I thought I was ready to retire. It didn't take long to realize I wasn't. I missed the industry — the people, the work, the challenges and the satisfaction of knowing we help others stay safe every day. That's what brought me to ZING Green Safety Products. I saw an opportunity to continue what's always mattered to me — protecting people and doing right by the environment. At ZING, we're shaping the future of safety with products that protect workers and the planet at competitive prices. For us, it's not just about what we sell, it's about how we make it. Whenever possible, we focus on U.S. manufacturing, eco-friendly materials, and smarter packaging that reduces waste without sacrificing quality.

Having spent most of my life as a distributor, I understand your world — what it takes to earn a customer's trust, to deliver on promises, and to stand out in a competitive market. My goal now is to help you protect your customers and grow your business with reliable, environmentally responsible safety products you can count on.

I'm proud to be part of this next chapter and grateful for the chance to keep contributing to an industry that's meant so much to me.

## ZING Green Safety Products — Where Safety Meets Sustainability.

Sal

– **Sal Longo,**  
Owner & CEO  
ZING Green Safety Products

# Smarter Safety Starts Here!

## We've Done This Before

We've been in the safety business for decades. You get reliable products and practical solutions — not guesswork.

## Built For Flexibility

We offer logo custom kits, private label programs, and tailored solutions — so you can meet your customers' needs.



## Sustainability Comes Standard

Recycled materials. Reduced packaging waste. Smarter manufacturing. It's built in — because your customers are asking for it.

## Easy to Work With

Fast lead times. Responsive service. No red tape. We keep it simple, so you can keep things moving.

## ZING® Green Safety Products is Built for Distributors!

At ZING Green Products, we're built for distributors. You need products that ship fast, meet your customers' needs, and give you a competitive edge—without the headaches. From gloves, glasses, and head protection to emergency eyewash, signage, and lockout/tagout, our lineup is designed to make your job easier and your offering stronger.

**Scan the QR Code to Become  
a Distributor Today!**



**Partner with ZING & Grow Your Business With Proven Safety Solutions**

Shop Online: [www.zinggreenproducts.com](http://www.zinggreenproducts.com) | Call Today: 888.543.ZING

**ZING**

# Where Safety Meets Sustainability



## Protection With a Purpose

At **ZING® Green Safety Products**, we make it simple for you to bring eco-friendly, high-quality safety products to your customers. We're delivering protection that meets today's demand for both performance and sustainability.

Whether you're looking to expand your catalog, meet green procurement requirements, or stand out in a competitive market — ZING is your go-to partner for smart, sustainable solutions.

## Eco-Friendly Production

Carbon emissions are generated during raw material production, product manufacturing, and the transportation of goods.

At ZING, reducing carbon emissions is a core part of our sustainability commitment. Below are the key ways we are actively working to minimize our environmental impact.

- **Using Recycled Materials** – Lower emissions than virgin materials
- **Using Bio-Based Materials** – Renewable, often lower carbon footprint
- **Improving Energy Efficiency** – Less energy = fewer emissions
- **Reducing or Redesigning Packaging** – Less material, lower transport emissions



# Understanding Our Commitments

Recognized standards that support responsible materials, safer products, and reduced environmental impact.

## Expand Your Eco-friendly Product Range

We understand that your customers demand more than just safety compliance — they expect eco-conscious solutions that align with today's sustainability priorities. That's why we developed **EarthGuard™**, our new benchmark for environmentally responsible products.



The **EarthGuard™** icon throughout this catalog highlights products **made with recycled content, USDA biobased materials, or UL Environmental Claim Validations**, making it easy to identify environmentally responsible options.

## Eco-Responsible from Start to Finish



Product meets a minimum bio-based content percentage set by the USDA



Tested for harmful substances; safe for human contact



Independently verified environmental claims

## Sustainable Packaging Initiatives

At **ZING**, our sustainable packaging choices help minimize plastic waste and promote responsible sourcing without compromising performance.

### Z-Force™ by ZING Gloves is packaged with...

- FSC®-certified, plastic-free paper bands
- Plastic-free, water-activated packing tape
- FSC®-certified outer cartons
- Printed materials using bio-based soy inks



Sourced from responsibly managed forests



### Z-Force™ by ZING Eyewear is packaged with...

- Outer cartons made with 100% recycled materials
- Inner boxes made with 99% recycled materials
- Individual polybags containing 30% recycled content



# We're CustomiZING Safety!

## ZING® PRINT SHOP

### In-House Customization and Personalization...

With **ZING Print Shop**, adding your company's logo or safety message is fast, easy, and professional. Our expert screen printing, embroidery and pad printing services help you turn everyday safety gear into a bold expression of your brand.

#### Why customize with ZING Print Shop?

- Promote your company and boost brand visibility
- Strengthen team identity and employee morale
- Improve on-site identification and security
- Support a strong culture of safety and professionalism

From head to toe, ZING helps you outfit your crew with personalized gear that looks great and performs even better.

#### Customize the Products You Use Every Day!

- FREE SETUP**  
Some exceptions may apply.
- Low Minimums
- Fast Turnaround
- Competitive Pricing
- Quality, Value, Service

#### State of the Art Equipment



#### SCREEN PRINTING

Make your brand standout!  
Ideal for vests, shirts, hoodies, and jackets.



#### EMBROIDERY

Available on styles of work wear clothing, polo shirts, baseball caps, and duffle bags.



#### PAD PRINTING

Imprint your logo on different surfaces. Available on hard hats, and eyewear.



# Shop online zinggreenproducts.com

*Custom Ordering is  
as Easy as 1, 2, 3!*

**Step 1 –** Upload your order  
with a logo and confirm proof



**Step 2 –** Your order will  
be processed and produced



**Step 3 –** Your order will be prepared  
and delivered to the address provided



**SHOWCASE YOUR BRAND!**

Look for this icon to  
customize your items!



Need Help? Call our Custom Order Specialists at **888.543.9464**, and  
we'll be happy to assist you with any questions. Give us a try today!

# SAFETY BEGINS WITH PROPER EYE PROTECTION

**Z-FORCE™**  
by ZING



## Frame Styles



### Frameless

Lightweight and minimalistic, frameless styles are ideal for tasks that require unobstructed views and for those who are required to wear eye protection for an extended period of time.



### Half Frame

Half frame styles combine the strength of a full frame with the lightweight feel of a frameless, providing a good balance between durability and a broader field of vision.



### Full Frame

Lenses are fully encased by the frame, holding the lenses firmly in place and offering the most protection from wind, dust, and flying particles. The full frame works best to absorb and distribute impact, thus reducing the risk of the frame breaking or the lenses becoming displaced.



### OTG

**(Over-The-Glass)**  
Designed to fit comfortably over prescription eye glasses so there is no need to remove or replace existing glasses.



### Goggles

When unobstructed vision is required, goggles are designed to provide complete coverage. Ideal for situations where splashes and flying debris are a concern.

# Choose the Right Eye Protection For The Job

## Frame Features



### Adjustable Nose Pad

Nose piece is adjustable to accommodate a face or nose bridge.



### Non-Slip Nose Pad

Provides a comfortable and non-slip fit for all day wear.



### Adjustable Ratchet Temple

Provides up and down angle adjustment points on the temple to customize a secure, personalized fit.



### Adjustable Temple Length

Allows you to adjust the length of the temples to fit different head shapes and sizes.



### Co-Injected Temple

Temple design combines polycarbonate and rubber for superior comfort, durability and a secure fit for the wearer.



### Foam Sealed

Low profile, closed cell foam gasket around the inside of the frame blocks out dust & debris.



### Brow Guard

Built-in brow guards help to keep debris out of the eyes.

## Lens Colors



**Clear** – Allows for maximum light transmission. Ideal for indoor use with normal lighting conditions.



**Smoke** – Helps to reduce glare and eye strain. Ideal for outdoor use in bright sunlight.



**Indoor/Outdoor** – Offers protection from both artificial lighting and sunlight. Ideal for transitioning between indoor and outdoor settings.



**Amber** – Filters out blue light, enhancing contrast in low light conditions. Ideal for foggy, hazy or low light settings.



**Light Blue** – Reduce yellow light fatigue and excessive glare.



**Blue/Silver Mirror** – Reflects sunlight and reduces glare. Ideal for outdoor use in bright sunlight.



**Polarized** – Reduces glare from reflective surfaces and enhances clarity. Ideal for outdoor use.



### Maintain Uncompromising Quality and Compliance

We ensure comfort and the highest safety standards remain top priority while driving greener choices.



### Expand Your Eco-friendly Product Range

Select styles featuring sustainable materials—delivering the protection your customers trust with a smaller environmental footprint.

## Lens Coating



### Hardcoat/Anti-Scratch

Primarily used to enhance surface durability by offering superior anti-scratch protection.



### Standard Anti-Fog

Focuses more on ensuring clear vision in fluctuating temperatures. Offers moderate anti-scratch protection.



### HYDR-X Anti-Fog

Meets or exceeds additional ANSI specific testing and performance criteria for anti-fog protection.

### Sporty, frameless style provides comfort for all day wear!



Clear



Smoke




Indoor/  
Outdoor



Silver  
Mirror

Part #	Frame Color	Lens Color	Lens Coating
20-110 C	Black/Clear	Clear	HC
20-110 CAF	Black/Clear	Clear	AF
20-110 CAFX	Black/Clear	Clear	HYDR-X
20-110 S	Black/Clear	Smoke	HC
20-110 SAF	Black/Clear	Smoke	AF
20-110 SAFX	Black/Clear	Smoke	HYDR-X
20-110 IO	Black/Clear	Indoor/Outdoor	HC
20-110 SM	Black/Clear	Silver Mirror	HC



Folds Flat for easy storage



Clear/Gray



Clear/Blue



Clear/Pink



Smoke/Gray



Smoke/Blue




Smoke/Pink



### 20-110 Series Safety Eyewear

- Rubber nose piece allows for a universal fit for all sizes
- Dielectric with metal-free hinge design
- Flexible, co-injected temples with soft rubber tips
- Built in browguard helps to keep debris out of the eyes
- Anti-fog coating prevents foggy lenses caused by humidity and temperature shifts
- Provides 99.9% protection against harmful UV rays
- 12 each/inner box, 12 boxes/case



### 20-105 Series Safety Eyewear

- Retro inspired design with extended side protection for all around impact resistance
- Frameless design maximizes field of vision
- Eco friendly temples are made using recycled materials
- Polycarbonate lenses are hard coated to minimize scratches and abrasions
- Provides 99.9% protection against harmful UV rays
- 12 each/inner box, 12 boxes/case

EG Part #	Frame Color	Lens Color	Lens Coating
20-105ECO GY C	Gray	Clear	HC
20-105ECO GY CAF	Gray	Clear	AF
20-105ECO GY S	Gray	Smoke	HC
20-105ECO GY SAF	Gray	Smoke	AF
20-105ECO BE C	Blue	Clear	HC
20-105ECO BE S	Blue	Smoke	HC
20-105ECO PK C	Pink	Clear	HC
20-105ECO PK S	Pink	Smoke	HC



# 20-100 Series Safety Eyewear

- Lightweight, frameless design is ideal for tasks that require unobstructed views
- Integrated nose piece provides a secure fit ensuring glasses stay in place
- Polycarbonate lens with a 9.5 base curve provides excellent impact resistance
- Lens is treated with anti-scratch coating to minimize scratches and abrasions
- Provides 99.9% protection against harmful UV rays
- **EarthGuard™ Series** style is made using recycled materials to help minimize the environmental impact
- 12 each/inner box, 12 boxes/case



EG Part #	Frame Color	Lens Color	Lens Coating
20-100ECO C	Black	Clear	HC
20-100ECO CAF	Black	Clear	AF
20-100ECO S	Gray	Smoke	HC
20-100ECO SAF	Gray	Smoke	AF



Part #	Frame Color	Lens Color	Lens Coating
20-100 C	Clear	Clear	HC
20-100 CAF	Clear	Clear	AF
20-100 S	Gray	Smoke	HC
20-100 SAF	Gray	Smoke	AF
20-100 A	Amber	Amber	HC
20-100 B	Blue	Lt. Blue	HC
20-100 IO	I/O	Indoor/Outdoor	HC
20-100 SM	Black	Silver Mirror	HC

KEY:


Superior Anti-Scratch Protection

HC = Hardcoat

Moderate Anti-Scratch Protection

AF = Standard Anti-Fog HYDR-X = Super Anti-Fog

## Safety Eyewear



**Z-FORCE™**  
by ZING

### 20-210 Series Safety Eyewear

- Eco friendly temples are made from 34% recycled materials
- Polycarbonate lenses are hard coated to minimize scratches and abrasions
- Adjustable temple length and ratchet provide a customized fit
- Vented rubber nosepiece for excellent breathability
- Provides 99.9% protection against harmful UV rays
- 12 each/inner box, 12 boxes/case

EG Part #	Frame Color	Lens Color	Lens Coating
20-210ECO C	Green	Clear	HC
20-210ECO CAF	Green	Clear	AF
20-210ECO S	Green	Smoke	HC
20-210ECO SAF	Green	Smoke	AF
20-210ECO IO	Green	Indoor/Outdoor	HC
20-210ECO SM	Green	Silver Mirror	HC

Soft co-injected material extends from brow bar to temple tips



Temples contour to all head sizes



**Z-FORCE™**  
by ZING

### 20-205 Series Safety Eyewear

- Flexible, cushion material extends from brow bar to nose piece and temples
- Double layer flange temples automatically contour to fit different head sizes
- Adjustable nose piece accommodates any face or nose bridge
- Polycarbonate lenses are hard coated to minimize scratches and abrasions
- Anti-fog coating prevents foggy lenses caused by humidity and temperature shifts
- Provides 99.9% protection against harmful UV rays
- 12 each/inner box, 12 boxes/case

Part #	Frame Color	Lens Color	Lens Coating
20-205 C	Black/Green	Clear	HC
20-205 CAF	Black/Green	Clear	AF
20-205 S	Black/Green	Smoke	HC
20-205 SAF	Black/Green	Smoke	AF
20-205 SM	Black/Green	Silver Mirror	HC
20-205 P	Black/Green	Smoke Polarized	HC



# 20-200 Series Safety Eyewear

- Lightweight, sleek design with wrap-around lens
- Unique temples are equipped with rubber tips to provide a secure fit
- Polycarbonate lenses are hard coated to minimize scratches and abrasions
- Rubber nose piece with integrated ridges channels away sweat
- Anti-fog coating prevents foggy lenses caused by humidity and temperature shifts
- Provides 99.9% protection against harmful UV rays
- **EarthGuard™ Series** style is made using recycled materials
- 12 each/inner box, 12 boxes/case




ADD  
YOUR  
LOGO



Meets  
**ANSI**  
Z87+  
STANDARDS

EG Part #	Frame Color	Lens Color	Lens Coating
20-200ECO C	Black	Clear	HC
20-200ECO CAF	Black	Clear	AF
20-200ECO S	Black	Smoke	HC
20-200ECO SAF	Black	Smoke	AF



ADD  
YOUR  
LOGO

Meets  
**ANSI**  
Z87+  
STANDARDS

Part #	Frame Color	Lens Color	Lens Coating
20-200 BK C	Black	Clear	HC
20-200 BK CAF	Black	Clear	AF
20-200 BK CAFX	Black	Clear	HYDR-X
20-200 BK S	Black	Smoke	HC
20-200 BK SAF	Black	Smoke	AF
20-200 BK SAFX	Black	Smoke	HYDR-X
20-200 BK B	Black	Lt. Blue	HC
20-200 BK A	Black	Amber	HC
20-200 BK IO	Black	Indoor/Outdoor	HC
20-200 BK BM	Black	Blue Mirror	HC
20-200 CM C	Camo	Clear	HC
20-200 CM S	Camo	Smoke	HC

KEY:

Superior Anti-Scratch Protection

HC = Hardcoat

Moderate Anti-Scratch Protection

AF = Standard Anti-Fog HYDR-X = Super Anti-Fog

## Safety Eyewear



### Z-FORCE™ by ZING 20-500 Series Safety Eyewear

- Low-profile, 3-in-1 style gives you the option to use as a regular safety glass, a visitor glass, or an OTG
- Fits over most prescription eyewear
- 3 position adjustable ratchet temples
- Frameless design with side and upper protection for tasks that require unobstructed vision
- Pliable, slim temples allow for room to be worn with earmuffs, masks and other PPE
- Anti-fog coating prevents foggy lenses caused by humidity and temperature shifts
- Provides 99.9% protection against harmful UV rays
- 12 each/inner box, 12 boxes/case

Part #	Frame Color	Lens Color	Lens Coating
20-500 OE C	Clear/Orange	Clear	HC
20-500 BE C	Clear/Blue	Clear	HC
20-500 PK C	Clear/Pink	Clear	HC
20-500 BK C	Black	Clear	HC
20-500 BK CAF	Black	Clear	AF
20-500 BK S	Black	Smoke	HC



Blue Mirror/Black

### Z-FORCE™ by ZING 20-505 Series Safety Eyewear

- Stylish, 2-in-1 full frame design offers the option to be worn on its own or as an OTG
- Fits over most prescription eyewear
- Soft, flexible temples ensure a secure and comfortable fit
- Side shields provide proper side protection while maintaining unobstructed peripheral vision
- Anti-fog coating prevents foggy lenses caused by humidity and temperature shifts
- Provides 99.9% protection against harmful UV rays
- 12 each/inner box, 12 boxes/case



Part #	Frame Color	Lens Color	Lens Coating
20-505 GY C	Gray	Clear	HC
20-505 GY CAF	Gray	Clear	AF
20-505 BK C	Black	Clear	HC
20-505 BK CAF	Black	Clear	AF
20-505 BK S	Black	Smoke	HC
20-505 BK SAF	Black	Smoke	AF
20-505 BK BM	Black	Blue Mirror	HC

# Superior Protection and Better Comfort



## 20-400 Series Safety Eyewear

- 2-in-1 design offers a removable foam gasket, as well as an optional elastic strap for use in multiple applications
- 3-point adjustable ratchet temples
- Anti-Fog coating prevents foggy lenses caused by humidity and temperature shifts
- Eco friendly temples are made using recycled materials
- Provides 99.9% protection against harmful UV rays
- 12 each/inner box, 12 boxes/case



EG Part #	Frame Color	Lens Color	Lens Coating
20-400ECO CAF	Green	Clear	AF
20-400ECO CAFX	Green	Clear	HYDR-X
20-400ECO SAF	Green	Smoke	AF
20-400ECO SAFX	Green	Smoke	HYDR-X



## 21-100 Series Safety Google

- Indirect vent goggle provides protection against dust and chemical splash to meet ANSI/ISEA Z87.1-2020 standards for D3 and D4 ratings
- Durable, polycarbonate lens with anti-fog coating ensures excellent visibility by preventing foggy lenses caused by humidity and temperature shifts
- Universal fit nose bridge contours to all sizes
- Fully adjustable elastic strap for a secure fit
- Fits over most prescription glasses
- 6 each/inner box, 15 boxes/case



Part #	Frame Color	Lens Color	Lens Coating
21-100 CAF	Gray	Clear	AF
21-100 CAFX	Gray	Clear	HYDR-X

### KEY:

Superior Anti-Scratch Protection  
HC = Hardcoat

Moderate Anti-Scratch Protection  
AF = Standard Anti-Fog HYDR-X = Super Anti-Fog

# RELIABLE. SAFE. PROTECTION.



## Hard Hat Styles



**Full Brim:**  
Provides sun and rain protection. Ideal for construction & road work.



**Cap Style:**  
Lightweight and compact. Ideal for general industry.



**Vented:**  
Improves airflow and provides heat relief. Ideal for non-electrical environments.



**Non-Vented:**  
Maximum electrical protection makes this ideal for electrical and utility work.

# Choosing the Right Head Protection

## The Importance of Hard Hats

Hard Hats are designed to protect the head from impact, penetration, and electrical hazards in industrial and construction environments. Selecting the correct hard hat helps ensure compliance, comfort, and job-site safety.

### ZForce™ by ZING Hard Hat Standards & Compliance


- ✓ Meets ANSI/ISEA Z89.1 standard
- ✓ Non-vented styles also meet CSA Z94.1

## Which Hard Hat is Right for You?



Type I

Provides top impact protection



Type II

Provides top and lateral impact protection



**Class G (General)**

Reduces the danger of contact with low voltage conductors and electrical hazards by providing up to 2,200V of electrical protection



**Class E (Electrical)**

Reduces the danger of contact with high voltage conductors and electrical hazards by providing up to 20,000V of electrical protection



**Class C (Conductive)**

Provides no electrical protection

## How to Choose Checklist

<input checked="" type="checkbox"/> ANSI Type & Class required	<input checked="" type="checkbox"/> Job-site environment (heat, sun, chemicals)
<input checked="" type="checkbox"/> Electrical exposure present?	<input checked="" type="checkbox"/> Suspension & adjustment preference
<input checked="" type="checkbox"/> Accessory needs	

## Cap Style, Vented Hard Hats



- Features a low-profile, modern design that is lightweight and compact
- Complies with ANSI/ISEA Z89.1 for Type I, Class C requirements for head protection
- Made in the USA from high-density polyethylene
- Vented design improves airflow and provides heat relief
- Moisture-wicking, polyester brow pad
- 4-point ratchet suspension allows for smooth, easy adjustability between hat sizes of 6 1/2" to 8"
- Vertical height adjustment capabilities (2 in front, 2 in rear) allow for a personal secure fit
- Accessory slots accommodate a variety of accessories, such as earmuffs or face protection
- ADD YOUR LOGO – Customizable with up to 4 different locations



Part #	Description
30-C100V BE	Blue
30-C100V HLE	High-Vis Lime
30-C100V HOE	High-Vis Orange
30-C100V WE	White
30-C100V YW	Yellow
30-Suspension	Replacement 4-Point Ratchet Suspension



## Full Brim, Vented Hard Hats

- Full brim provides additional coverage for face, neck and shoulders, as well as protection against splash, glare and sun exposure
- Complies with ANSI/ISEA Z89.1 for Type I, Class C requirements for head protection
- Made in the USA from high-density polyethylene
- Vented design improves airflow and provides heat relief
- Moisture-wicking, polyester brow pad
- 4-point ratchet suspension allows for smooth, easy adjustability between hat sizes of 6 1/2" to 8"
- Vertical height adjustment capabilities (2 in front, 2 in rear) allow for a personal secure fit
- Accessory slots accommodate a variety of accessories, such as earmuffs or face protection
- ADD YOUR LOGO – Customizable with up to 4 different locations



Part #	Description
30-F100V BE	Blue
30-F100V HLE	High-Vis Lime
30-F100V HOE	High-Vis Orange
30-F100V WE	White
30-F100V YW	Yellow
30-Suspension	Replacement 4-Point Ratchet Suspension



4-point ratchet suspension  
allows for smooth, easy  
adjustability

## Non-vented | Head Protection



**Z-FORCE™**  
by ZING

## **Cap Style, Non-Vented Hard Hats**

- Features a low-profile, modern design that is lightweight and compact
- Dual certified to ANSI/ISEA Z89.1 and CSA Z94.1 for Type I, Class E and G requirements for head protection
- Non-vented design provides maximum electrical protection making it ideal for electrical and utility work
- Made in the USA from high-density polyethylene
- Moisture-wicking, polyester brow pad
- 4-point ratchet suspension allows for smooth, easy adjustability between hat sizes of 6<sup>1</sup>/<sub>2</sub>" to 8"
- Vertical height adjustment capabilities (2 in front, 2 in rear) allow for a personal secure fit
- Accessory slots accommodate a variety of accessories, such as earmuffs or face protection
- ADD YOUR LOGO – Customizable with up to 4 different locations



Features a polyester padded brow pad for added comfort



by ZING

- Full brim provides additional coverage for face, neck and shoulders, as well as protection against splash, glare and sun exposure
- Dual certified to ANSI/ISEA Z89.1 and CSA Z94.1 for Type I, Class E and G requirements for head protection
- Non-vented design provides maximum electrical protection making it ideal for electrical and utility work
- Made in the USA from high-density polyethylene
- Moisture-wicking, polyester brow pad
- 4-point ratchet suspension allows for smooth, easy adjustability between hat sizes of 6 1/2" to 8"
- Vertical height adjustment capabilities (2 in front, 2 in rear) allow for a personal secure fit
- Accessory slots accommodate a variety of accessories, such as earmuffs or face protection
- ADD YOUR LOGO – Customizable with up to 4 different locations

Part #	Description
30-F100 BE	Blue
30-F100 GN	Green
30-F100 GY	Gray
30-F100 HLE	High-Vis Lime
30-F100 HOE	High-Vis Orange
30-F100 PK	Pink
30-F100 RD	Red
30-F100 WE	White
30-F100 YW	Yellow
30-Suspension	Replacement 4-Point Ratchet Suspension

Shop Online: [www.zinggreenproducts.com](http://www.zinggreenproducts.com) | Call Today: 888.543.ZING

The Zing logo consists of the word "ZING" in a bold, green, sans-serif font. A blue lightning bolt graphic is positioned above the letter "I", with its tip pointing towards the letter "N".

# CHOOSING THE RIGHT GLOVE



**Z-FORCE™**  
by ZING

## COATINGS

### Polyurethane

- ✓ Solvent-based
- ✓ Enhanced touch sensitivity
- ✓ Excellent dry grip
- ✓ Cost-effective

### PPU (Water Based Polyurethane)

- ✓ Water-based
- ✓ DMF and silicone free for workers and the environment
- ✓ Excellent dry or wet grip
- ✓ Lightweight and flexible feel

### Nitrile

- ✓ Resistant to punctures, abrasions and chemicals
- ✓ Extremely durable
- ✓ Excellent for dry or wet, oily applications
- ✓ Excellent alternative to latex

Choosing the right work gloves means balancing protection and comfort. Consider materials, coatings, and grip styles to ensure the best fit for the job and keep your hands safe.

## MATERIALS

### Nylon

- ✓ High elasticity provides flexibility and strength
- ✓ Lightweight, breathable construction for added comfort
- ✓ Low lint



### Spandex

- ✓ Softer feel for added flexibility and stretch
- ✓ Provides a snug, contoured fit for comfort



### CoolTech


- ✓ Unique cooling fibers prevent hand perspiration by drawing moisture away from the skin
- ✓ Keeps hands cool and dry

## GRIP STYLES



### Flat/Smooth

- ✓ Solid coating that repels liquids
- ✓ Ideal in dry applications
- ✓ Good abrasion resistance



### Foam

- ✓ Lightweight, sponge-like texture channels liquids away
- ✓ Offers excellent grip in wet & oily applications
- ✓ Breathable



### Sandy

- ✓ Unique texture for excellent grip in wet and oily applications
- ✓ Enhances cut and abrasion resistance

## GLOVE LINER GAUGE

The gauge of a glove liner is the number of needles used per linear inch on a knitting machine. Glove gauges will typically range from 7 to 18 gauge, and now 21 gauge liners have become increasingly popular over the last couple of years. Generally, the lower the gauge, the thicker the liner. The higher the gauge, the thinner the liner. Therefore, a higher gauge gives you the greatest dexterity.

**Thicker**  
Less Dexterity

1

10

13

15

18

**Thinner**  
**More Dexterity**

# Precision at Your Fingertips



## Bio-Based Polyurethane Coated Gloves

- 13-gauge nylon knit liner
- Flat, smooth polyurethane palm coating
- Made from 30% bio-based materials that are sourced from natural resources
- Color coded hem for easy size identification
- Sizes Available: XS-2XL
- 12 pair/inner pack, 144 pair/case

Part #
10-101



Made From Bio-Based Materials

**30%**



## Bio-Based Polyurethane Coated Gloves

- 18-gauge nylon knit liner
- Flat, smooth polyurethane palm coating
- Made from 30% bio-based materials that are sourced from natural resources
- Color coded hem for easy size identification
- Sizes Available: XS-2XL
- 12 pair/inner pack, 144 pair/case

Part #
10-102



Made From Bio-Based Materials

**30%**



**Z-FORCE™**  
by ZING

### Bio-Based PPU Coated Gloves

- 15-gauge nylon/spandex knit liner
- Water-based, solvent and silicone free PPU palm coating
- Made from 28% bio-based materials that are sourced from natural resources
- Color coded hem for easy size identification
- Styles Available: Foam or sandy grip
- Sizes Available: XS-2XL
- 12 pair/inner pack, 144 pair/case

Made From  
Bio-Based  
Materials

**28%**

Part #	Description
10-103F	Foam Grip
10-103S	Sandy Grip



Cooling fibers prevent hand perspiration  
by drawing moisture away from the skin

**Z-FORCE™**  
by ZING

### Bio-Based PPU Coated CoolTech Gloves

- 15-gauge nylon/spandex/CoolTech knit liner
- Water-based, solvent and silicone free PPU palm coating
- Naturally foamed, sandy finish grip style
- Cooling fibers engineered to wick moisture away
- Made from bio-based materials that are sourced from natural resources
- Color coded hem for easy size identification
- Sizes Available: XS-2XL
- 12 pair/inner pack, 144 pair/case

Part #
10-104



# Z-FORCE™

by ZING

## Ultra-Thin. High Grip. All-Day Comfort.

Experience the highest level of oil grip combined with optimal dexterity, comfort, and wear resistance. Made from highly elasticized nylon, Z-Force™ gloves with a nitrile blend coating offer a second-skin feel and a perfect fit for extended use across various applications.



**Z-FORCE™**  
by ZING

### Bio-Based Nitrile Blend Coated Gloves

- 18-gauge nylon/spandex knit liner
- Smooth, nitrile blend palm coating
- Made from bio-based materials that are sourced from natural resources
- Color coded hems for easy size identification
- Colors Available: Gray/Black or Green/Black
- Sizes Available: XS-2XL
- 12 pair/inner pack, 144 pair/case

Part #	Description
10-201 GY	Gray/Black
10-201 GN	Green/Black



Puncture  
Level  
**2**

Abrasion  
Level  
**4**

Cut  
Level  
**A1**



### Engineered for Performance

- ✓ Ultra-thin & 30% lighter than traditional nitrile gloves
- ✓ Excellent breathability for temperature control and reduced sweat
- ✓ Touchscreen compatible
- ✓ High abrasion resistance for longer wear life
- ✓ Durable in oily environments with reduced oil penetration


# STRONG PROTECTION. SAFE HANDS.

**Z-FORCE™**  
by ZING



Look for the new ANSI marking symbol indicating protection levels.

**ANSI/ISEA  
105-2024**



Badge Analysis  
Abrasion Resistance  
Cut Resistance  
Puncture Resistance

# Understanding Cut-Resistant Gloves

## Where Does The Cut Protection Come From?

Cut protection comes mainly from **high performance polyethylene (HPPE)** fibers that make up part of the liner. The HPPE fibers provide some degree of cut and puncture protection but when combined with steel or glass fibers, protection is enhanced thus giving you a higher cut rating.



High strength synthetic fiber

Lightweight and flexible

Resistant to chemicals and moisture

## ANSI/ISEA 105 STANDARD:

This standard outlines the classification system for cut resistance in protective gloves. It is based on performance levels ranging from A1 to A9, with A1 offering the lowest and A9 the highest cut resistance.

### Cut Performance Test:

ANSI/ISEA 105 utilizes a standardized test method to evaluate the cut resistance of gloves.

The cut test measures the force required to cut through the glove material. This will then determine the glove's level of protection against various cutting hazards.

### Abrasion, Puncture, and Tear Resistance:

ANSI standards do not only cover cut resistance, but there are also test methods that will evaluate abrasion, puncture, and tear resistance.

Gloves will receive separate ratings for each of these properties, providing a complete assessment of their overall capabilities. The results will be displayed clearly on gloves using the new marking symbol shown to the left.

## ANSI Cut Ratings Chart

### Markings & Indications Explained

ANSI LEVEL	CUT	CUT	CUT	CUT	CUT	CUT	CUT	CUT	CUT
Weight (gm to cut through materials)	>200	>500-999	>1,000-1,499	>1,500-2,199	>2,200-2,999	>3,000-3,999	>4,000-4,999	>5,000-5,999	>6,000+
Typical Tasks	- For low cut hazards like dull blades, splinters, and bare wood			- For medium cut hazards like blades, rough sheet metal, and glass shards			- For high cut hazards like active machinery and sharp tools		



**Z-FORCE™**  
by ZING

### Bio-Based A2 Cut Resistant PPU Coated Gloves

- 18-gauge HPPE/nylon/metal wire/spandex knit liner
- Water-based, solvent and silicone free PPU palm coating
- Made from bio-based materials that are sourced from natural resources
- Color coded hems for easy size identification
- Sizes Available: XS-2XL
- 12 pair/inner pack, 72 pair/case

Part #
11-102



**Z-FORCE™**  
by ZING

### Bio-Based A3 Cut Resistant PPU Coated Gloves

- 18-gauge HPPE/nylon/metal wire/spandex knit liner
- Water-based, solvent and silicone free PPU palm coating
- Made from bio-based materials that are sourced from natural resources
- Color coded hems for easy size identification
- Sizes Available: XS-2XL
- 12 pair/inner pack, 72 pair/case

Part #
11-103



**Z-FORCE™**  
by ZING

### Orange 18" A4 Cut Resistant Sleeve

- 18-gauge HPPE material with nylon palm
- 18" length with thumbhole
- Elastic wrist and arm cuff
- Made from more than 10% bio-based materials that are sourced from natural resources
- 20 each/inner pack, 200 each/case

Part #
12-104



# High Performance Grip. Naturally Better Fit.



## Bio-Based A4 Cut Resistant Coated Gloves

- 18-gauge HPPE/nylon/metal wire/spandex knit liner
- Water based, solvent and silicone free PPU coating or nitrile blend coating available
- Made from bio-based materials that are sourced from natural resources
- Color coded hem for easy size identification
- Sizes Available: XS-2XL
- 12 pair/inner pack, 72 pair/case

Part #	Description
11-104	PPU
11-204	Nitrile Blend



## Bio-Based A6 Cut Resistant Coated Gloves

- 18-gauge HPPE/nylon/metal wire/spandex knit liner
- Water based, solvent and silicone free PPU coating or nitrile blend coating available
- Made from bio-based materials that are sourced from natural resources
- Color coded hem for easy size identification
- Sizes Available: XS-2XL
- 12 pair/inner pack, 72 pair/case

Part #	Description
11-106	PPU
11-206	Nitrile Blend



# YOUR GUIDE TO UNDERSTANDING LOCKOUT/TAGOUT



Scan to Learn More  
About OSHA's  
Lockout/Tagout  
(LOTO) Standard

## 6 Types of Hazardous Energy



Electrical



Mechanical



Hydraulic



Pneumatic



Chemical



Thermal

# Your Guide to Safe Maintenance



Safety Padlocks



Lockout Hasps



Valve Lockouts



Circuit Breaker Lockouts



Plug Lockouts



Cable Lockouts



Lockout Stations/Kits



Tags and Labels

## Essential LOTO Equipment

## 6 Core Steps of Lockout/Tagout

### 1 PREPARE

Identify all energy sources used

### 2 NOTIFY

Inform all affected employees

### 3 SHUT DOWN

Turn OFF all equipment or machinery

### 4 ISOLATE

Isolate all energy sources

### 5 LOCK & TAG

Apply locks and tags to each isolation point

### 6 VERIFY

Test to ensure zero energy before starting work

## Understanding Lockout/Tagout (LOTO)

Lockout/Tagout is a safety procedure used to prevent accidental start-up or release of energy during maintenance or servicing of machines and equipment.

### Why is it Important?

- Prevents serious injury or death
- Reduces equipment damage and downtime
- Complies with OSHA 29 CFR 1910.147
- Builds a culture of safety and accountability

### What is the Difference Between Lockout vs. Tagout?

#### Lockout

Physically ensures machinery or equipment is inoperable while being worked on with the use of padlocks, and proper devices

VS.



#### Tagout

Communicates to workers that machinery or equipment is being serviced or repaired with the use of safety tags

## Keying Options: Keyed Different vs. Keyed Alike

**Padlocks** are a vital part of any Lockout/Tagout program, serving as the physical device that keeps energy-isolating switches, valves, or breakers in the off or safe position. They provide a tangible barrier that ensures the safety of workers.

**Keyed Different** – Each padlock is keyed differently for maximum security for individual users.

Every lock has its own key.  
There are no duplications of keys.



**Keyed Alike** – All padlocks in a group are keyed the same.

The same key opens all padlocks.  
You can have multiple keyed alike sets.  
There are fewer keys to track.



For additional keying options, call a ZING Customer Service Representative today!


# Trusted Lockout Tagout Padlocks for Workplace Protection



## 700 Series Safety Padlocks

- Solid aluminum body with a hardened steel shackle is encased in recycled plastic for extended durability and dielectric properties
- Shackle inserts feature a barrier cap, which protects the lock body interior from dirt and moisture
- Unique body design features bilingual wraparound labels
- The 6-pin lock mechanism provides dependable security with key-retaining and auto-locking functions
- Each padlock comes with 3 labels: English Only, English/Spanish, and English/French
- One key included per OSHA guidelines
- Available in multiple color options

ZING padlocks are the only lockout padlock that can accommodate a bilingual label on a standard size padlock




Description	Red	Blue	Green	Black	Yellow	Orange
<b>Keyed Different, Each</b>						
1.5" Shackle	700KD-RED	700KD-BLUE	700KD-GREEN	700KD-BLACK	700KD-YELLOW	700KD-ORANGE
3" Shackle	710KD-RED	710KD-BLUE	710KD-GREEN	710KD-BLACK	710KD-YELLOW	710KD-ORANGE
<b>Keyed Alike, Each</b>						
1.5" Shackle	700KA-RED	700KA-BLUE	700KA-GREEN	700KA-BLACK	700KA-YELLOW	700KA-ORANGE
3" Shackle	710KA-RED	710KA-BLUE	710KA-GREEN	710KA-BLACK	710KA-YELLOW	710KA-ORANGE
<b>Keyed Alike, 3-Pack</b>						
1.5" Shackle	700KA3-RED	700KA3-BLUE	700KA3-GREEN	-	700KA3-YELLOW	-
<b>Keyed Alike, 6-Pack</b>						
1.5" Shackle	700KA6-RED	700KA6-BLUE	700KA6-GREEN	-	700KA6-YELLOW	-

**Custom Master Keyed Locks Available - Call for a Quote!**

## 800 Series Extreme Environment Safety Padlock

- Designed to perform in the most demanding environments
- Excels in high wash-down environments like food manufacturing, saltwater locations like oil rigs or mines, and industrial environments that are exposed to the elements
- All the features of the 700 Series plus specially treated lock body, stainless steel shackle, and protective key-way cylinder cap

Part #	Description	Quantity
800KD-RED	1.5" Shackle, Keyed Different	Each
810KD-RED	3" Shackle, Keyed Different	Each
800KA-RED	1.5" Shackle, Keyed Alike	Each
810KA-RED	3" Shackle, Keyed Alike	Each
800KA3-RED	1.5" Shackle, Keyed Alike	3-Pack
800KA6-RED	3" Shackle, Keyed Alike	6-Pack



## 900 Series Safety Padlocks

- Features a solid thermoplastic body and hardened steel shackle with a 7-pin cylinder, allowing more than 200,000 key changes, one of the highest in the industry
- Body is 1.56"W x 1.84"H with a .25" diameter shackle
- Available shackle lengths - 1.5" or 3"
- Keyed different - one key per lock
- Made in the USA with domestic and global components and qualifies for the Buy American Act

Part #	Description	Quantity
900KD-RED	1.5" Shackle Length, Keyed Different	Each
910KD-RED	3" Shackle Length, Keyed Different	Each



## 7900 Safety Padlock

- Body is made of industrial-grade non-conductive nylon unibody plastic
- Corrosion-resistant stainless steel shackle for enhanced durability in challenging environments
- Features a high-grade brass core cylinder with key retaining functionality to ensure a secure lockout
- Includes "Danger Locked Out Do Not Remove" warning label for the front side and a write-on label for the back side
- Keyed Different – one key per lock with matching key number on the padlock body and key
- Shackle length is 1.5" shackle with a 0.25" shackle diameter
- Dimensions: 3.5"H x 1.5"W x .8"D

Part #	Description	Quantity
7900KD-RED	1.5" Shackle Length, Keyed Different	Each



**70 Series Safety Padlocks**

- Feature a solid aluminum body, steel shackle, and a fully insulated protective covering for increased safety and corrosion resistance
- Precision 6-pin cylinder has key-retaining and auto-locking functions
- Made from recycled materials - contain no PVC and use only food grade lubricants
- UL Validated for recycled content
- Shackle Lengths Available: 1.5" and 3" with a 0.25" diameter

Plastic covered  
steel shackle and  
aluminum body



Description	Red	Blue	Green	Black	Yellow	Purple	Orange	Brown
<b>Keyed Different, Each</b>								
1.5" Shackle	7030	7032	7034	7036	7038	7040	7042	7044
1.5" Shackle, with 3" Body	7070	7072	7074	7076	7078	7080	7082	7084
3" Shackle	7046	7048	7050	7052	7054	7056	7058	7060
<b>Keyed Alike, Each</b>								
1.5" Shackle	7031	7033	7035	7037	7039	7041	7043	7045
1.5" Shackle, with 3" Body	7071	7073	7075	7077	7079	7081	7083	7085
3" Shackle	7047	7049	7051	7053	7055	7057	7059	7061
<b>Keyed Alike, 3-Pack</b>								
1.5" Shackle	7062	7064	7066	7037KAX3	7068	7041KAX3	7043KAX3	7045KAX3
1.5" Shackle, with 3" Body	7086	7088	7090	-	7092	-	-	-
<b>Keyed Alike, 6-Pack</b>								
1.5" Shackle	7063	7065	7067	7037KAX6	7069	7041KAX6	7043KAX6	7045KAX6
1.5" Shackle, with 3" Body	7087	7089	7091	-	7093	-	-	-

**Aluminum Padlocks**

- Body is made from lightweight recycled aluminum
- Shackle is made from hardened alloy steel with a corrosion-resistant protective plating
- Locks are non-sparking, nonmagnetic, and feature a precision 6-pin cylinder for maximum security
- Keyed different - includes two keys per lock
- Body measures  $1\frac{5}{16}$ "H x  $1\frac{1}{4}$ "W x  $\frac{5}{8}$ "D, with a shackle diameter of  $\frac{1}{4}$ "
- Shackle Lengths Available: 1.5" or 3"



Description	Red	Blue	Green	Black	Yellow
1.5" Shackle	7095	7098	7099	7097	7096
3" Shackle	7200	7203	7204	7202	7201

**Custom Configurations are Available! Call for a Quote!**

Part #	Description	Dimensions
7319	Cable Padlock, 1 ft. cable	1.77"H x 1.5"W
7320	Cable Padlock, 2 ft. cable	1.77"H x 1.5"W
7321	Cable Padlock, 3 ft. cable	1.77"H x 1.5"W
7322	Cable Padlock, 4 ft. cable	1.77"H x 1.5"W
7339	Padlock Tags, Do Not Operate Disposable, 10/pk	1"H x 5"W
7323	Flat Padlock Eyes, Small, 10/pk	1.2"H x 1"W
7324	Flat Padlock Eyes, Medium, 10/pk	1.9"H x 1"W
7325	Flat Padlock Eyes, Large, 10/pk	2.2"H x 1"W
7326	Flat Padlock Eyes, Extra Large, 10/pk	2.8"H x 1"W
7327	Right-angled Padlock Eyes, Small, 10/pk	0.85"H x 1"W
7328	Right-angled Padlock Eyes, Medium, 10/pk	1.5"H x 1"W
7329	Right-angled Padlock Eyes, Large, 10/pk	1.85"H x 1"W
7330	Right-angled Padlock Eyes, Extra Large, 10/pk	2.35"H x 1"W



7339

7323

7328

## Padlocks Stations

- Conveniently store and organize lockout padlocks
- Station is made from durable powder-coated steel
- Mounting holes are pre-drilled for easy installation

Unstocked Part #	Stocked Part #	Description	Dimensions
7379	6075	Includes (5) 700KD locks, 5-6 Lock Capacity	3.15"H x 5.1"W x 1.5"D
7380	6076	Includes (10) 700KD locks, 10-12 Lock Capacity	3.15"H x 9.85"W x 1.5"D
7381	6077	Includes (15) 700KD locks, 15-18 Lock Capacity	3.15"H x 14.5"W x 1.5"D
7382	6078	Includes (20) 700KD locks, 20-24 Lock Capacity	3.15"H x 19.3"W x 1.5"D



## Padlock Cabinet Stations

- Used to store and organize lockout padlocks
- Cabinet is made from durable powder-coated steel
- Security lock and two keys included

Part #	Description	Dimensions
7335	Clear Door, 10 Hooks, 19 Lock Capacity	14"H x 10.5"W x 2"D
7336	Clear Door, 21 Hooks, 41 Lock Capacity	18.25"H x 15.5"W x 2"D
7337	Clear Door, 28 Hooks, 55 Lock Capacity	23"H x 15.5"W x 2"D
7338	Clear Door, 42 Hooks, 84 Lock Capacity	23"H x 15.5"W x 5.5"D
7376	Solid Door, 21 Hooks, 41 Lock Capacity	18.25"H x 15.5"W x 2"D
7377	Solid Door, 55 hooks, 112 Lock Capacity	23"H x 15.5"W x 5.5"D
7378	Solid Door, 109 hooks, 220 Lock Capacity	23"H x 31.5"W x 5.5"D



7376

7335



### Lockout Key Cabinet

- Used to store and organize the keys for lockout padlocks
- Cabinet is made from durable powder-coated steel with a clear plastic window
- 4 mounting holes are pre-drilled for easy installation
- Security lock and two keys included

Part #	Description	Dimensions
7331YC	30 Key Capacity	14"H x 10.5"W x 2"D
7332YC	60 Key Capacity	18.25"H x 15.5"W x 2"D
7333YC	160 Key Capacity	18.25"H x 15.5"W x 4"D



### Portable Lockout Station

- Holds up to 17 locks and can also accommodate hasps, tags, and ties
- Sturdy handle and easy-to-open design make the kit easy to transport to work sites
- Mounting holes are pre-drilled if a single location is desired

Part #	Description	Dimensions
7375	(12) #7030 1.5" Padlocks, (2) #7619 1" Hasps, (2) #7620 1.5" Hasps, (1) #7343 Do Not Operate Safety Tags, 10/pk	17"H x 16"W x 3"D
7375E	Unstocked	17"H x 16"W x 3"D



6062 features internal mounted binder rings for holding lockout documents


### Stainless Steel Lockout Cabinet Stations

- Cabinets are constructed from recycled stainless steel
- Lockout Tagout Information Cabinet stores important safety documents and supports compliance with lockout/tagout standards
- Includes an easy-to-carry handle and a built-in 3-ring binder assembly that stores up to 300 sheets
- Lockout Cabinet (stocked) stores lockout devices
- The inner shelf features 14 slots for extra storage of padlocks and hasps, and the inside door houses lockout tags and ties
- Lockable hasp included for extra security
- Cabinet is pre-drilled for easy mounting

Part #	Description	Contents	Dimensions
6062	Lockout Cabinet with #7030 and #7046 Safety Locks	(2) 1.5" Padlocks (2) 3" Padlocks, (2) # 7106 1" Steel Hasp, (2) # 7107 1.5" Steel Hasp, (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5" - 5" Valve Lockout, (1) #7101 Large Cylinder Lockout, (2) 7110 Single-pole Breaker Lockout, (1) #7111 Multi-pole Breaker Lockout, (1) # 6064 Wall Switch Lockout, (1) # 7010 Do Not Operate Safety Tags, 10/pk, (10) Cable Ties	16"H x 15.25"W x 5.5"D
2722	Lockout Cabinet with #7095 and #7200 Aluminum Locks		
6058	Lockout Tagout Information Document Case	Empty	12"H x 13"W x 3"D



7115



7116

## Lockout/Tagout Stations

- Made from heavy-duty, impact resistant PETG plastic
- The hooks are double capacity allowing storage of 2 padlocks or hasps
- Padlock hooks are closed allowing locks to be locked onto the station for accountability
- Hook spacing allows 1.5" or 3" locks in any position
- Centers are UL Validated for Recycled Content and support LEED certification
- #6063 and #7117 are designed to be mounted near equipment making lockout convenient
- #6063 is painted steel and has a pocket shelf for small device storage
- All Centers and Stations are Made in the USA



7114



7113



6063



7117



Kit with # 7030 and # 7046 Safety Locks	Kit with # 7095 and #7200 Aluminum Locks	Board Only	Description	Contents	Dimensions
7113	2726	7113E	Lockout/Tagout Station, 3 Safety Padlocks	(2) 1.5" Padlocks, (1) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (3) # 7010 Tags, (3) Cable Ties	11"H x 11"W
7114	2727	7114E	Lockout/Tagout Station, 8 Safety Padlocks	(7) 1.5" Padlocks, (1) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Cable Ties	15"H x 15"W
7115	2728	7115E	Lockout/Tagout Station, 12 Safety Padlocks	(10) 1.5" Padlocks, (2) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Cable Ties	23"H x 15"W
7116	2729	7116E	Lockout/Tagout Station, 28 Safety Padlocks	(24) 1.5" Padlocks, (4) 3" Padlocks, (2) # 7106 1" Steel Hasp, (2) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Cable Ties	23"H x 23"W
7117	2730	7117E	Plug Lockout Station, 1 Safety Lock	(1) # 7100 Large Plug Lockout, (1) 1.5" Padlock, (1) #7010 Tag, (1) Cable Tie	10"H x 7"W
6063	2723	6063E	Mini Lockout Station 3 Safety Locks	(3) 1.5" Padlocks, (1) # 7107 1.5" Steel Hasp, (5) # 7010 Tags, (5) Cable Ties, (1) # 7110 Breaker Lockout	10"H x 8"W

### Lockout/Tagout Stations

- Designed to centralize the storage of crucial safety equipment such as lockout padlocks, tags, and hasps, ensuring they are readily available to all personnel when needed for locking equipment
- Heavy-duty molded stations are made from a polystyrene mix for durability
- Each station provides organization with dedicated storage for padlocks, tags and hasps



7371



7372




7373

Board Only Part #	Stocked Part #	Contents	Padlock Capacity	Dimensions
7353	7371	(7) # 7030 1.5" Padlocks, (1) # 7619 1" Hasp, (1) # 7620 1.5" Hasp, (1) #7343 10- pack Tags	7	11.5"H x 11.5"W
7354	7372	(12) # 7030 1.5" Padlocks, (4) #7046 3" Padlocks, (1) # 7619 1" Hasp, (1) # 7620 1.5" Hasp, (1) #7343 10-pack Tags	16	13.5"H x 14.5"W
7355	7373	(42) # 7030 1.5" Padlocks, (6) #7046 3" Padlocks, (2) # 7619 1" Hasp, (2) # 7620 1.5" Hasp, (2) #7343 10-pack Tags	48	21.5"H x 23"W

### Lockout/Tagout Shadow Boards

- Used to store and organize important lockout locks, devices, and tags
- Made from sturdy aluminum composite material (ACP)
- Features a high-visibility red striped border to encourage compliance



7800



7801



7802

Part#	Padlock Capacity	Dimensions
7800	4 Padlocks	17.5"L x 11.75"W x 2.25"D
7801	10 Padlocks	23.5"L x 15"W x 2.25"D
7802	20 Padlocks	23"L x 22"W x 2.25"D

## Basic Lockout Toolbox Kit

- Provides a variety of lockout devices for on-the-job maintenance/repair operations
- Features a single open compartment which easily accommodates a variety of tools and devices
- Toolbox is made from heavy-duty, durable plastic and the devices are made from recycled materials that support sustainability initiatives and LEED credits



Unstocked Toolbox	Kit with #7030 Safety Locks	Kit with #7095 Aluminum Locks	Contents	Dimensions
7129E	7129	2734	(3) Padlocks 1.5" Shackle, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (3) #7107 1.5" Steel Hasps, (1) #7010 Safety Tags, 10/pk, (10) Ties	6.5"H x 13"W x 5"D



## Electrical Toolbox Kits

- Equipped with a variety of lockout devices that are specifically designed to safely isolate and secure electrical energy sources during maintenance or repair
- Features a single open compartment which easily accommodates a variety of tools and devices
- Toolbox is made from heavy-duty, durable plastic and the devices are made from recycled materials that support sustainability initiatives and LEED credits

Unstocked Toolbox	Stocked Toolbox	Description	Contents	Dimensions
7129E	7581	Breaker/Plug Lockout Toolbox Kit	(1) 7100 Plug Lockout, (10) #7343E Do Not Operate Tags, (3) #7030 1.5" Padlocks, (3) #7619 Red Dipped 1" Hasps, (1) #7256 120/277V Clamp-on Breaker Lockout, (1) #7257 480/600V Breaker Lockout, (1) #7258 480/600V Oversize Breaker Lockout, (10) Cable Ties	6.5"H x 13"W x 5"D
7129E	7671	Deluxe Breaker/Plug Electrical Lockout Toolbox Kit	(3) #7030 1.5" Shackle Padlocks, (1) #7100 Large Plug Lockout, (1) #6071 Lockout Training Booklet, (3) #7256 Single-pole Breaker Lockouts, (2) #7285 Multi-pole Breaker Lockouts, (3) #7620 1.5" Steel Hasps, (1) #7343 Tags, Do Not Operate 10/pk, (10) Cable Ties	6.5"H x 13"W x 5"D



7136



7137



7141



7138

### Portable Lockout/Tagout Safety Kits

- Portable kits offer a convenient assortment of locks and devices that allow workers to safely isolate and lock out energy sources wherever they are working, without needing to return to centralized location
- Keeps all essential lockout devices and tags in one place making it easy to carry them to various job sites or across a large facility
- Durable plastic case is both portable and wall mountable

Part #	Description	Contents	Dimensions
7136	Personal Electric Lockout Kit	(1) #7136E Plastic Case, (1) 7619 1" Steel Hasp, (1) # 7620 1.5" Steel Hasp, (2) # 7256 Clamp-on Breaker Lockout, (5) #7343 Do Not Operate Tags, (5) #7130 Cable Ties, (2) # 7030 1.5" Shackle Padlocks, (1) # 7105 Small Plug Lockout, (2) # 7607 Multi-pole Breaker Lockout, (1) # 6071 Lockout Training Booklet	6.4"H x 9.5"W x 2.8"D
7137	Basic Electrical Lockout Kit	(1) #7136E Plastic Case, (1) 7619 1" Steel Hasp, (1) # 7620 1.5" Steel Hasp, (1) 7369 Breaker Lockout Set - Three Sizes, (5) #7343 Do Not Operate Tags, (5) #7130 Cable Ties, (2) # 7030 1.5" Shackle Padlocks, (1) # 7105 Small Plug Lockout	6.4"H x 9.5"W x 2.8"D
7138	General Purpose Portable Lockout Kit	(1) # 7340 Portable Lockout Bag, (1) 7619 1" Steel Hasp, (1) # 7620 1.5" Steel Hasp, (2) # 7256 Clamp-on Breaker Lockout, (1) #7257 Clamp-on Breaker Lockout, (5) #7343 Do Not Operate Tags, (5) #7130 Cable Ties, (2) # 7030 1.5" Shackle Padlocks, (1) #7614 Wall Switch Lockout, (1) #7249 Ball Valve Lockout, $\frac{3}{8}$ " - 1.4" diameter, (1) # 7103 Gate Valve Lockout 1" - 2.5", (1) # 7104 Gate Valve Lockout 2.5"-5", (1) #7632 Pneumatic Lockout, (1) #7244 Cable Lockout, (1) #7253 Push Button Lockout, (1) # 7100 Large Plug Lockout, (1) # 7105 Small Plug Lockout	12" Base
7141	Operator Lockout Kit	(1) #7136E Plastic Case, (1) # 7620 1.5" Steel Hasp, (2) # 7256 Clamp-on Breaker Lockout, (2) #7343 Do Not Operate Tags, (2) #7130 Cable Ties, (1) # 7030 1.5" Shackle Padlocks	6.4"H x 9.5"W x 2.8"D

## Portable Lockout/Tagout Safety Kits

- Made up of premium components, each kit contains a variety of convenient locks, tags, and devices
- Lightweight and compact soft pack kits are made from durable fabric
- Excellent for personal lockout needs and workers who move between job sites or service machines across a facility



Part #	Description	Contents	Dimensions
7147	Electrical Lockout Kit	(1) Lockout Bag, (2) KD Red Padlocks with Flexible Labeling System, (10) Lockout Tags and CableTies, (2) Lockout Hasps, (4) Circuit Breaker Lockouts, (1) Plug Lockout	8"H x 7"W x 3"D
7148	Lockout Kit	(1) Lockout Bag, (2) KD Red Padlocks with Flexible Labeling System, (5) Lockout Tags and Cable Ties, (2) Lockout Hasps	6"H x 7"W x 2"D
7149	Basic Lockout Kit	(1) Lockout Bag, (2) KD Red Padlocks with Flexible Labeling System, (5) Lockout Tags and Cable Ties, (2) Steel Lockout Hasps, (1) Dielectric Nylon Lockout Hasp, (2) Circuit Breaker Lockouts	6"H x 7"W x 2"D
7150	Breaker Lockout Kit	(1) Lockout Bag, (3) KD Red Padlocks with Flexible Labeling System, (5) Lockout Tags and Cable Ties, (3) Lockout Hasps, (7) Circuit Breaker Lockouts	8"H x 7"W x 3"D
7151	Personal Lockout Kit	(1) Lockout Bag, (3) KD Red Padlocks with Flexible Labeling system, (5) Lockout Tags and Cable Ties, (2) Steel Lockout Hasps, (1) Dielectric Nylon Hasp, (2) Circuit Breaker Lockouts, (1) Plug Lockout	8"H x 7"W x 3"D
7575	Economy Portable Electric Lockout Pouch Kit	(1) Lockout Bag, (2) Red Dipped 1" Hasps, (2) Do Not Operate Tags, (2) Padlocks, (2) Cable Ties	6"H x 7"W x 2"D
7576	Portable Electric Lockout Kit	(1) Lockout Bag, (2) Red Dipped 1" Hasps, (2) Do Not Operate Tags, (2) Padlocks, (1) 120/277V Clamp-on Breaker Lockout, (1) 480/600V Breaker Lockout, (1) Multi-pole Breaker Lockout, (2) Cable Ties	6"H x 7"W x 2"D
7679	Portable Breaker Lockout Kit	(1) Lockout Bag, (2) 1.5" Shackle Padlocks, (1) 1" Steel Hasp, (1) Circuit Breaker Lockout Set of 3, (1) Tags, Do Not Operate 10/pk	6"H x 7"W x 2"D
7859	Portable Electrical Lockout Tagout Kit	(1) Lockout Bag, (4) 1.5" Shackle Padlocks, (2) Lockout Hasps, (1) Plug Lockout, (1) Non-Conductive Polypropylene Electrical Hasp, (2) 120/277V Clamp-On Breaker Lockout, (2) Universal Multi-Pole Breaker Lockout, (20) DANGER – Do Not Operate Tags, (30) 50 lb. Pull Nylon Cable Ties	5"H x 7"W x 4"D

# Built With American Craftsmanship To Meet The



Proudly Made in the USA!



Part #	Description	Contents	Dimensions
6062-USA	Steel Lockout Cabinet Kit	(2) 1.5" Padlocks (2) 3" Padlocks, (2) # 7106 1" Steel Hasp, (2) # 7107 1.5" Steel Hasp, (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5" - 5" Valve Lockout, (1) #7101 Large Cylinder Lockout (2) 7110 Single-pole Breaker Lockout, (1) #7111 Multi-pole Breaker Lockout, (1) # 6064 Wall Switch Lockout, (10) # 7010 Safety Tags, Do Not Operate, (10) Cable Ties	16"H x 15.25"W x 5.5"D
7129-USA	Lockout Toolbox Kit	(3) Padlocks 1.5" Shackle, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (3) #7107 1.5" Steel Hasps, (10) #7010 Do Not Operate Safety Tags, (10) Cable Ties	6.5"H x 13"W x 5"D
7154-USA	Electrical and Valve Lockout Kit	(1)Lockout Box, (1)Plug Lockout, (10) Tags, (1)CB Lockout-Single, (1) CB Lockout-Double, (2) 900KD Padlock, (1) Gate Valve Lockout, (1) Hasp 1", Hasp 1.5", (1) Wall Switch Lockout, (1) Plug Lockout Small, (10) Cable Ties	6.4"H x 9.5"W x 2.8"D
7155-USA	Electrical Lockout Kit	(1)Lockout Box, (5) Safety Tags, (1) CB Lockout-Single, (1) CB Lockout-Double, (2) 900KD Padlock, (1) 1" Hasp, (1) 1.5" Hasp, (5) Cable Ties	6.4"H x 9.5"W x 2.8"D
7156-USA	Electric Lockout Toolbox Kit	(3) #900KD-Red Padlocks, 1.5" Shackle, (3) #7110 Breaker Lockouts , (1) #7111 Breaker Lockouts, (1) #6064 Wall Switch Lockout, (1) # 7105 Small Plug Lockout, #7100 Large Plug Lockout, (3) #7107 Large Steel Hasps, (10) #7010 Lockout Tags with legend, "DO NOT OPERATE", (10) Cable Ties	6.5"H x 13"W x 5"D

# Highest Standards Of Safety And Durability



## Lockout/Tagout Safety Kits and Stations

- Kits are assembled in the USA with all USA-made components
- Many of the components use recycled materials in the manufacturing process, diverting waste out of landfills
- An assortment of storage solutions available to fit every workers unique needs



7158-USA



7119-USA



7120-USA



7121-USA

Part #	Description	Contents	Dimensions
7158-USA	Plug Lockout Large Pouch Kit	(1) Lockout Bag, (1) Plug Lockout, (2) Tags, (2) CB Lockout-Single, (2) CB Lockout-Double, (1) 900KD Padlock, (1) Hasp 1", (1) Hasp 1.5", (2) Cable Ties	6"H x 7"W x 2"D
7119-USA	General Application Small Pouch Kit	(2) 1.5" Padlocks, (1) # 7106 1" Steel Hasp, (1) #7107 1.5" Steel Hasp, (1) #7110 Breaker Lockout, (3) #7010 Do Not Operate Tags	6"H x 7"W x 2"D
7120-USA	Valve Lockout Large Pouch Kit	(1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5"-5" Valve Lockout, (2) 1.5" Padlocks, (2) #7010 Do Not Operate Tags, (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (1) #7110 Breaker Lockout, (3) Cable Ties	8"H x 7"W x 3"D
7121-USA	Plug Lockout Large Pouch Kit	(1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) 1.5" Padlock, (1) 1.5" Yellow Padlock, (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (2) #7010 Do Not Operate Tags, (3) Cable Ties	8"H x 7"W x 3"D

## Eco Lockout/Tagout Kits

- Each kit provides a convenient assortment of locks, hasps and devices
- Environmentally friendly components are made from heavy-duty recycled content materials
- Durable, portable fabric pouch for easy storage and transport



7119



7120



7121



7134



7135

Kit with #7030 or #7046 Safety Locks	Kit with #7095 or #7200 Aluminum Locks	Description	Contents	Dimensions
7119	2731	General Application Small Pouch Kit	(2) 1.5" Padlocks, (1) #7106 1" Steel Hasp, (1) #7107 1.5" Steel Hasp, (1) #7110 Breaker Lockout, (3) #7010 Do Not Operate Tags	6"H x 7"W x 2"D
7120	2732	Valve Lockout Large Pouch Kit	(1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5"-5" Valve Lockout, (2) 1.5" Padlocks, (2) #7010 Do Not Operate Tags, (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (1) #7110 Breaker Lockout, (3) Cable Ties	8"H x 7"W x 3"D
7121	2733	Plug Lockout Large Pouch Kit	(1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) 1.5" Padlock, (1) 1.5" Yellow Padlock, (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (2) #7010 Do Not Operate Tags, (3) Cable Ties	8"H x 7"W x 3"D
7134	2724	Lockout Bag Kit	(2) 1.5" Padlocks, (2) 3" Padlocks, (2) #7106 1" Hasps, (2) #7107 1.5" Hasps, (1) #6064 Wall Switch Lockout, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Gate Valve Lockout, (1) #7104 2.5"-5" Gate Valve Lockout, (10) Cable Ties, (10) #7010 Do Not Operate Tags	10"H x 18"W x 6"D
7135	2725	Lockout Belt Kit	(2) 1.5" Padlocks, (2) #7016 1" Hasps, (2) #7107 1.5" Hasps, (1) #7110 Breaker Lockout, (1) #7105 Small Plug Lockout, (1) #7104 2.5"-5" Gate Valve Lockout, (5) Cable Ties, (5) #7010 Do Not Operate Tags	6"H x 24"W x 4"D

## Lockout/Tagout Tool Bag Kits

- Fully stocked duffel bag kits provide an assortment of lockout essentials for electrical, valve and general maintenance lockout needs
- Durable nylon construction bags with wire framing around top edges keep bag open when in use
- Shoulder strap and 2 handles for easy transportation
- Available in 3 base sizes: 12", 16", & 18"



7685  
Maintenance Department Lockout Kit

Comprehensive  
and Portable!



7674  
Valve Lockout Kit



7672  
Electrical Lockout Kit



7683  
Deluxe Valve Lockout Kit



7681  
Deluxe Electrical Lockout Kit

Bag Only Part #	Stocked Part #	Contents	Dimensions
7340	7672	(3) # 7030 1.5" Padlocks, (1) #7361 Snap-on Hasp, (1) # 7619 1" Hasp, (1) #7623 Cable Lockout, (1) #7319 Cable Lockout Padlock Device, (1) #7256 120/277V Circuit Breaker Lockout, (1) #7257 480/600V Circuit Breaker Lockout, (1) #7258 Oversize 480/600V Circuit Breaker Lockout, (1) #7614 Wall Switch Lockout, (12) #7343E Safety Tags Do Not Operate	12" Base
7340	7674	(3) # 7030 1.5" Padlocks, (1) #7361 Snap-on Hasp, (1) # 7619 1" Hasp, (1) #7623 Adjustable Cable Lockout, (1) #7271 Adjustable Gate Valve Lockout, (1) # 7249 Ball Valve Lockout, Fits Valves from .38" to 1.4" Diameter, (1) # 7250 Ball Valve Lockout Fits Valves from 1.5" to 2.5" Diameter, (12) #7343E Safety Tags Do Not Operate	12" Base
7340	7681	(1) #7343 Lockout Tags, Do Not Operate, 10 Pack, (1) #7106 1" Hasp, (1) #7369 Circuit Breaker Lockout Set of 3 sizes, (2) #7030 1.5" Shackle Padlocks, (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #6064 Wall Switch Lockout, (1) #7313 Circuit Breaker Lockout Set of 5, (1) #7609 4-way Fuse Breaker Lockout, (1) #7610 2-way Fuse Breaker Lockout	12" Base
7341	7683	(1) #7343 Lockout Tags, Do Not Operate, 10 Pack, (1) #7106 1" Hasp, (1) #7107 1.5" Hasp, (2) #7030 1.5" Shackle Padlocks, (1) #7271 Gate Valve Lockout 1-6.5", (1) #7290 Cable/Valve Lockout, (1) #7605 Butterfly Valve Lockout, (1) #7514 Pull Handle Valve Lockout, (1) #7249 Ball Valve Lockout 3/8" to 1.4", (1) #7250 Ball Valve Lockout 1.5" to 2.5", (1) #7294 Multi-purpose Plug/Cylinder/Valve Lockout, (1) #7632 Pneumatic Lockout	16" Base
7342	7685	(2) #7343 Lockout Tags, Do Not Operate, 10 Pack, (2) #7106 1" Hasp, (2) #7107 1.5" Hasp, (3) #7369 Circuit Breaker Lockout Set of 3 sizes, (6) #7030 1.5" Shackle Padlocks, (3) #7046 Padlocks 3" Shackle, (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #6064 Wall Switch Lockout, (1) #7313 Circuit Breaker Lockout Set of 5, (1) #7605 Butterfly Valve Lockout, (1) #7271 Gate Valve Lockout 1-6.5", (1) #7290 Cable/Valve Lockout, (1) #7514 Pull Handle Valve Lockout, (1) #7249 Ball Valve Lockout 3/8" to 1.4", (1) #7250 Ball Valve Lockout 1.5" to 2.5", (1) #7294 Multi-purpose Plug/Cylinder/Valve Lockout, (1) #7632 Pneumatic Lockout, (1) #7609 4-way Fuse Breaker Lockout, (1) #7610 2-way Fuse Breaker Lockout, (1) #7253 Push Button Lockout, (1) #7254 Oversize Push Button Lockout	18" Base

## Electrical Vehicle Lockout Bag Kits

- Used to lock out low voltage and high voltage systems on electric and hybrid vehicles
- Durable, nylon bag construction with wire framing around top edges keeps bag open when in use
- Shoulder strap and 2 handles for easy transportation



7832



7833

Bag Only Part #	Stocked Part #	Contents	Dimensions
7341	7832	(1) #7299R-UN Group Lockout Box, (2) #7030 Red KD Padlock, (2) #7830 Universal Fuse Carrier/Isolation Port Lockout, (2) #7835 RFID Blocking Bags, (2) #7512 Plastic Hasps, (1) #7027 Lockout Tags - 10/PK, (2) #7025E High Voltage Tags, (10) #7130 Cable Ties, (2) #2654 High Voltage Sign, (1) #7294 Multi Plug Lockout, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7245 Cable Lockout	16" Base
7340	7833	(2) #7030 Red KD Padlocks, (1) #7830 Universal Fuse Carrier/Isolation Port Lockout, (1) #7835 RFID Blocking Bags, (1) #7512 Plastic Hasps, (1) #7027 Lockout Tags - 10/PK, (10) #7130 Cable Ties, (1) #7294 Multi Plug Lockout, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7245 Cable Lockout	12" Base

## Electrical Hybrid Vehicle Maintenance Signs

- High visibility projecting signs sit on vehicle surface top during maintenance work to help warn workers about the current state of the vehicle being worked on
- V style shape provides stability
- Non-slip rubber feet prevent sliding and protect the surface of the vehicle
- Made from durable, eco-friendly plastic
- Sign face is 6.5"H x 11" W, and the base is 8"D
- Part# 2652** – Set of 3 (includes one of each sign)



2649



2650



2651

Part #	Description	Quantity
2649	DANGER - High Voltage, Do Not Touch	Each
2650	DANGER - High Voltage, Discharging	Each
2651	VEHICLE SAFE - Discharged, Continue with Caution	Each
2652	Includes 1 of Each Sign	Set of 3

## Universal Fuse Carrier/Isolation Port Lockout

- Adjustable, multi-use safety lockout device is used for locking out electrical fuse holders up to 100A (20amp, 32amp, 63amp and 100amp), sometimes referred to as Red Spot Fuses
- Device also locks out electrical isolation port/sockets on electric and hybrid vehicles commonly referred to as the Manual Service Disconnect (MSD)
- Adjustable design makes it suitable for larger Red Spot fuse holders rated at 63A and 100A and other similar cavity style fuse holders
- Easily installs without tools—just grip the side wall of the fuse holder to secure it in place, then lock it using a safety padlock (an insulated or dielectric padlock is recommended for electrical safety)
- Designed to restrict finger access to live contacts and prevent the reinsertion of a fuse or connectors while maintenance is in progress
- Constructed from a blend of polycarbonate and ABS for high impact strength and durability
- No metal parts to reduce risks in live working environments
- Accepts any padlock up to 1/4" diameter shackle

Part #	Dimensions
7830	3"H x 2"W x 0.5"D



## Electric Hybrid Vehicle Key Tags

- Vehicle key tags warn workers of high voltage vehicles
- Features a designated area for identifying the technician in charge
- Made from durable plastic

Part #	Dimensions
7831	2"H x 2.75"W



## RFID Blocking/Faraday Key Pouch

- Prevents accidental transmission of key signal to vehicle by reducing the risk of unauthorized remote operation during maintenance and servicing

Part #	Dimensions
7835	5"H x 3"W



## Electric Hybrid Vehicle Window Mount Maintenance Signs

- Window mount signs warn workers that they are working on a high voltage vehicle
- Signs include a suction cup mount so they can be applied directly to a window
- #2653 Features a designated, re-usable area for identifying the technician in charge



2656



2654



2655



2653

Part #	Description	Dimensions
2653	Electric/Hybrid Vehicle – Danger High Voltage, No Access	10"H x 7"W
2654	DANGER – High Voltage, Do Not Touch (Red)	7"H x 10"W

Part #	Description	Dimensions
2655	DANGER – High Voltage, Discharging (Orange)	7"H x 10"W
2656	VEHICLE SAFE – Discharged, Continue with Caution (Green)	7"H x 10"W

# Complete Forklift Lockout Solution For Maximum Safety



## Forklift Safety/Lockout Kits

- Kit is designed to prevent the unauthorized or accidental use of a forklift, and other electric or propane-powered vehicles during maintenance, repair or inspection
- Provides a comprehensive lockout solution to include devices, locks, tags, and adhesive safety labels in a durable, portable fabric pouch

Part #	Description	Contents	Dimensions
7675	Forklift Lockout Kit	(1) #7500 Tags, Danger Do Not Use Forklift, 10/pk, (1) #7501 Tags, Forklift Inspection, 10/pk, (1) #7505 Safety Labels, Keep Hands in Vehicle, 10/pk, (1) Safety Labels, Maintain 3 Points of Contact, 10/pk, (1) #7030 Padlock 1.5" Shackle, (1) #7620 1.5" Hasp, (1) #7294 Forklift/Plug/Cylinder Lockout Device, (10) Cable Ties	8"H x 7"W
7677	Deluxe Forklift Lockout Kit	(1) #7500 Tags, Danger Do Not Use Forklift, 10/pk, (1) #7501 Tags, Forklift Inspection, 10/pk, (1) #7505 Safety Labels, Keep Hands in Vehicle, 10/pk, (1) Safety Labels, Maintain 3 Points of Contact, 10/pk, (2) #7030 Padlock 1.5" Shackle, (1) #7619 1" Hasp, (1) #7620 1.5" Hasp, (1) #7294 Forklift/Plug/Cylinder Lockout Device, (10) Cable Ties	8"H x 7"W

## Forklift Propane Lockout

- Locks out LP gas cylinder with hand wheels up to 2<sup>3</sup>/<sub>16</sub>" in diameter
- Accommodates 3 padlocks with shackles up to 5<sup>1</sup>/<sub>16</sub>" in diameter
- Manufactured from durable yellow HDPE with highly visible "Do Not Operate" label
- Made in the USA out of recycled plastic



Manufactured from  
durable yellow HDPE

Part #	Dimensions
7293	3.5"H x 3.75"W x 2.5"D

## Forklift Lockout/Tagout Kit

- Kit is designed to prevent the unauthorized or accidental use of a forklift, and other electric or propane-powered vehicles during maintenance, repair or inspection
- Lockout device also locks out LP tanks

Part #	Description	Dimensions
7319	(1) #7294 Universal Forklift/Plug/Valve Lockout, (1) #7030 1.5" Padlock, (4) #7356E Equipment Lockout Tags, (4) #7130 Cable Ties	7.25"H x 4.25"W x 3"D



## Forklift Safety Signs

- Signs promote lift truck awareness
- Made in the USA from durable recycled materials



Part #	Material	Size	Mounting Style
1155	Plastic	7"H x 10"W	Flat
2155	Plastic	10"H x 14"W	Flat
1155A	Aluminum	7"H x 10"W	Flat
2155A	Aluminum	10"H x 14"W	Flat
1155S	Adhesive	7"H x 10"W	Flat
2155S	Adhesive	10"H x 14"W	Flat
2596	Plastic	7"H x 12"W x 5"D	V-Shape
2597	Plastic	7"H x 2.5"W x 7"D	L-Shape



## Forklift Tags and Labels

- Communicate critical forklift safety information
- Labels conveniently adhere directly to any hard, dry surface
- Sold 10/pack



7500



7501



7505



7506

Part #	Description	Dimensions
7500	Safety Tag, DANGER - Do Not Use	5.5"H x 3.25"W
7501	Safety Tag, Forklift Inspection	5.5"H x 3.25"W
7505	Safety Label, CAUTION - Keep Hands and Feet in Vehicle	3"H x 3"W
7506	Safety Label, CAUTION - 3 Point Contact	3"H x 3"W



7822



7823



7824



7829

### Laboratory Valve Lockout Kits

- Assorted kits are designed to lockout ball valves with lever handles and gas needle valves with standard four-arm handles typically used in laboratory settings
- Ball valve lockouts are made in the USA from durable PETG red plastic
- Ball valve lockout has a 1" diameter opening to fit over the valve body and can accommodate a single padlock with up to  $5/16$ " diameter shackle
- Needle valve lockout measures 1"H by 3"D, fits valves ranging from 1" to 2.5", and can hold up to three padlocks with shackles up to  $3/8$ " in diameter

Part #	Description	Contents	Dimensions
7822	Laboratory Ball Valve Lockout Kit	(1) Patent Pending #7821 Lockout Device, (1) #7308 Carrying Pouch, (1) #7030 Red Lockout Padlock, (2) #7343 Lockout Tags, (2) Cable Ties	7"H x 6"W x 2"D
7823	Laboratory Needle Valve Lockout Kit	(1) #7103 Handle Lockout Device, (1) #7308 Carrying Pouch, (1) #7030 Red Lockout Padlock, (2) #7343 Lockout Tags, (2) Cable Ties	7"H x 6"W x 2"D
7824	Laboratory Valve Lockout Kit- Standard and Needle	1) #7103 Handle Lockout Device, (1) Patent Pending #7821 Lockout Device, (1) #7308 Carrying Pouch, (2) #7030 Red Lockout Padlock, (5) #7343 Lockout Tags, (5) Cable Ties	7"H x 6"W x 2"D
7829	Laboratory Valve Deluxe Lockout Kit - Standard and Needle	(3) #7103 Handle Lockout Device, (3) Patent Pending #7821 Lockout Device, (1) #7309 Carrying Bag, (3) #7030 Red Lockout Padlock, (1) #7320 Cable Padlock With 2' Cable, (10) #7343 Lockout Tags, (10) Cable Ties	8"H x 7"W x 3D



### Laboratory Ball Valve Lockouts

- ZING's patent-pending ball valve lockouts are commonly used in laboratory settings to control access to gas lines, water supplies, chemical flows, and other hazardous substances
- Device is used to secure ball valves in the off (closed) position to prevent accidental or unauthorized operation of the valve
- Made in the USA from durable PETG red plastic
- Features a 1" diameter opening that fits over the valve body
- Accommodates a single padlock with up to a  $5/16$ " diameter shackle

Part #	Dimensions
7821	3.5"H x 3.125"W x 1.125"D

## Crane/Hoist Control Plug Lockout Device Covers

- Multiple-button hoist control lockout effectively prevents users from operating hoist controls, such as those commonly used to operate cranes
- Device includes a red fabric cover and plastic pipe insert, which prevents buttons from being pressed and controls from being accessed
- Red fabric cover is used to fully enclose a hoist control or plug and features a cinching strap that accepts up to 6 padlocks



Part #	Description	Cover Dimensions	Pipe Insert Dimensions
7364	Hoist Control / Plug Lockout, Fabric Cover with Pipe Insert	18"H x 9"W	12"H x 5"W
7365	Hoist Control / Plug Lockout, Fabric Cover with Pipe Insert	25"H x 9"W	20"H x 5"W
7621	Hoist Control / Plug Lockout, Cover Only	18"H x 9"W	-
7622	Hoist Control / Plug Lockout, Cover Only	25"H x 9"W	-



6072



6074



6073

## Crane/Hoist Lockout Tagout Kits

- Specialized safety kits used to safely isolate and control energy sources on crane hoists (or similar lifting equipment) during maintenance, repair or inspection
- Each kit provides devices, padlocks and hasps in a portable, easy to transport package

Part #	Description	Contents
6072	Small Crane/Hoist Lockout Kit	(1) #700KD-RED Safety Padlock, 1.5" Shackle, (1) #7619 Lockout Hasp, 1" Jaw Diameter, (1) #7369 Circuit Breaker Lockouts - Set of 3, (1) #7364 Small Crane/Hoist/Pendant Control Lockout, (1) #7343 Safety Lockout Tags -10/pk
6073	Large Crane/Hoist Lockout Kit	(1) #700KD-RED Safety Padlock, 1.5" Shackle, (1) #7619 Lockout Hasp, 1" Jaw Diameter, (1) #7369 Circuit Breaker Lockouts - Set of 3, (1) #7365 Large Crane/Hoist/Pendant Control Lockout, (1) #7343 Safety Lockout Tags -10/pk
6074	Deluxe Crane/Hoist Lockout Kit	(1) #7342 Large Duffel Bag, (3) #700KD-RED Safety Padlock, 1.5" Shackle, (2) #7619 Lockout Hasps, 1" Jaw Diameter, (2) #7620 Lockout Hasps, 1.5" Jaw Diameter, (1) Circuit Breaker Lockouts - Set of 3, (1) #7364 Small Crane/Hoist/Pendant Control Lockout, (1) #7365 Large Crane/Hoist/Pendant Control Lockout, (1) #7343 Safety Lockout Tags -10/pk

**All Kit Components Can be Ordered Separately**

### Deluxe Steel Group Lockout Box, 13-Lock

- Portable, safety device used during group lockout/tagout procedures to secure multiple energy isolation points when more than one person is working on the same equipment
- Accepts 12 padlocks, plus 1 on the latch
- Unique inner shelf provides extra security for stored keys
- Retractable handle for easy transportation and storage



Part #	Description	Dimensions
6061Y	Group Lockout Box, Steel, Yellow	6.25"H x 9"D x 4"W
6061R	Group Lockout Box, Steel, Red	6.25"H x 9"D x 4"W

### Group Lockout Box, 7-Lock

- Box allows multiple workers to lock out shared equipment safely and efficiently
- Rugged steel construction
- Accommodates up to 7 padlocks

Part #	Dimensions
7286	6.25"H x 4.25"D x 4.25"W



### Group Lockout Box, 13-Lock

- Portable, safety device used during group lockout/tagout procedures to secure multiple energy isolation points when more than one person is working on the same equipment
- Made out of durable steel
- Accepts 12 padlocks, plus 1 on the latch

Part #	Description	Dimensions
7299R-UN	13-Lock Group Lockout Box, Steel, Red	6"H x 10"W x 4"D
7299Y-UN	13-Lock Group Lockout Box, Steel, Yellow	6"H x 10"W x 4"D
7697	13-Lock Group Lockout Box, Steel, Red	7"H x 10"W x 7"D



### Group Lockout Box, 17-Lock

- Portable, safety device used during group lockout/tagout procedures to secure multiple energy isolation points when more than one person is working on the same equipment
- Features a lockable storage compartment and a group lockout compartment
- Made from heavy-duty powder-coated steel for extra rust resistance
- Clear, durable lexan window with keyhole slot
- Accepts 17 locks

Part #	Dimensions
7635	7.1"H x 13.6"W x 7.75"D



**Group Lockout Box, 26-Lock**

- Group lockout box supports compliance in group lockout operations
- Made from durable steel, and features a clear sliding lid that can be locked when the box is closed
- Accepts up to 26 padlocks

Part #	Dimensions
7630	5.5"H x 9.25"W x 4.25"D

**Portable Wall-Mount Group Lockout Box, 13-Lock**

- Used when multiple workers are involved in servicing or maintaining equipment that has been locked out
- Wall mount makes it ideal for centralized control of lockout procedures, while its sturdy handle makes the box portable should you choose not to mount it
- Made of durable steel
- Accommodates up to 12 padlocks, plus 1 on the latch

Part #	Dimensions
7288	7"H x 10"W x 4"D

**Wall-Mount Group Lockout Box**

- Used when multiple workers are involved in servicing or maintaining equipment that has been locked out
- Wall mount makes it ideal for centralized control of lockout procedures, while its sturdy handle makes the box portable should you choose not to mount it
- Mounting holes are pre-drilled, and hardware is included
- Made from durable steel with a clear plastic window

Most units have handles for portability



7813

Part #	Description	Dimensions	Padlock Capacity
7366	Group Lockout Box, Steel, Red	10.5"H x 18"W x 4.5"D	12
7386	Group Lockout Box, Steel, Red	9.25"H x 8.10"W x 2.35"D	7
7387	Group Lockout Box, Steel, Red	13.35"H x 8.12"W x 3.10"D	9
7388	Double Lockout Box, Steel	7"H x 12"W x 2"D	12
7389	Group Lockout Box, Plastic	11"H x 13"W x 4"D	27
7819	Group Lockout Box, Steel, Red	7"H x 10"W x 4"D	44
7813	Group Lockout Box - 13-Hole Portable or Wall Mount	12"H x 3"W x 6"D	13

# Centralized Control for Safer Group Lockouts



## Stainless Steel Group Lockout Box, 13-Lock

- Portable, safety device used during group lockout/tagout procedures to secure multiple energy isolation points when more than one person is working on the same equipment
- Made out of durable stainless steel and polycarbonate
- Accommodates up to 12 padlocks plus 1 on the latch


Part #	Dimensions
7636	7.25"H x 10.75"W x 4.35"D



## Compact Stainless Steel Group Lockout Box, 7-Lock

- Protects workers in group maintenance and repair operations
- Features all stainless steel construction for challenging environments
- Accommodates up to 6 padlocks on the box plus 1 on the latch

Part #	Dimensions
7640	7.25"H x 5.5"W x 4.35"D



## Key Group Lockout Box, 20-Lock

- Constructed from powder-coated special grade steel sheets, ensuring maximum durability
- Holds up to 50 keys and 20 individual padlocks
- Transparent window provides clear visibility of the keys and documents stored inside
- Features a stainless-steel handle on the top for easy carrying
- Equipped with pre-drilled holes and includes the necessary hardware for convenient wall mounting

Part #	Dimensions
7839	21.25"H x 18"W x 3.1"D

## Uncoated Safety Lockout Hasps

- Used when more than one employee needs to work on equipment with energy sources
- All hasps accommodate up to 6 padlocks with shackle diameters up to 0.35"
- **#7106 and #7107** - powder coated and include anti-pry tabs for more secure lockouts
- **#7108 and #7109** - features all plastic construction making them fully dielectric
- **#7127 and #7128** - use all aluminum construction providing strength and light weight
- **#7102** - combines a plastic hasp with a tag using a write-on Danger label



Part #	Description	Dimensions
7106	1" Lockout Hasp, Steel with Tabs	5"H x 1.5"W x 0.5"D
7107	1.5" Lockout Hasp, Steel with Tabs	4.5"H x 1.5"W x 0.5"D
7108	1" Lockout Hasp, Plastic	5"H x 1.5"W x 0.5"D
7109	1.5" Lockout Hasp, Plastic	4.5"H x 1.5"W x 0.5"D
7127	1" Lockout Hasp, Aluminum	5"H x 1.5"W x 0.5"D
7128	1.5" Lockout Hasp, Aluminum	4.5"H x 1.5"W x 0.5"D
7102	Hasp/Tag Combo Device	7"L x 3"W x 0.6"D

## Coated Safety Lockout Hasps

- Coated hasps are highly visible and easy to grip
- All hasps accommodate up to 6 padlocks with shackle diameters up to 0.35"
- Hasps feature durable steel or lightweight aluminum construction
- **#7644 and #7645** include anti-pry tabs for more secure lockouts



Part #	Description	Dimensions
7619	1" Coated Steel Hasp, Red	4.5"H x 1.5"W x 0.5"D
7620	1.5" Coated Steel Hasp, Red	5"H x 1.5"W x 0.5"D
7642	1" Coated Steel Hasp, Yellow and Black	4.5"H x 1.5"W x 0.5"D
7643	1.5" Coated Steel Hasp, Yellow and Black	5"H x 1.5"W x 0.5"D
7644	1" Coated Steel Hasp with tabs, Red	4.5"H x 1.5"W x 0.5"D
7645	1.5" Coated Steel Hasp with tabs, Red	5"H x 1.5"W x 0.5"D
7545	1" Coated Aluminum Hasp, Red	4.5"H x 1.5"W x 0.5"D
7546	1.5" Coated Aluminum Hasp, Red	5"H x 1.5"W x 0.5"D



### High Capacity Safety Lockout Hasps

- High capacity lockout hasps help keep workers safe when larger groups of workers are affected by the same energy isolation point
- Durable steel with high visibility red powder coating
- #7617 uses a stainless steel shackle for added durability

Part #	Description	Dimensions
7240	Lockout Hasp, 12 Hole, Steel	8.5"H x 2.25"W x 0.3"D
7241	Lockout Hasp, 24 Hole, Steel	14"H x 2.25"W x 0.3"D
7617	Lockout Hasp, Stainless Steel	3.5"H x 2.5"W x 0.3"D



### Labeled Safety Lockout Hasp

- Combines a tag style label and hasp into a single convenient unit
- Lightweight but durable aluminum in high visibility red
- Accommodates 10 padlocks and has a 1" diameter hole with a 0.25" shackle

Part #	Description	Dimensions
7361	Hasp/Tag Combination Device, Aluminum	7.5"H x 3"W x 0.4"D



### Stainless Steel Safety Lockout Hasps


- Used when more than one employee needs to work on equipment with energy sources
- Provides maximum durability and corrosion resistance when needed for challenging lockout applications

Part #	Description	Dimensions
7242	Die-Cast Hasp	3.5"H x 2.5"W x 0.3"D
7660	1" Lockout Hasp	4.5"H x 1.5"W x 0.4"D
7661	1.5" Lockout Hasp	5"H x 1.5"W x 0.4"D
7601	1" Anti-Pry Hasp	3.5"H x 2.4"W x 0.5"D
7602	1.5" Anti-Pry Hasp	6.75"H x 2.4"W x 0.5"D
7664	1" & 1.5" Dual Hasp	5.4"H x 1.5"W x 0.4"D
7665	2" Hoop Hasp	5.5"H x 1.7"W x 0.4"D

## Flexible Dielectric Safety Lockout Hasps

- Made from durable, lightweight plastics that do not conduct electricity
- Flexible body allows the hasp to conform around irregular shapes, tight spaces, or awkward lockout points, while still maintaining their structural integrity
- Accommodates multiple padlocks
- Ideal for use on electrical panels, miniature circuit breakers, switches, and panel handles

Part #	Description	Dimensions
7270	Lockout Hasp, Plastic, 3 Hole	4"H x 1.75"W x 0.25"D
7512	Lockout Hasp, Plastic, 6 Hole	8"H x 1.75"W x 0.35"D
7112	Lockout Hasp, Plastic, 6 Hole	7"H x 2"W x 0.35"D



## Double-Ended Safety Lockout Hasps

- Combine the two standard sized hasps into one convenient device
- #7269 is durable steel with 1" and 1.75" openings
- #7616 is non-sparking aluminum with 1" and 1.5" openings
- Accommodates multiple padlocks

Part #	Description	Dimensions
7269	Double-Ended Hasp, Steel, 6 Hole	6"H x 2.25"W x 0.4"D
7616	Double-Ended Hasp, Aluminum, 10 Hole	6"H x 2"W x 0.4"D



## Group Safety Lockout Hasp

- Completely unique device that combines group lockout with hasp functionality providing the most compact group lockout capabilities in the market
- Constructed of high strength steel with red powder coated finish
- Accommodates up to 9 padlocks with a key slot that holds up to 4 keys

Part #	Description	Dimensions
7662	1.5" Group Lockout Hasp	7.9"H 1.7"W x 2"D





7273



7274



7275



7670

### Wedge Ball Valve Lockout Devices

- Used to secure quarter-turn ball valves in the “off” (closed) position, preventing accidental or unauthorized operation during maintenance or servicing
- Device clamps over the valve handle, preventing it from being moved from the closed position, and then is secured with a padlock
- One side of the lockout installs flush with the pipe to prevent the handle from turning when pressure is applied

Part #	Description	Valve Size	Dimensions
7273	Ball Valve Lockout, Steel, Accepts 8 Padlocks	Fits 0.25" - 1" Valves	3.5"H x 2.5"W x 2.1"D
7274	Ball Valve Lockout, Steel, Accepts 15 Padlocks	Fits 1.25" - 3" Valves	5.5"H x 5"W x 5"D
7275	Ball Valve Lockout, Plastic, Accepts 8 Padlocks	Fits up to 1.5" Valves	6"H x 5"W x 4.5"D
7670	Ball Valve Lockout, Steel, Accepts 6 Padlocks	Fits 0.25" - 1" Valves	6"H x 2"W x 0.5"D



7633

7634

### Adjustable Ball Valve Lockout Devices

- Designed to lock out a quarter size valves of varying sizes and handle dimensions (round, square or flat) up to 1 1/4" thick x 1 5/8" wide, using an adjustable mechanism
- Versatile device can be tightened, resized, or re-positioned to fit different lengths, diameters, or valve body sizes
- Valves can also be locked in the ON or fixed positions for non-lockout applications
- Nylon and stainless steel construction

Part #	Description	Fits Handle Sizes	Dimensions
7633	Adjustable Ball Valve, with 4.5" Arm	Up to 1" Wide, 0.6" Thick	10"H x 3"W x 7.2"D
7634	Adjustable Ball Valve, with 5.75" Arm	Up to 1.6" Wide, 1.1" Thick	10"H x 3.5"W x 7.5"D



7249

7251

7250

### Clamp-On Ball Valve Lockout Devices

- Used to secure ball valves in the “off” (closed) position, preventing accidental or unauthorized operation during maintenance or servicing
- Device covers the valve handle, preventing it from being moved from the closed position, and then is secured with a padlock
- Sleeves inside the cover adjust to grip valves
- Fits most common ball valves
- Non-conductive and resistant to extreme weather & temperature conditions

Part #	Description	Valve Sizes	Dimensions
7249	Ball Valve Lockout	Fits Valves from 0.38" to 1.4" Diameter	8"H x 3.75"W x 4"D
7250	Ball Valve Lockout	Fits Valves from 1.5" to 2.5" Diameter	11"H x 4"W x 5"D
7251	Ball Valve Lockout	Fits Valves from 2" to 8" Diameter	14"H x 4.75"W x 6"D

# Prevent Unauthorized Valve Operation

## Lockout Made Easy

### Pull Handle Butterfly Valve Lockout Device

- Designed to effectively secure popular pull handle butterfly valves commonly used in industries such as food and beverage, water utilities, chemical and pharmaceutical
- Allows you to secure the valve handle in any desired position, whether fully closed, partially open, or fully open, providing flexibility and control over the valve's operation
- Features holes that allow the installation of up to 3 padlocks
- Constructed from strong polypropylene plastic, the device is resistant to cracking, abrasion, and various chemical products, ensuring its durability and longevity in demanding industrial environments
- Designed to withstand extreme weather conditions and temperature fluctuations, making it suitable for both indoor and outdoor use



Part #	Dimensions
7514	8"H x 1.63"W x 1.5"D

### Standard Butterfly Valve Lockout Device

- A reliable and effective solution for locking most types of butterfly valves commonly found in various industries
- Specifically designed to prevent the compression handle of the butterfly valve from being squeezed, effectively preventing the operation of the valve. The wedge on the slider section securely holds the handle in place, ensuring proper lockout and preventing unauthorized valve activation
- Made from strong polypropylene plastic, providing exceptional durability and resistance to cracking, abrasion, solvents and other chemical products commonly found in industrial environments
- Non-conductive and designed to withstand extreme weather and temperature conditions, making it suitable for outdoor applications
- Equipped with multiple padlock holes, allowing for secure locking



Part #	Dimensions
7605	12"H x 4"W x 2.75"D



7103



7246



7807

### Gate Valve Lockout Devices

- Eco gate valve lockouts are made from heavy-duty, 100% recycled plastic that can accommodate 3 padlocks, with shackles up to 3/8" diameter
- Gate valve lockouts are made from abrasion-resistant polyurethane or steel
- When lockouts are secured, they rotate freely around the hand wheel and prevent the valve wheel from being turned

Part #	Description	Dimensions	Padlock Capacity
7103	Eco Gate Valve Lockout, fits wheels from 1"-2.5"	2.7"H x 3.5"W x 1.45"D	3
7104	Eco Gate Valve Lockout, fits wheels from 2.5"-5"	5.75"H x 6.25"W x 1.45"D	3
7246	Gate Valve Lockout, fits wheels from 5"-6.5"	6.75"H x 8.5"W x 2"D	3
7247	Gate Valve Lockout, fits wheels from 6.5"-10"	10.75"H x 12.5"W x 2.5"D	3
7248	Gate Valve Lockout, fits wheels from 10"-13"	14.5"H x 16.5"W x 2.75"D	3
7807	Gate Valve Lockout, Steel, fits wheels from 1-2.5"	3"H x 3.25"W x 1.6"D	2
7808	Gate Valve Lockout, Steel, fits wheels from 2.5-5"	5.9"H x 6"W x 1.6"D	3
7809	Gate Valve Lockout, Steel, fits wheels from 5-6.5"	6.9"H x 8.2"W x 2.2"D	4
7810	Gate Valve Lockout, Steel, fits wheels from 6-10"	10.5"H x 11.5"W x 3"D	4
7811	Gate Valve Lockout, Steel, fits wheels from 10-13"	14"H x 14.8"W x 3"D	4



7271



7272



### Adjustable Gate Valve Lockout Devices

- Accommodates multiple sizes of gate valves that range from 1" to 6.5" or 6" to 15" making it more versatile than fixed size gate valve lockouts
- Made of durable polypropylene
- Resistant to extreme temperature changes (-13°F to 194°F)

Part #	Description	Dimensions
7271	Adjustable Gate Valve Lockout, Fits Valves from 1" to 6.5"	5"H x 7"W x 2"D
7272	Adjustable Gate Valve Lockout, Fits Valves from 6" to 15"	17"H x 20"W x 4"D

# Lockout Multiple Energy Sources with One Device



## Exclusive to ZING®

### Universal Multi-Purpose Lockout Device

- Allows workers to perform several lockout functions with one convenient device
- Can effectively lock out plugs, gas cylinder shut-off valves, and electric or propane powered forklifts
- Accommodates up to 6 padlocks
- Made in the USA from 100% recycled plastic and supports OSHA standard 1910.147

Part #	Dimensions
7294	3"H x 4.25"W x 7.25)L

### Applications Include:

#### Plug Lockout



- 120 Volt Plug
- 250 Volt-Sp Plug
- 15-60 Amp 3P Plug

#### Electrically-powered Forklifts



- Battery Plug 50-350 AMP
- Starter Battery Negative(-) Terminal

#### Cylinder Lockout



- Fits all standard gas cylinder wheels

#### Gas-powered Forklifts



- LP Gas Cylinder Shutoff Valve
- LP Gas Tank Coupling

### Cylinder Lockout Devices

- Prevents unauthorized or accidental opening of gas cylinders ensuring that no gas can be released while equipment is being serviced or stored
- Fit over neck rings up to 3 1/2" diameter and valve stems to 1 1/4"
- Accommodates 3 padlocks with shackles up to 5/16" diameter
- #7311 and #7312 indicate fill levels to ensure correct handling procedures

Part #	Description	Dimensions
7101	Cylinder Lockout	5"H x 5"W x 7"D
7311	Cylinder Lockout, Full Status	4"H x 4"W x 6"D
7312	Cylinder Lockout, Empty Status	4"H x 4"W x 6"D



7101



7311




7312



### Eco Electrical Plug Lockouts

- Prevent electrical cords from being inserted into an outlet during maintenance or repair operations
- Accommodates 3 padlocks with shackles up to  $5/16$ " diameter
- Made in the USA from recycled plastic and are UL Validated for recycled content supporting sustainability initiatives and LEED credits
- #7100 - universal fit closure that accepts cords up to  $1\frac{1}{4}$ " diameter, and up to 3"W x  $5\frac{1}{2}$ "L plugs and includes a bilingual English/Spanish instruction label that reads: "DO NOT PLUG IN"
- Additionally, #7100 Anti-pry tabs secure lids for maximum protection, and the tapered design can be nested
- #7105 - clam style closure accepts cords up to  $\frac{1}{2}$ " diameter and up to 2"W x 3"L plugs

Part #	Description	Dimensions
7105	Eco Electrical Plug Lockout, Small	3.5"H x 3.75"W x 2.5"D
7100	Eco Electrical Plug Lockout, Large	7"H x 5"W x 5"D



### Electrical Plug Lockouts

- Encases the electrical plug preventing them from being inserted into an outlet during maintenance or repair operations
- Accommodates 2 (#7628) or 4 (#7627) padlocks with shackles up to  $5/16$ " diameter to allow for multiple padlocks to be applied
- Fits both standard and oversized plugs, including 110V for #7628 and 220V/550V for #7627

Part #	Description	Dimensions
7627	Large Electrical Plug Lockout, Fits Cord Diameter up to 1"	3.5"H x 3.75"W x 2.5"D
7628	Small Electrical Plug Lockout, Fits Cord Diameter up to 0.5"	3.5"H x 3.2"W x 2"D



### Electrical/Pneumatic Plug Lockout

- Flexible device works on a variety of large and small electrical plugs plus locks out male air hose connectors
- Designed to fit "necked down" pneumatic male fittings commonly found on compressed air hoses
- Suitable for 110v, 220v and 550v plugs
- Accommodates 4 padlocks with up to .25" diameter shackles

Part #	Dimensions
7629	6.5"H x 5.5"W x 4"D

# From Small to Large...ZING® Offers Plug Lockout Solutions For Every Need

## Electrical Plug Lockout

- Plug lockout device works with standard 110-120 volt two-prong plugs with or without the ground, polarized and non-polarized
- Available in keyed different or keyed alike and comes with two keys



Part #	Description	Dimensions
7397	Plug Lockout-Prongs, Keyed Different	2"H x 1.38"W x .88"D
7397-KA	Plug Lockout-Prongs, Keyed Alike	2"H x 1.38"W x .88"D

## Detachable Power Cord Electrical Plug Lockout

- Convenient device designed for securing power cord sockets on various equipment, such as computers, test instruments, power supplies, monitors, and lab equipment
- Constructed with rugged materials such as stainless steel, PVC, and nylon, providing durability and resistance to corrosion
- Specifically designed to fit the IC 60320 type input power connector, which is commonly used in many electronic devices with removable power cords
- Rotate the knob to tighten the grip of the device. Once put in place, apply a personal padlock, allowing for individual lockout and security applications

Part #	Dimensions
7318	3"H x 1.5"W x 1.25"D



## Slide Style Electrical Plug Lockouts

- Encases the electrical plug preventing them from being inserted into an outlet during maintenance or repair operations
- Features a slide and lock closure for a more secure lockout
- Made from heavy-duty polypropylene material
- Accommodates 4 padlocks with shackles up to  $5/16$ " diameter

Part #	Description	Dimensions
7655	Small Electrical Plug Lockout, Fits Cord Diameter up to 1.2"	7.3"H x 4.2"W x 2.9"D
7656	Extra-Large Electrical Plug Lockout, Fits Cord Diameter up to 1.4"	12.4"H x 6.4"W x 5"D





### Clamp-on Circuit Breaker Lockouts

- Work on a wide variety of single-pole and internal-trip multi-pole breakers
- Thumbscrew design for easy installation: simply tighten the lockout securely onto switch tongue, pull the cover over the thumbscrew and lock in place
- Accepts lock shackles up to  $\frac{9}{32}$ " in diameter
- Made of durable plastic (polypropylene) and impact-modified nylon
- Cleats are included

Part #	Description	Dimensions
7256	120/277V Clamp-on Breaker Lockout, with cleat	2"H x 1.25"W x 1.5)L
7257	480-600V Clamp-on Breaker Lockout, with cleat	2.75"H x 2.25"W x 2)L
7258	Oversize Breaker Lockout, 480/600V, Switches up to 2 1/4" wide and 7/8" thick	4"H x 3.75"W x 3)L
7369	Clamp-on Breaker Lockout Set. Includes part #s 7256, 7257, and 7258	6"H x 4.5"W x 2.75)L



### Circuit Breaker Lockouts

- #7284: fits directly into the switch and fits most common single-pole breakers. To apply, mount in place over "off" position switch and secure with a padlock
- #7285: 120/277 Multi-pole circuit breaker. Requires the breakers to be connected with a cross bar
- #7606: Single-pole lockout device that fits circuit breaker toggles up to 1/2" wide without a recess hole in the toggle. Made from durable plastic. Fast and easy to install
- #7611: Double pole circuit breaker lockout accommodates larger breakers
- #7607: 120/277 Clamp-on circuit breaker lockout fits most multi-pole breakers that employ a tie bar. Durable nylon construction with a stainless steel screw
- #7803: Locks out flip switches to 1/2" x 1 1/2"

Part #	Description	Dimensions
7284	Top Slide Single-pole Circuit Breaker Lockout Device	0.8"H x 2.25"W x 2.25)L
7285	Multi-pole Circuit Breaker Lockout Device	0.8"H x 1.9"W x 2.6)L
7606	Single-pole Circuit Breaker Lockout Device	0.75"H x 1.1"W x 2.3)L
7607	Universal Multi-pole Circuit Breaker Lockout	1.1"H x 1.25"W x 2.25)L
7611	Double-pole Lockout for Large Breakers	1"H x 1.8"W x 2.4)L
7803	Large Flip Switch Breaker Lockout	2.4"H x 4"W x 0.75)L

## Eco Circuit Breaker Lockouts

- Slide-on feature allows the device to be securely mounted to a wide range of breakers
- Single-pole (110/220 voltage) and multi-pole (120/277 voltage) models fit pole switches 0.3" - 0.6" high, 0.35" - 0.44" deep, with or without a hole
- Each breaker lockout will accommodate 1 padlock, with up to a  $\frac{9}{32}$ " shackle diameter
- Includes a highly visible lockout label, "DO NOT OPERATE"
- Made in the USA from recycled plastic



7110



7111

Part #	Description	Dimensions
7110	Single-Pole Circuit Breaker Lockout, 3/pack	1"H x 2"L x 3/4"W
7111	Multi-Pole Circuit Breaker Lockout, 3/pack	1"H x 2"L x 1-5/8"W

## Pin In & Pin Out Breaker Lockouts

- Feature a compact design for tight breaker panels
- Designed to provide a safe and effective method for locking out smaller circuit breakers
- Uses pins to act as anchoring points by securing it in place and preventing the switch from moving
- Accommodates 1 safety padlock
- Includes a highly visible safety label, "DO NOT REMOVE"
- Tools are NOT required for installation



7259



7260



7261

Part #	Description	Dimensions
7259	Pin In Circuit Breaker Lockout	1"H x 2"L x 3/4"W
7260	Pin Out Circuit Breaker Lockout	1"H x 2"L x 3/4"W
7261	Pin Out Wide Circuit Breaker Lockout	1"H x 2"L x 3/4"W
7262	Combo Pack (3 Devices: Pin In, Pin Out, and Pin Out Wide)	1"H x 2"L x 3/4"W



## ABB Circuit Breaker Lockouts

- Designed for residual-current circuit breakers (RCCBs)
- Secures single or multi-pole RCCBs against unauthorized energization



Part #	Dimensions
7317	2"H x 1.75"L x 0.38"W



### Circuit Breaker Lockout Set

- Set of 5 circuit breaker lockout devices safely locks out single and multi-pole breakers
- Each device accepts one padlock
- Screwdriver required for installation

Part #	Dimensions
7313	3"H x 2"L x 4"W



### Europa Circuit Breaker Lockout

- Effectively locks out miniature circuit breakers, residual current circuit breakers, and residual-current circuit breakers with overcurrent protection
- Accommodates 1 padlock


Part #	Dimensions
7314	1"H x 1.5"L x 3"W



### Universal Multi-Function Circuit Breaker Lockout

- Fits most miniature circuit breakers and main switches
- Extra length clearance on the toggle side allows the device to be used on standard breakers with long toggles
- Opposite side accommodates thicker main switches

Part #	Dimensions
7315	1"H x 2"L x 2.5"W



Works on Merlin Gerin and Schneider 100A-630A NSX Breaker Series

### Merlin Gerin Circuit Breaker Lockout

- Model-specific fit designed to match the dimensions and toggle design of Merlin Gerin breakers
- 4c breakout lockout engages in the slot behind the switch toggle, effectively locking out the switch
- Device measures 2" x 2" and accepts up to 3 padlocks

Part #	Dimensions
7316	0.25"H x 2"L x 2"W

## Mini Circuit Breaker Lockout

- Effectively locks out ISO/DIN miniature circuit breakers
- Made from durable aluminum
- Accommodates 1 padlock with a maximum shackle diameter of  $9/32"$


Part #	Dimensions
7263	0.75"H x 0.5"W x 1)L



## Snap-On Circuit Breaker Lockout

- Locks out 120V breakers with holes in the switch tongue
- No tools are required for installation
- The two ends of the device snap together, which can then be locked out with a lockout padlock

Part #	Dimensions
7513	2"H x 0.75"W x 0.25)L



## Schneider Circuit Breaker Lockout

- Designed to be applicable to a variety of miniature circuit breakers, commonly used for locking Schneider miniature circuit breakers
- Easy locking mechanism: Slide your fingers lightly to clamp the stainless-steel pin onto the small holes on both sides of the circuit breaker toggle, allowing for easy lockout without the need for tools
- Constructed from durable nylon material, ensuring long-lasting endurance and strength
- Suitable for installation on both single-pole and multi-pole breakers and accommodates padlocks with a shackle diameter of up to  $1/4"$

Part #	Dimensions
7866	1.1"H x 0.7"W x 0.7)L



## Miniature Circuit Breaker Lockout - Yellow, Siemens

- Provides a safe and effective method for locking out Miniature Circuit Breakers without the need for a screwdriver
- Specifically designed for use on Siemens miniature circuit breakers but can work on other brands of MCBs as well
- Easy installation with the help of the twister screw mechanism
- Suitable for application on both single-pole and multi-pole breakers


Part #	Dimensions
7639	1"H x 1.8"W x 0.4)L



## Circuit Breaker Lockout - ABB Tmax T1-T2-T3 MCCB (Molded Case Circuit Breaker)

- Can be used with T1-T2-T3 molded case circuit breakers
- Once attached, the lockout prevents the circuit breaker's lever from opening (For use when the circuit breaker is in the 'off' position).
- Accommodates three padlocks with shackle diameters of up to  $.27"$  can be attached to the lockout
- Easy installation with the help of the twister screw mechanism
- Suitable for application on both single-pole and multi-pole breakers

Part #	Dimensions
7530	0.5"H x 3"W x 2.5)L





7637



7638



7609



7609 and 7610 application



7610



7691



7692

### Fuse Lockouts

- **#7637** and **#7638** – Made from durable, non-conductive materials and designed specifically for E-style fuses
- **#7609** and **#7610** – Made from durable plastic and accepts 1 safety tag. Designed to be placed where fuses have been removed, thereby preventing accidental insertion of fuses
- **#7609** – fits fuse sizes of  $13/16"$ ,  $11/16"$ , and blade-type fuses
- **#7610** – fits fuses sizes of  $1/4"$ ,  $9/32"$ ,  $13/32"$ , and  $9/16"$
- **#7691** and **#7692** - clamp on to fuse holders using a small screw. Applying a padlock prevents access to the screw, thereby locking the device into place

Part #	Description	Dimensions
7637	Fuse Holder Lockout, Round/Bottle	E14 or E18
7638	Fuse Holder Lockout, Round/Bottle	E27 or E33
7609	Fuse Blocker, 4-Way	1.75"H x 1.75"W x 0.75"D
7610	Fuse Blocker, 2-Way	3.25"H x 3"W x 1.25)L
7691	Fuse Holder Lockout	2.25"H x 1.0"W x 0.5"D
7692	Fuse Holder Lockout, Slim	2.25"H x 1.5"W x 0.5"D

### Pin & Sleeve Socket Lockout

- Ideal for locking out pin and sleeve surface-mounted or trailing sockets
- Made from durable polypropylene plastic
- Easy to use – simply insert the device into the female socket, bring over the socket flap to hold it in place, and lock out with hasp & padlock
- Lockouts are available in 4 sizes, and block sockets of 110V, 16 Amp to sockets of 500V, 63 Amp



Part #	Voltage	Description	Dimensions
7264	110-130V	Socket Lockout, Small	4"H x 2"W x 1.5)L
7265	220-240V	Socket Lockout, Medium	4.5"H x 2.5"W x 2.25)L
7266	380-415V	Socket Lockout, Large	5.25"H x 3"W x 2.5)L
7267	500V	Socket Lockout, Extra Large	7"H x 5"W x 4)L

### Pin & Sleeve Plug Lockouts

- Prevents plugs from being used to energize equipment
- Easy to use - To apply, slide the device over the alignment tab on the plug rim and snap closed



Part #	Dimensions
7268	2"H x 1.25"W x 1)L

## Electrical Panel Handle Lockout

- Designed to prohibit the movement of handles or levers on electrical panels
- Plastic yellow base and an adjustable stainless steel strip (1" x 11 $\frac{4}{5}$ ", with 20 holes) immobilizes handles once locked with a lockout padlock
- Recommended for all handles and levers that do not have a built-in lockout arrangement

Part #	Dimensions
7252	4"H x 2.25"W x 3"L



## Knife Switch/Power Handle Lockout

- Used to lockout knife switch style power handles and does not require the device to be secured to anything other than the switch itself
- Accommodates up to 4" diameter handle bases with up to a 0.6" diameter, 5" long handle
- Includes 2 different styles of handle attachments to accommodate both round or oblong shaped handles


Part #	Dimensions
7815	7"H x 2.5"W x 2"L



## Motor Protection Lockout

- Unique device used for locking out the breakers on a motor control unit by encasing the breaker
- Fits up 1.75" breaker housing
- Made of special grade alloy and ABS
- Can easily be installed with the help of a black adjustment knob at the bottom of the device
- Brass pherol gives extra life and strength to stainless steel screw that binds the lockout to the breaker
- Can be installed on variety / types of MPCB of different companies

Part #	Dimensions
7816	3"H x 4"W x 3"L



## Power Handle Lockout

- Ideal for locking out electrical panel power handles.
- Fits handle diameter up to 1 $\frac{3}{16}$ "
- Green color indicates the disconnect; red color indicates the connection
- Made from rugged high-impact plastic

Part #	Dimensions
7804	3"H x 3"W x 1.5"L




**Switch/Button/Lever Lockouts**

- Multi-purpose lockout devices have been designed to lock out switches, buttons, and levers without a built-in lockout provision
- Made from clear polycarbonate

The devices are available in several different designs (see chart below):


Electrical Panel Lockout - Small Square Box




Electrical Panel Lockout - Medium Square Box




Electrical Panel Lockout - Medium Square Box 45°



Electrical Panel Lockout - Medium Square Box 90°



Electrical Panel Lockout - Large Square Box

**3-Step Installation Process:**

- 1 Using the self-adhesive backing, attach the base directly over the relevant switch, button, or lever
- 2 Place the housing unit over the base
- 3 To prevent unauthorized access, apply a lockout padlock



7255



7277



7280



7283



7841

Part #	Description	Dimensions
7255	Key-type lockout device	3"H x 3.5"L x 3.5"W
7276	Switch/Button/Lever Lockout Device, Round, 45-degree cutouts	2.5"H x 3"L x 3"W
7277	Switch/Button/Lever Lockout Device, Round, 55-degree cutouts	3"H x 3.5"L x 3.5"W
7278	Switch/Button/Lever Lockout Device, Small Square Box	2.25"H x 2.25"L x .25"W
7279	Switch/Button/Lever Lockout Device, Medium Square Box	2.25"H x 3.1"L x 3.1"W
7280	Switch/Button/Lever Lockout Device, Medium Square Box, 45-degree cutouts	2.25"H x 3.1"L x 3.1"W
7281	Switch/Button/Lever Lockout Device, Medium Square Box, 90-degree cutouts	2.25"H x 3.1"L x 3.1"W
7282	Switch/Button/Lever Lockout Device, Large Square Box	4.15"H x 4.15"L x 4.15"W
7283	Switch/Button/Lever Lockout Device, Round, Switch up to 2", Stem up to .9"	1.65"H x 3)L x 2.1"W
7865	Switch/Button Lockout Device – Switch up to 2", Stem to 0.35"	1.65"H x 3)L x 2.1"W
7818	Switch/Button Lockout Device – Switch up to 2", Stem to 1.18"	1.65"H x 3)L x 2.1"W
7841	Selector Switch Lockout – Switch base diameter to 1.18" (30mm)	3.5"H x 3)L x 2.5"W

## Push Button Lockouts

- Safe & effective method of locking out start/stop buttons
- Made from clear plastic (polycarbonate)
- #7253 and #7254 accommodates 1 padlock and #7663 accommodates 2 padlocks
- Lockout labels are provided
- Easy installation



7253




7254




7663

Part #	Description	Dimensions
7253	Standard Push Button Lockout	1.3" L x 2.7" W, with 1.15" hole diameter
7254	Oversize Push Button Lockout	3.5" H x 5" L x 3.2" W with 1.8" hole diameter
7663	Emergency Push Button Lockout	2.3" H x 2" L x 2.5" W with 1.1" hole diameter



## Control Panel Lockouts

- Provide a safe and effective method for locking out panel buttons, rotary switches, and wall switches
- Designed to be permanently mounted on the panel either using screws, rivets or double-sided tape
- #7805 and #7806 bases are constructed from ABS and the clear top is made of polycarbonate material allowing for visibility of switch/button status, nameplates and labels
- #7858 is constructed of steel with a 10.5" W x 7.5" H clear polycarbonate window
- All bases have mounting holes for screwing or riveting the device to the panel



7805



7806



7858

Part #	Description	Dimensions
7805	Control Panel Lockout, Single	2.5" H x 2.75" L x 2.75" W
7806	Control Panel Lockout, Double	2.5" H x 5" L x 2.75" W
7858	Control Panel Lockout, Steel	1" H x 13" L x 10" W

## Electrical Panel Lockout - Circular Cover

- Round-shaped lockout device is designed to lock the racking in-out point of air circuit breakers, vacuumed circuit breakers, and other similar devices, preventing unauthorized operation
- Made of red high visibility ABS material
- Also suitable for locking switches that are recessed inside a plane surface
- Can be easily rotated in any direction and has three holes on the bottom base for fixing it with screws or rivets. Alternatively, it can be installed using strong double-sided tapes
- Features an outer diameter of 1.8", inner diameter of 1.26", lower cover circle side wall thickness of 0.27", overall thickness of 0.31" (with upper part thickness of .12" and lower part thickness of 0.2"), and a locking hole diameter of 0.27"



Part #	Dimensions
7851	1.75" H x 1.75" L x 0.3" W



6064



7613



7614



7507



7654

### Wall Switch Lockout Devices

- Designed to cover wall-mounted switches and locks switches in the "on" or "off" position
- Accommodates 1 padlock each, with shackles up to  $\frac{3}{8}$ " diameter
- Uses existing screws for mounting
- Universal models lockout both toggle and decora style switches

Part #	Description	Dimensions
6064	Eco Wall Switch Lockout, Red	3.5"H x 1.5"W x 0.25"L
6064-WHITE	Eco Wall Switch Lockout, White	3.5"H x 1.5"W x 0.25"L
7613	Clear Wall Switch Lockout	3.75"H x 1.5"W x 0.5)L
7614	Universal Wall Switch Lockout	4.25"H x 1.5"W x 1"D
7507	Side-Hinge Wall Switch Lockout	3"H x 1.5"W x 0.5)L
7654	Universal Wall Switch Lockout - Translucent Red	4.75"H x 1.75"W x 1"D



### Pneumatic Lockout Device

- Designed to prevent pneumatic fitting from being connected to pressurized air source
- Made from stainless steel construction for corrosion resistance
- Can lockout up to 7 sizes of pneumatic fittings, accommodating nearly all pneumatic fittings commonly used in manufacturing facilities
- Accepts up to 2 padlocks with a shackle diameter up to  $\frac{9}{32}$ "
- Easy to install by simply enclosing the fittings between the two jaws and applying a lockout padlock

Part #	Dimensions
7631	3"H x 7.25"W x 0.25)L



### Pneumatic Lockout Device - 3 Way

- 3-side device is designed to isolate pneumatic energy and prevent reattachment of male fittings to pressurized air sources, without the expense of installing in-line lockout valves
- Features multiple holes for attaching padlocks with up to  $\frac{1}{4}$ " shackle diameter, ensuring secure installation

Part #	Dimensions	For Male Fittings:
7632	3"H x 3"W x 0.75)L	$\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ "

## Stainless Steel Cable Lockouts

- Industrial lockout devices are made from durable stainless steel making it suitable for harsh or outdoor environments
- Designed to lockout multiple components simultaneously



7310



7243



Part #	Description	Dimensions
7243	Cable Lockout, Steel, 6.5' Cable, with Adjustable Grip	4.5"H x 4"W x 4)L, with 6.5' Cable
7310	Cable Lockout, Steel, 6' Cable	1.5"H x 4"W x 4)L, with 6' Cable



7244



7245

## Multi-Purpose Cable Lockouts

- Conforms to the shape of your hand, making them easy to adjust and secure
- Easy installation - simply squeeze the handle and apply your pad lock when the cable is tight and the source is locked out
- Available with a vinyl-coated steel cable or a dielectric nylon cable



Part #	Description	Dimensions
7244	Cable Lockout, 3' Steel Cable	6"H x 6"W x 1)L
7245	Cable Lockout, 3' Dielectric Nylon Cable	6"H x 6"W x 1)L

## Universal Cable Lockouts

- Provide an effective, multi-purpose solution to lockout compliance across a wide range of equipment types and isolation points
- Accommodates 6 padlocks with a maximum shackle diameter of  $3/8"$
- Hasp is made from durable plastic, with a coated steel cable

Part #	Description	Dimensions
7289	Cable Lockout, 3' Steel Cable	5"H x 2.5"W x 1)L
7290	Cable Lockout, 6' Steel Cable	5"H x 2.5"W x 1)L
7291	Cable Lockout, 9' Steel Cable	5"H x 2.5"W x 1)L
7292	Cable Lockout, 15' Steel Cable	5"H x 2.5"W x 1)L





### Eco Cable Lockouts

- Prevents switches, valves and other energy devices from being used while equipment is being serviced or repaired
- Made in the USA from recycled plastic, with a coated steel cable
- Closed hasp hole measures 1"
- Features pry-resistant tabs for extra security
- Accommodates up to 6 padlocks with shackles up to  $\frac{3}{8}$ " diameter


Part #	Description	Dimensions
7132	Cable Lockout, Steel, 6' Coated Steel Cable	0.75"H x 3"W x 7"L
7133	Cable Lockout, Steel, 10' Coated Steel Cable	0.75"H x 3"W x 7"L



### Cable Lockouts, 7 Hole

- Designed with 7 individual padlock holes on its body, allowing multiple workers to secure a single energy isolation point using their personal locks
- Easy to carry and use
- Made of plastic construction with a 6' or 9' insulated steel cable

Part #	Description	Dimensions
7623	Cable Lockout, 6' Coated Steel Cable	6"H x 2"W x 0.25"L
7624	Cable Lockout, 9' Coated Steel Cable	6"H x 2"W x 0.25"L



### Cable Lockouts, 4 Hole

- Designed with 4 individual padlock holes on its body, allowing multiple workers to secure a single energy isolation point using their personal locks
- Made of PVC construction and a 6' coated steel cable
- Ergonomic design features finger curves and a thumb rest

Part #	Dimensions
7626	7"H x 4"W x 1)L



### Interlocking Cable Lockout

- Features a unique built-in locking mechanism that physically prevents the cable from being loosened once it's pulled tight
- Includes a vinyl-coated steel cable available in 6' and 15' lengths
- Accommodates up to 4 padlocks

Part #	Description	Dimensions
7625	Cable Lockout, 6' Coated Steel Cable	7"H x 3.25"W x 1)L
7646	Cable Lockout, 15' Coated Steel Cable	7"H x 3.25"W x 1)L

# Secure, Flexible Solutions for Complex Lockout Applications

## Mini Cable Lockouts

- Compact and cost-effective device for securing multiple points or small diameter lockout applications
- Using a .04" (2 mm) insulated cable, it is specially designed for installation on smaller hole sizes, ensuring versatility in lockout capabilities
- Simple operation: slide thumb switch up to adjust and down to lock
- Device body is made of durable ABS material
- Accommodates mini and standard sized padlocks with shackles up to 0.28"

Part #	Dimensions
7658	2.6"H x 1.75"W x .5"D Body with 12" Cable



## Adjustable Cable Lockouts

- Secures group & multi-point lockouts and features a tough, flexible multi-stranded steel cable insulated with a clear plastic coating
- Integrated safety lockout hasp and cable are ideal for multiple circuit breaker panels and side-by-side gate valve lockouts
- 6-hole design allows multiple people to lock and manage hazards at the same time
- Plastic body resists chemicals and functions effectively in extreme conditions



Part #	Dimensions
7653-3	2.75"H x 2.75"W x 1.1"D, with 3' Cable
7653-6	2.75"H x 2.75"W x 1.1"D, with 6' Cable
7653-15	2.75"H x 2.75"W x 1.1"D, with 15' Cable



Partner with ZING and Grow Your Business With Proven Safety Solutions  
**Scan the QR Code to Become a Distributor Today!**



## Steering Wheel Covers

- Highly visible warning covers communicate important safety information in English, Spanish, and French for broader communication
- Brass reinforced padlock or hasp hole allows you to lock the cover in place so it can't be removed accidentally or by unauthorized people
- Available in plastic and heavy-duty canvas in multiple sizes



Part #	Description	Dimensions
7345	Plastic	15.75" D
7346	Plastic	19.75" D
7347	Plastic	23.6" D
7345-HD	Heavy-duty Canvas	15.75" D
7346-HD	Heavy-duty Canvas	19.75" D
7347-HD	Heavy-duty Canvas	23.6" D



## Fire Hydrant Covers

- Provides a high visibility solution for identifying fire hydrants that are "Out of Service"
- Made from heavy duty canvas with a PVC waterproof inner backing
- Includes a cut out for hydrants with snow poles/markers
- Hook and loop cinch strap in back secures cover to hydrant
- Size: 34"H x 18" diameter (56.5" Circumference)
- Red with white 4" OUT OF SERVICE legend




Part #	Dimensions
4100	34"H x 8"W x 7.25"L



## Blind Flange Lockout

- Fully conceals flange bolts and prevents workers from removing the blind flange until all maintenance is complete and every padlock has been removed
- Adjustable device ensures a tight, secure fit when locked in place with a lockout padlock
- Coated aluminum construction with hardened steel rod
- Available in three sizes, covering pipe diameters from  $\frac{1}{2}$ " to 24"
- Accommodates up to 8 padlocks
- Performs in temperatures from -40 to 200 degrees Fahrenheit



Part #	Nut Diameter (A)	Fits Pipe Diameters (B)
7693	$\frac{3}{4}$ " to $1\frac{1}{8}$ "	$\frac{1}{2}$ " to 3"
7694	$1\frac{1}{4}$ " to $1\frac{7}{8}$ "	$3\frac{1}{2}$ " to 12"
7695	2" to $2\frac{3}{4}$ "	14" to 24"
7698	Lockout Set (includes 7693, 7694, and 7695)	



7398



7399



7400

## Ladder Lockout Kits

- Cover wraps are used to identify ladders that are out of service or defective by deterring use through wrapping around the rungs and being secured with a padlock
- Heavy-duty canvas construction for long lasting durability
- Overall Length: 87" x 13<sup>3</sup>/<sub>8</sub>" with 1/2" ID metal grommets at each end
- Visible area when wrapped on the ladder: 43<sup>1</sup>/<sub>2</sub>" x 13<sup>3</sup>/<sub>8</sub>"
- Highly visible graphic for visual communication also features bilingual messaging: DANGER DO NOT CLIMB ON LADDER/PELIGRO NO TREPE LA ESCALERA
- Can be easily rolled up or folded when not in use
- #7399 includes (1) Lockout 3" Shackle Padlock-Keyed Different
- #7400 includes (1) Lockout 3" Shackle Padlock-Keyed Different, (1) Out of Service Safety Tag, and (1) Cable Lockout with 3' cable



Part #	Description
7398	Ladder Cover Heavy-duty Canvas
7399	Ladder Lockout Kit, Cover with Padlock
7400	Deluxe Ladder Lockout Kit, with Cover, 3" Shackle Padlock, Safety Tag, and Cable Lockout

## Door Stop Lockout for Steel Bar Grating / Mezzanines

- This unique, patented device is a convenient choice to hold open your industrial doors
- The device locks securely into type 30-102(19-4) grating
- Durable powder coated steel for long lasting service and reliability in all weather conditions
- Includes lock out option for locking doors open during maintenance operations
- The easy locking action can stop door from front or side
- Sure grip, durable silicone handle
- Wall mount bracket included for out of the way storing when not in use



Part #	Dimensions
7840	21"H with 2.25"L x 3"W Base, 1-2" Diameter Pipe




### Stem Shield Valve Covers

- Durable pipe and elastomeric foam sleeves are designed to slip over exposed valve stems providing simple, cost-effective safeguards against preventable injuries sustained when workers bump, graze, or ram into stems that project from industrial valves
- Held firmly in place with a stainless steel tether for long-lasting stability
- Covers prevent thread damage, corrosion, contamination and overspray exposure – ensuring your valves stay clean and operational
- Keeps lubrication free from debris, dirt, and water, reducing maintenance frequency and preventing wheels from tightening due to buildup
- Installs in less than 15 seconds per stem – no tools required
- Made from chemically resistant, waterproof, flexible rubber foam and stainless steel attachments
- Valves remain fully functional with shields in place
- Lightweight and portable for easy transport and storage
- Made in the USA - Proudly designed and manufactured for quality and reliability



Protects lubrication from debris and moisture, reducing maintenance



Part #	Description
7217	Stem Shield 5" fits 3"-5" Valve Stems
7218	Stem Shield 7" fits 6"-7" Valve Stems
7219	Stem Shield 9" fits 8"-9" Valve Stems
7211	Stem Shield 12" fits 10"-12" Valve Stems
7212	Stem Shield 18" fits 13"-18" Valve Stems

# LOTO Safety Starts With Proper Training



## Lockout Training Poster

- Provides a visual overview of Lockout/Tagout procedures
- Eye-catching graphics emphasize and reinforce key points
- Made from recycled plastic
- Measures 18"H x 24"W

Part #	Description
6065	Eco Lockout/Tagout Poster



## Lockout Training Booklets

- Provide a clear overview of lockout/tagout procedures, lockout devices, group lockout, and employee responsibilities
- Quiz included to test employee knowledge

Part #	Description
6071	Lockout Training Booklet, 10/pk



## Lockout Registers

- Lockout Registers help manage lockout compliance and ensure that crucial lockout information is documented per OSHA requirements
- Set includes two books: Energy Isolation Record and Equipment Issue/Return Record
- The registers ensure every aspect of the lockout process is meticulously logged and includes fields for recording data like tracking the energy sources locked out, issuance and usage of lockout products, duration of lockout, purpose, specific machines, employees involved and locations

Part #	Description
7600	Lockout Registers (set of 2)





7010



7011



7502



7503



7504



7343



7344



7348



7349



7357



7358



7370

### Lockout Safety Tags

- Tags communicate critical safety messages
- Easy to write on surface holds up well against water, grease and a variety of chemicals
- Suitable for indoor or outdoor use
- Sold 10/pack

Part #	Description	Dimensions
7010	Danger - Do Not Operate	5.75"H x 3"W
7011	Danger - Out of Service	5.75"H x 3"W
7502	Danger - Do Not Operate	5.5"H x 3.25"W
7503	Danger - Do Not Operate English/Spanish	5.5"H x 3.25"W
7504	Lock-Out Point	5.5"H x 3.25"W
7343	Danger - Do Not Operate (with Border)	5.5"H x 3.25"W

Part #	Description	Dimensions
7344	Danger - Out of Service (with Border)	5.5"H x 3.25"W
7348	Danger - Do Not Operate	5.5"H x 3.25"W
7349	Danger - Out of Service	5.5"H x 3.25"W
7357	Danger - Stop Do Not Operate	5.5"H x 3.25"W
7358	Danger - Only Person Listed Can Remove	5.5"H x 3.25"W
7370	Danger - Do Not Operate, Maintenance	5.5"H x 3.25"W



7350

7351

### Self-Laminating Lockout Safety Tags

- Durable tags resist water and wear, protecting critical messages in industrial environments
- Allow you to write custom messages and protect them with a clear, polyester laminate —ensuring the information won't smudge, fade, or wear off over time
- To laminate, remove the lining and press the clear laminate layer onto your text or photo
- Each tag features a reinforced grommet for sturdy hanging

Part #	Description
7350	Danger - Do Not Operate/Equipment Locked Out By
7351	Danger - Do Not Operate/Must Not Remove

## Two-Part Perforated Lockout Tags

- Made from durable plastic and feature a removable stub for enhanced operational control and record-keeping
- Tag and stub have matching serial numbers
- Stub is removed when the tag is attached to a lockout point, and only the employee in possession of the stub has the authority to remove the tag
- After the job is done, stub is returned to management for verification and monitoring

Part #	Description
7352	Danger - Do Not Operate
7356	Danger - Equipment Locked Out



7352

7356



7868

7869

7871

7873

## Lockout Safety Tags By-The-Roll and Dispenser Boxes

- Great solution for streamlining workplace safety management, combining practicality, durability, and convenience to ensure that your important safety messages are always accessible and visible
- Water-proof tags are tear-resistant making them ideal for both indoor and outdoor use
- Tags use an easy to write on scruff resistant matte surface on both sides
- All tags are printed on both sides with space to sign, date, and add notes
- Tag dimensions are 5.5"H x 3.25"W with a 0.3" hole
- #7867 and #7868 - Connected end-to-end with perforations and housed in a convenient octagon shaped cardboard dispenser box
- #7869 - Connected end-to-end with perforations and fan-folded in a cardboard dispenser box
- #7870 - #7873 - Contained in a bulk box
- Self-laminating tags have a polyester over-laminate that protects tag messaging

Part #	Description	Quantity	Dimensions
7867	Do Not Operate - No Grommet	100/Roll	7.5"H x 7.5"W x 3.5"D
7868	Do Not Operate - with Grommet	100/Roll	7.5"H x 7.5"W x 3.5"D
7869	Do Not Operate - Fan Fold	100/Box	2"H x 8"W x 4"D
7870	Do Not Operate - No Grommet	50/Box	0.8"H x 6.7"W x 4"D
7871	Do Not Operate - with Grommet	50/Box	0.8"H x 6.7"W x 4"D
7872	Do Not Operate - Self-Laminating, No Grommet	50/Box	0.8"H x 6.7"W x 4"D
7873	Do Not Operate - Self-Laminating, with Grommet	50/Box	0.8"H x 6.7"W x 4"D

# Communicate Critical Safety Messages & Encourage Compliance



## Eco Tag Center

- Stores and organizes safety tags
- Features 8 durable hooks can accommodate up to 10 tags per hook
- Mounting holes are pre-drilled for easy installation
- Made in the USA from heavy-duty, impact-resistant recycled plastic
- Tags sold separately



Bright green color attracts attention and encourages use

Part #	Dimensions
2670	15"H x 15"W

## Eco Safety Tags

- Constructed of heavy-duty 0.055" thick plastic
- Accepts 1 padlock each
- Made from 70% recycled materials
- Sold 10/pack



Part #	Description	Dimensions
7012	Blank White	5.75"H x 3"W
7013	Danger	5.75"H x 3"W
7014	Safety Inspection Chart	5.75"H x 3"W
7011	Danger Out of Service	5.75"H x 3"W
7015	Blank Yellow	5.75"H x 3"W

Part #	Description	Dimensions
7016	Fire Extinguisher Inspection Chart	5.75"H x 3"W
7017	Eye Wash and Shower Inspection Chart	5.75"H x 3"W
7018	AED Inspection Chart	5.75"H x 3"W
7019	Caution	5.75"H x 3"W

## Safety Tags

- Features a brass grommet to reinforce the tag
- Surface is easy to write on and resists oil, water, and extreme environments
- Made from 0.0275" gauge plastic
- Sold 10/pack



Part #	Description	Dimensions
7515	Ladder Inspection Tag	5.75"H x 3"W
7516	Ladder Inspection Checklist Tag	5.75"H x 3"W
7517	Hot Work Permit Tag	5.75"H x 3"W

Part #	Description	Dimensions
7518	Barricade Tag	5.75"H x 3"W
7519	Scaffold Tag, Red	5.75"H x 3"W
7520	Scaffold Tag, Green	5.75"H x 3"W

## Eco Glove Dispensers

- Available in clear or white
- Offered in single, double, or triple box sizes
- Can be mounted vertically or horizontally
- Gloves not included
- Made in the USA from .150" thick, 100% recycled plastic

Part #	Description	Dimensions
7220	Single Capacity, Clear	6"L x 10.5"W x 4"D
7221	Double Capacity, Clear	12"L x 10.5"W x 4"D
7222	Triple Capacity, Clear	16"L x 10.5"W x 4"D
7223	Single Capacity, White	6"L x 10.5"W x 4"D
7224	Double Capacity, White	12"L x 10.5"W x 4"D
7225	Triple Capacity, White	16"L x 10.5"W x 4"D
7226	Optional Magnet Mount	-



7221



7223


7225  
(Horizontal Mount)

Conveniently store and organize glove boxes

## Glove Dispenser Display Racks

- Made from six gauge steel wire with a durable powder-coated finish
- Available in single, double, and triple sizes
- Mounting hardware is included
- Gloves not included

Part #	Description	Dimensions
7497	Single Capacity	4.5"H x 11.5"W x 4"D
7498	Double Capacity	10.5"H x 11.5"W x 4"D
7499	Triple Capacity	14.5"H x 11.5"W x 4"D



7497

7498

7499



## Bouffant, Beard, & Sleeve Guard Dispensers

Made in the USA from heavy-duty, 100% recycled plastic for superior durability and crack-resistance.

### Bouffant Cap Dispenser:

- Can be mounted vertically or horizontally
- Capacity- one bouffant box, up to 9<sup>3</sup>/<sub>8</sub>" wide by 3<sup>3</sup>/<sub>8</sub>" deep

### Beard/Hair Net & Sleeve Guard Dispensers:

- Easy-access lid keeps contents clean and dust free
- Wall mounted or counter-top
- Sleeve guard dispenser features two compartments

Part #	Description	Dimensions
7305	Bouffant Dispenser	9"H x 10"W x 4"D
7306	Beard/Hair Net Dispenser	9"H x 7.5"W x 8"D
7307	Sleeve Guard Dispenser	12"H x 11.5"W x 10.5"D



7305




7306



7307

\*PPE not Included

# Support Compliance With OSHA's GHS/Hazard Communication Requirements




6039



6040



6041



6042



6043



6044



6068



2708

## Eco GHS Stations


- Compliance Stations** include SDS binders, which provide quick and easy access to important chemical information
- Training Stations** include SDS binders and training manuals which give employees the resources they need to comply with the new standards
- Made in the USA from virtually indestructible aluminum



Part #	Description	Dimensions
6039	GHS-SDS Compliance Center, Single Station, Includes (1) #6030 Binder	13.5"W x 19.25"H x 4.75"D
6040	GHS-SDS Compliance Center, Double Station, Includes (2) #6030 Binders	27.5"W x 23.25"H x 4.75"D
6041	GHS-SDS Training Station, Includes (1) #6030 Binder and 10 Training Books	27.5"W x 23.25"H x 4.75"D
6042	GHS-SDS Compliance Center, Single Station, Bilingual, Includes (1) #6033 Binder	13.5"W x 19.25"H x 4.75"D
6043	GHS-SDS Compliance Center, Double Station, Bilingual, Includes (2) #6033 Binders	27.5"W x 23.25"H x 4.75"D
6044	GHS-SDS Training Station, Bilingual, Includes (1) #6033 SDS Binder and 10 Training Books	27.5"W x 23.25"H x 4.75"D
6068	GHS SDS Wire Rack Kit, White Wire Rack and 1.5" Ring Binder	9"H x 14"W x 4.5"D
6069	GHS SDS Wire Rack Kit, White Wire Rack and 3" Ring Binder	9"H x 14"W x 4.5"D
2708	SDS Economy Station Kit, (1) Wall Rack, (1) 1.5" English SDS Binder, (1) SDS Station Wall Sign	12"H x 14"W x 4"D
2709ENG	GHS-SDS Training Booklets, English, 10/pk	8.5"H x 5.5"W
2709SPN	GHS-SDS Training Booklets, Spanish, 10/pk	8.5"H x 5.5"W

## Wire Binder Holders

- SDS Wire Rack prominently stores safety information
- Ideal for storage of SDS binders or any safety procedures required near a job site
- Made in the USA from high-quality recycled steel
- Mounting hardware is included



Part #	Description	Dimensions
7199	Yellow	9"H x 14"W x 4.5"L
7199-WHITE	White	9"H x 14"W x 4.5"L

## Eco SDS Binders

- Made from 100% post-consumer recycled materials
- Durable, chemical-resistant, easy-to-clean and almost impossible to rip or tear
- Each binder contains a heavy-duty ring assembly, which is available in three different sizes: 1.5" (up to 300 sheets), 2.5" (up to 500 sheets), and 3" (up to 600 sheets)
- Available in English and English/Spanish bilingual versions



Part #	Description	Dimensions
6030	English Only, 1.5" Ring, 300 Sheets	12"H x 10.75"L x 2"W
6031	English Only, 2.5" Ring, 500 Sheets	12"H x 11.75"L x 3"W
6032	English Only, 3" Ring, 600 Sheets	12"H x 12.5"L x 3.5"W
6033	English/Spanish (Bilingual), 1.5" Ring, 300 Sheets	12"H x 10.75"L x 2"W
6034	English/Spanish (Bilingual), 2.5" Ring, 500 Sheets	12"H x 11.75"L x 3"W
6035	English/Spanish (Bilingual), 3" Ring, 600 Sheets	12"H x 12.5"L x 3.5"W

## Eco Portable SDS Document Case

- Made from heavy-gauge recycled stainless steel
- Extra strong handle allows the unit to be easily carried to job site locations
- Wall-mountable for a more permanent location
- Contains a 3-ring binder assembly which holds 300+ sheets

Part #	Dimensions
6046	13 <sup>5</sup> / <sub>8</sub> " x 12"H x 3"D





6049



6050



6051



6052



6053



6054



6055



6056

## Eco Projecting Signs

- Projecting signs provide 180° of visibility, ensuring that critical information is easily seen by employees
- Signs are made in the USA from high-quality recycled plastic
- Self-adhesive mounting pads included
- UL validated for recycled content



Part #	Description	Dimensions
6049	SDS, V-Shape	7"H x 12"W, Projects 5"
6053	SDS Station, V-Shape	7"H x 12"W, Projects 5"
6050	SDS, L-Shape	7.5"H x 2.5"W, Projects 7"
6054	SDS Station, L-Shape	7.5"H x 2.5"W, Projects 7"
6051	SDS, Standard TriView®	7.5"H x 20"W, Projects 5"
6055	SDS Station, Standard TriView®	7.5"H x 20"W, Projects 5"
6052	SDS, Slim TriView®	12"H x 9"W, Projects 3"
6056	SDS Station, Slim TriView®	12"H x 9"W, Projects 3"

## Eco GHS Posters

- Introduction to GHS Poster** explains what the Globally Harmonized System (GHS) is and why OSHA adopted the GHS
- GHS Container Labeling Poster** discusses the six types of information contained on a GHS label and the differences between GHS labels and other types of chemical hazard labels
- GHS Safety Data Sheets Poster** reviews the composition of Safety Data Sheets (SDS) and the information contained in each section



6036



6037



6038

Part #	Description	Dimensions
6036	Introduction to GHS Poster	18"H x 24"W x 0.1"D
6037	GHS Container Labeling Poster	18"H x 24"W x 0.1"D
6038	GHS Safety Data Sheets Poster	18"H x 24"W x 0.1"D
6070	Set of 3 GHS Posters	18"H x 24"W x 0.1"D



# Eco-Friendly GHS Signage for Safer Workplaces

## Eco GHS Danger Signs

- Available in three eco-friendly materials: 94% recycled aluminum, 70% post-consumer recycled plastic, or recycled polystyrene self-adhesive
- Aluminum and plastic signs have pre-drilled mounting holes for easy installation
- Plastic signs also include adhesive mounting pads
- Dimensions 10"H x 14"W
- #2677 dimensions- 14H" x 10"W



Material	Part #					
Plastic	2658	2659	2660	2661	2662	2663
Aluminum	2658A	2659A	2660A	2661A	2662A	2663A
Adhesive	2658S	2659S	2660S	2661S	2662S	2663S



Material	Part #					
Plastic	2664	2665	2666	2667	2668	2669
Aluminum	2664A	2665A	2666A	2667A	2668A	2669A
Adhesive	2664S	2665S	2666s	2667S	2668S	2669S



Material	Part #					
Plastic	2672	2673	2674	2675	2676	2677
Aluminum	2672A	2673A	2674A	2675A	2676A	2677A
Adhesive	2672S	2673S	2674S	2675S	2676S	2677S




## Eco Signage Base

- Signage base holds parking, traffic, and policy signs firmly in place to promote safety and minimize liability and damage
- 72 lb. aerodynamic design withstands strong winds and severe weather
- Easy installation - No sand or water required
- Base will not rust, chip, crack, crumble, corrode, or need repainting
- Cone-shape design allows the base to be easily tipped and rolled to new locations
- Made in the USA from 100% post-consumer recycled tire rubber
- Limited lifetime warranty
- Square holes support posts 1 $\frac{3}{4}$ " wide
- Round holes support posts with a 2 $\frac{3}{8}$ " diameter
- Supports any sign up to 24" diameter
- #7440 – Sign base weight attaches to sign base to add more stability in high-wind areas and when using larger traffic signs
- #7443 – Yellow sign base covers, made from plastic construction, provide higher visibility
- #7446 – Sign mounting hardware kit includes 2 bolts, 2 nuts, and 4 washers


Part #	Description	Dimensions
7423	Rubber Sign Base, with Round 2-3/8" post hole	18" W x 14"H
7425	Rubber Sign Base, with Square 1-3/4" post hole	18" W x 14"H
7440	Sign Base Weight (adds 75 lbs. to base)	23" W x 6" H
7443	Universal Yellow Sign Base Cover (Round or Square)	18" W x 14" H
7446	Sign Mounting Hardware Kit	-
7447	Rubber Sign Base, includes 5' square galvanized steel post	18" W x 14" H, with 5' height post



**Base with Square Hole**



**Sign Base Weight**



# From Setup to Transport: Everything Your Signage Needs

## Eco Sign Base Moving Cart

- Allows sign bases to be easily moved from one location to another
- Designed to accommodate our recycled signpost bases
- Cart slips directly under the sign base, which can then be easily tilted and wheeled to a new location, using the post as a handle
- The moving cart is made in the USA from high-performance welded steel, and the wheels are made from durable, weather-proof plastic



Part #	Description
7441	Sign Base Moving Cart

## Sign Posts

- Square, steel posts are sturdy, durable and rust-proof
- All four sides feature  $\frac{3}{8}$ " diameter mounting holes spaced 1" apart along the center of the post, allowing customers to adjust the height of the sign
- Two signs can be mounted on opposite sides of the same post
- Available in galvanized steel and powder-coated steel
- Round PVC posts are strong, weather-proof and can be drilled upon request
- Posts are white and include caps



Part #	Description	Dimensions
7475	Galvanized Steel	$1\frac{3}{4}$ "D x 5'H
7476	Black Powdered Coated Steel	$1\frac{3}{4}$ "D x 5'H
7457	Yellow Powder Coated Steel	$1\frac{3}{4}$ "D x 5'H
7474	White PVC	$2\frac{1}{8}$ "D x 5'H

Partner with ZING and Grow Your Business With Proven Safety Solutions  
**Scan the QR Code to Become a Distributor Today!**



# Complete Sign Solutions



## Complete Sign Kit Bundles

- Made from 99% recycled aluminum, exceeding the EPA's recommended recycled content levels
- All signs meet MUTCD standards and feature 3M Engineered Grade Prismatic reflective sheeting
- Aluminum signs are UL-E validated for recycled content
- Mounting holes are pre-drilled for easy installation
- All signs are 18" x 12" unless otherwise noted

### Kit Includes:

- (1) Sign shown
- (1) Square galvanized steel signpost (1 3/4" width x 5' height)
- (1) Portable sign base
- Mounting hardware included



Description:	24" x 24"	18" x 12"	18" x 12"	18" x 12"	18" x 12"
Sign Only Part#	2232	2465	2466	2275	2206
Complete Bundle Part #	7448	7449	7450	7451	7452




Description:	18" x 12"				
Sign Only Part#	2196	2197	2680	2468	2205
Complete Bundle Part #	7453	7454	7455	7456	7458



Dimensions:	18" x 12"	12" x 18"	18" x 12"	18" x 12"	18" x 12"
Sign Only Part#	2273	2494	2272	2212	2205
Complete Bundle Part #	7459	7480	7461	7462	7458

# Ready to Install. Built to Last.



Description:	18" x 12"				
Sign Only Part#	2202	2283	7496	2238	2282
Complete Bundle Part #	7464	7465	7466	7467	7468



Description:	18" x 12"	18" x 12"	18" x 12"	12" x 18"	18" x 12"
Sign Only Part#	2209	2492	2274	2500	2426
Complete Bundle Part #	7469	7470	7471	7472	7473



Description:	18" x 12"	24" x 24"	12" x 18"	18" x 12"
Sign Only Part#	2218	2229	2494	2428
Complete Bundle Part #	7478	7479	2480	7481



Description:	18" x 12"	18" x 12"	18" x 12"
Sign Only Part#	2237	2235	2223
Complete Bundle Part #	7482	7483	7484

# Clearly Define Traffic or Parking Zones with Rugged, Portable Sign Bases


## Fillable Sign Base

- Durable, easily portable sign bases allow you to clearly mark traffic or parking arrangements
- Made in the USA from recycled materials
- Large, 3" recessed wheels for easy portability
- Stability plates keep base stable in 30-40 mph winds
- Pre-drilled holes accommodate a wide variety of signs including 9" x 12", 24" x 24", and 12" x 36"
- Can be used indoors or outdoors



\*sign not included

Quick and easy assembly in less than 1 minute!



Part #	Color	Pole Size	Base Size	Weight (Filled)
7587BK	Black	42"	18"	25 lbs.
7587YL	Yellow	42"	18"	25 lbs.
7588BK	Black	54"	18"	25 lbs.
7588YL	Yellow	54"	18"	25 lbs.
7589BK	Black	42"	22"	80 lbs.
7589YL	Yellow	42"	22"	80 lbs.
7590BK	Black	54"	22"	80 lbs.
7590YL	Yellow	54"	22"	80 lbs.

## Eco Parking Signs

- Made in the USA from durable, 99% recycled aluminum
- All signs meet MUTCD standards and feature 3M reflective sheeting

The reflective sheeting is available in two grades:

**Engineer Grade Prismatic (EGP):** Recommended for non-critical parking signs and way-finding signs

**High Intensity Prismatic (HIP):** Highly reflective, recommended for critical messages and nighttime use



Description	18" x 12"	12" x 12"	12" x 12"					
EGP	2212	2213	2209	2286	2287	2214	2217	2211
HIP	2350	2351	2352	2353	2354	2357	2348	2349



Description	12" x 18"	18" x 12"						
EGP	2210	2277	2278	2268	2236	2272	2273	2465
HIP	2358	2367	2368	2340	2339	2373	2374	-



Description	18" x 12"							
EGP	2490	2468	2492	2204	2466	2279	2271	2280
HIP	2491	N/A	2493	2375	2384	2370	2369	2371



Description	18" x 12"							
EGP	2281	2496	2206	2274	2275	2283	2506	2508
HIP	2372	2497	2378	2377	2376	2384	2507	2509

## Eco Parking Signs



Description	18" x 12"							
EGP	2502	2276	2202	2470	2469	2282	2205	2203
HIP	2503	2383	2381	-	-	2382	2380	2379



Description	12" x 18"	18" x 12"						
EGP	2504	2510	2238	2462	2644	2645	2486	2514
HIP	2505	2511	2303	-	-	-	2487	2515



Description	18" x 12"							
EGP	2284	2285	2218	2216	2197	2207	2208	2196
HIP	2343	2344	2345	2386	2366	2355	2356	2385



Description	6" x 12"							
EGP	2288	2290	2201	2289	2198	2215	2200	2199
HIP	2359	2362	2360	2361	2347	2346	2363	2364



Description	6" x 12"	12" x 18"	12" x 18"	12" x 18"
EGP	2291	2500	2498	2494
HIP	2365	2501	2499	2495

## State-Specific Handicapped Parking Signs

- ADA Handicapped Parking Signs comply with state law requirements
- Made in the USA from durable recycled aluminum
- Feature 3M Engineer Grade Prismatic sheeting



Alabama	Arkansas	California	Connecticut	Connecticut	Florida	S. Florida	Georgia	Hawaii
18" x 12"	18" x 12"	24" x 12"	24" x 12"	24" x 12"	18" x 12"	18" x 12"	18" x 12"	18" x 12"
2678	2679	2682	2683	2684	2685	2686	2687	2688



Massachusetts	Minnesota	Missouri	Missouri	Missouri	Nevada	New Jersey	N. Carolina	N. Carolina
18" x 12"	18" x 12"	18" x 12"	6" x 12"	6" x 12"	18" x 12"	12" x 10"	26" x 12"	26" x 12"
2690	2691	2692	2693	2694	2695	2696	2697	2698

N. Carolina	Pennsylvania	Tennessee	Texas	Virginia	Washington	Wyoming	N/A	N/A
9" x 12"	18" x 12"	18" x 12"	24" x 12"	18" x 12"	18" x 12"	18" x 12"	18" x 12"	18" x 12"
2699	2702	2703	2704	2705	2706	2707	2680	2681



### How Many Spaces Do I Need for ADA Compliance?

Total Spaces	Minimum # of Reserved	Total Spaces	Minimum # of Reserved	Total Spaces	Minimum # of Reserved
1-25	1	101-150	5	401-500	9
26-50	2	151-200	6	501-1,000	2%
51-75	3	201-300	7		
76-100	4	301-400	8	1,000+	20 + 1 for every 100

## Handicapped Stickers and Decals

- Communicate critical handicapped access information to employees, customers and visitors
- Stickers** can be applied to doors, walls or the outside of windows
- Decals** are designed to be placed on the inside of windows
- Made from high-quality recycled polystyrene with UV resistant inks
- Made in the USA



Description	6" x 6"				
Sticker (2/pk)	2712	2714	2716	2718	2720
Decal (2/pk)	2713	2715	2717	2719	2721



## Eco Danger Signs

- Available in three sustainable formats: 94% recycled aluminum, 70% post-consumer recycled plastic, or recycled self-adhesive
- Aluminum and plastic signs have pre-drilled holes for easy mounting
- Plastic signs also include adhesive mounting pads



Material:	7" x 10" 10"x14"							
Plastic	1088	2088	1089	2089	1090	2090	1091	2091
Aluminum	1088A	2088A	1089A	2089A	1090A	2090A	1091A	2091A
Adhesive	1088S	2088S	1089S	2089S	1090S	2090S	1091S	2091S



Material:	7" x 10" 10"x14"							
Plastic	1095	2095	1096	2096	1097	2097	1098	2098
Aluminum	1095A	2095A	1096A	2096A	1097A	2097A	1098A	2098A
Adhesive	1095S	2095S	1096S	2096S	1097S	2097S	1098S	2098S



Material	7" x 10" 10"x14"							
Plastic	1102	2102	1103	2103	1104	2104	1105	2105
Aluminum	1102A	2102A	1103A	2103A	1104A	2104A	1105A	2105A
Adhesive	1102S	2102S	1103S	2103S	1104S	2104S	1105S	2105S



Material	7" x 10" 10"x14"							
Plastic	1109	2109	1110	2110	1111	2111	1112	2112
Aluminum	1109A	2109A	1110A	2110A	1111A	2111A	1112A	2112A
Adhesive	1109S	2109S	1110S	2110S	1111S	2111S	1112S	2112S



Material	7" x 10" 10"x14"							
Plastic	1116	2116	1117	2117	1118	2118	1119	2119
Aluminum	1116A	2116A	1117A	2117A	1118A	2118A	1119A	2119A
Adhesive	1116S	2116S	1117S	2117S	1118S	2118S	1119S	2119S



Material	7" x 10"	10" x 14"												
Plastic	1123	2123	1124	2124	1125	2125	1126	2126	1127	2127	10104	20104	10105	20105
Aluminum	1123A	2123A	1124A	2124A	1125A	2125A	1126A	2126A	1127A	2127A	10104A	20104A	10105A	20105A
Adhesive	1123S	2123S	1124S	2124S	1125S	2125S	1126S	2126S	1127S	2127S	10104S	20104S	10105S	20105S



Material	7" x 10"	10" x 14"												
Plastic	10106	20106	10107	20107	10108	20108	10109	20109	10110	20110	10111	20111	10112	20112
Aluminum	10106A	20106A	10107A	20107A	10108A	20108A	10109A	20109A	10110A	20110A	10111A	20111A	10112A	20112A
Adhesive	10106S	20106S	10107S	20107S	10108S	20108S	10109S	20109S	10110S	20110S	10111S	20111S	10112S	20112S



Material	7" x 10"	10" x 14"												
Plastic	10113	20113	10114	20114	10115	20115	10116	20116	10117	20117	10118	20118	10119	20119
Aluminum	10113A	20113A	10114A	20114A	10115A	20115A	10116A	20116A	10117A	20117A	10118A	20118A	10119A	20119A
Adhesive	10113S	20113S	10114S	20114S	10115S	20115S	10116S	20116S	10117S	20117S	10118S	20118S	10119S	20119S



Material	7" x 10"	10" x 14"												
Plastic	10120	20120	10121	20121	1967	2967	1968	2968	1969	2969	1970	2970	1971	2971
Aluminum	10120A	20120A	10121A	20121A	1967A	2967A	1968A	2968A	1969A	2969A	1970A	2970A	1971A	2971A
Adhesive	10120S	20120S	10121S	20121S	1967S	2967S	1968S	2968S	1969S	2969S	1970S	2970S	1971S	2971S




Material	7" x 10"	10" x 14"												
Plastic	1972	2972	1973	2973	1974	2974	1975	2975	1976	2976	1977	2977	1978	2978
Aluminum	1972A	2972A	1973A	2973A	1974A	2974A	1975A	2975A	1976A	2976A	1977A	2977A	1978A	2978A
Adhesive	1972S	2972S	1973S	2973S	1974S	2974S	1975S	2975S	1976S	2976S	1977S	2977S	1978S	2978S



Material	7" x 10"	10" x 14"												
Plastic	1979	2979	1980	2980	1981	2981	1982	2982	1983	2983	1984	2984	1985	2985
Aluminum	1979A	2979A	1980A	2980A	1981A	2981A	1982A	2982A	1983A	2983A	1984A	2984A	1985A	2985A
Adhesive	1979S	2979S	1980S	2980S	1981S	2981S	1982S	2982S	1983S	2983S	1984S	2984S	1985S	2985S

### Eco Danger Signs



Material:	10x14
Plastic	N/A
Aluminum	2986A
Adhesive	N/A

Material:	10x14
N/A	N/A
2987A	2987A
N/A	N/A

7x10	10x14
1998	2998
1998A	2998A
1998S	2998S

7x10	10x14
1955	2955
1955A	2955A
1955S	2955S

14x10
2988
2988A
2988S

14x10
2989
2989A
2989S

14x10
2990
2990A
2990S



Material:
Plastic
Aluminum
Adhesive

7x10	10x14
1961	2961
1961A	2961A
1961S	2961S

7x10	10x14
1965	2965
1965A	2965A
1965S	2965S

7x10	10x14
1966	2966
1966A	2966A
1966S	2966S

### Eco Caution Signs



Material:	7x10	10x14
Plastic	1144	2144
Aluminum	1144A	2144A
Adhesive	1144S	2144S

Material:	7x10	10x14
Plastic	1145	2145
Aluminum	1145A	2145A
Adhesive	1145S	2145S

Material:	7x10	10x14
Plastic	1146	2146
Aluminum	1146A	2146A
Adhesive	1146S	2146S

Material:	7x10	10x14
Plastic	1147	2147
Aluminum	1147A	2147A
Adhesive	1147S	2147S

Material:	7x10	10x14
Plastic	1148	2148
Aluminum	1148A	2148A
Adhesive	1148S	2148S

Material:	7x10	10x14
Plastic	1149	2149
Aluminum	1149A	2149A
Adhesive	1149S	2149S

Material:	7x10	10x14
Plastic	1150	2150
Aluminum	1150A	2150A
Adhesive	1150S	2150S



Material:	7x10	10x14
Plastic	1151	2151
Aluminum	1151A	2151A
Adhesive	1151S	2151S

Material:	7x10	10x14
Plastic	1152	2152
Aluminum	1152A	2152A
Adhesive	1152S	2152S

Material:	7x10	10x14
Plastic	1153	2153
Aluminum	1153A	2153A
Adhesive	1153S	2153S

Material:	7x10	10x14
Plastic	1154	2154
Aluminum	1154A	2154A
Adhesive	1154S	2154S

Material:	7x10	10x14
Plastic	1155	2155
Aluminum	1155A	2155A
Adhesive	1155S	2155S

Material:	7x10	10x14
Plastic	1156	2156
Aluminum	1156A	2156A
Adhesive	1156S	2156S

Material:	7x10	10x14
Plastic	1157	2157
Aluminum	1157A	2157A
Adhesive	1157S	2157S



Material:	7x10	10x14
Plastic	1158	2158
Aluminum	1158A	2158A
Adhesive	1158S	2158S

Material:	7x10	10x14
Plastic	1159	2159
Aluminum	1159A	2159A
Adhesive	1159S	2159S

Material:	7x10	10x14
Plastic	1996	2196
Aluminum	1996A	2196A
Adhesive	1996S	2196S

Material:	7x10	10x14
Plastic	1997	2997
Aluminum	1997A	2997A
Adhesive	1997S	2997S

Material:	7x10	10x14
Plastic	10122	20122
Aluminum	10122A	20122A
Adhesive	10122S	20122S

Material:	7x10	10x14




<tbl\_r cells="3" ix="4" maxcspan="1" maxrspan="

## Eco Caution Signs



Material	7x10	10x14										
Plastic	10125	20125	10126	20126	10127	20127	10128	20128	10129	20129	10130	20130
Aluminum	10125A	20125A	10126A	20126A	10127A	20127A	10128A	20128A	10129A	20129A	10130A	20130A
Adhesive	10125S	20125S	10126S	20126S	10127S	20127S	10128S	20128S	10129S	20129S	10130S	20130S

## Eco Notice Signs



Material	7x10	10x14										
Plastic	1128	2128	1129	2129	1130	2130	1131	2131	1132	2132	1133	2133
Aluminum	1128A	2128A	1129A	2129A	1130A	2130A	1131A	2131A	1132A	2132A	1133A	2133A
Adhesive	1128S	2128S	1129S	2129S	1130S	2130S	1131S	2131S	1132S	2132S	1133S	2133S



Material	7x10	10x14										
Plastic	1135	2135	1136	2136	1137	2137	1138	2138	1139	2139	1140	2140
Aluminum	1135A	2135A	1136A	2136A	1137A	2137A	1138A	2138A	1139A	2139A	1140A	2140A
Adhesive	1135S	2135S	1136S	2136S	1137S	2137S	1138S	2138S	1139S	2139S	1140S	2140S



Material	7x10	10x14										
Plastic	1142	2142	1143	2143	1991	2991	1992	2992	1993	2993	1994	2994
Aluminum	1142A	2142A	1143A	2143A	1991A	2991A	1992A	2992A	1993A	2993A	1994A	2994A
Adhesive	1142S	2142S	1143S	2143S	1991S	2991S	1992S	2992S	1993S	2993S	1994S	2994S



Material	10x14	10x14	7x10	10x14	7x10	10x14	7x10	10x14
Plastic	10100	20100	10101	20101	10102	20102	10103	20103
Aluminum	10100A	20100A	10101A	20101A	10102A	20102A	10103A	20103A
Adhesive	10100S	20100S	10101S	20101S	10102S	20102S	10103S	20103S



## Agriculture Safety Signs

- Communicate critical safety messages and offer durable performance in agricultural environments
- Made in the USA from recycled plastic or recycled aluminum



Material	10x14						
Plastic	20000	20001	20002	20003	20004	20005	20006
Aluminum	20000A	20001A	20002A	20003A	20004A	20005A	20006A



Material	10x14						
Plastic	20007	20008	20009	20010	20011	20012	20013
Aluminum	20007A	20008A	20009A	20010A	20011A	20012A	20013A



Material	10x14	10x14	10x14	10x14	10x14	10x14
Plastic	20014	20015	20016	20017	20018	20019
Aluminum	20014A	20015A	20016A	20017A	20018A	20019A



Material	14x10						
Plastic	20020	20021	20022	20023	20024	20025	20026
Aluminum	20020A	20021A	20022A	20023A	20024A	20025A	20026A



Material	14x10						
Plastic	20027	20028	20029	20030	20031	20032	20033
Aluminum	20027A	20028A	20029A	20030A	20031A	20032A	20033A

## Agriculture Safety Signs



Material	16x14	21x14	16x14	10x14	21x14	14x10	11.25x11.25
Plastic	20034	20035	20036	20037	20038	20039	20040
Aluminum	20034A	2035A	20036A	20037A	20038A	20039A	20040A

## Security Stickers and Decals

- Apply to doors, walls or the outside of windows
- Decals have adhesive on the front or face of the sign, making them ideal for use on the inside of windows or other glass surfaces
- Made in the USA from recycled polystyrene with UV-resistant inks
- Sold 2/pack



Material	4x4	5x7
Sticker	2771	2767
Decal	2772	2768
Material	4x4	5x7
Sticker	2769	2770

**For Use On:**

- ✓ Doors
- ✓ Walls
- ✓ Windows

## Occupancy Signs with Number Kit

- Clearly communicate the maximum occupancy of a room or area
- Signs include a customizable number kit with durable adhesive numbers for a professional appearance
- Made in the USA



Material	7x10 10x14	7x10 10x14	7x10 10x14
Plastic	1905 2905	1906 2906	1907 2907
Aluminum	1905A 2905A	1906A 2906A	1907A 2907A
Adhesive	1905S 2905S	1906S 2906S	1907S 2907S

1906 with number kit applied

## Biohazard Signs and Labels

- Comply with OSHA regulations
- Signs warn employees, patients and visitors of dangerous biohazards, radiation, and other potentially harmful situations



### Adhesive Labels

- Can be applied directly to doors, walls or the outside of windows
- Made from high-quality, recycled polystyrene with UV-resistant inks



Material	5x7
Labels (2/pack)	1920S

Material	7x10
Plastic	1921
Aluminum	1921A
Adhesive	1921S

### Plastic Signs

- Made from high-quality recycled plastic
- UL Validated for recycled content
- Includes 4 mounting holes and adhesive tabs



Material	5x3.5	7x5
Labels (2/pack)	1913S	1914S

Material	7x10
Plastic	1915
Aluminum	1915A
Adhesive	1915S

### Aluminum Signs

- Manufactured using high-quality, 94% recycled aluminum
- UL Validated for recycled content
- Includes 4 pre-drilled holes for easy mounting



Material	5x7
Labels (2/pack)	1916S

Material	5x7
Labels (2/pack)	1918S

Material	7x10
Plastic	1919
Aluminum	1919A
Adhesive	1919S



Material	7x10
Plastic	1912
Aluminum	1912A
Adhesive	1912S

Material	7x10
Plastic	1922

Material	7x10
Plastic	1923

Material	7x10
Plastic	1924
Aluminum	1924A
Adhesive	1924S

Material	7x10	10x14
Plastic	10054	20054
Aluminum	10054A	20054A
Adhesive	10054S	20054S



Material	7x10	10x14
Plastic	10055	20055
Aluminum	10055A	20055A
Adhesive	10055S	20055S

Material	7x10	10x14
Plastic	10056	20056
Aluminum	10056A	20056A
Adhesive	10056S	20056S

Material	7x10	10x14
Plastic	10057	20057
Aluminum	10057A	20057A
Adhesive	10057S	20057S

Material	7x10	10x14
Plastic	10058	20058
Aluminum	10058A	20058A
Adhesive	10058S	20058S



Material	7x10	10x14
Plastic	10059	20059
Aluminum	10059A	20059A
Adhesive	10059S	20059S

Material	7x10
Plastic	10051

Part #	Description	Dimensions
2608	V Sign, Warning Biohazard	7" x 12", projects 5"
2609	L Sign, Warning Biohazard	7" x 2.5", projects 7"



Material	10x7
Plastic	1925
Aluminum	1925A
Adhesive	1925S

Material	7x10
Plastic	1926
Aluminum	1926A
Adhesive	1926S

Material	7x10
Plastic	1927
Aluminum	1927A
Adhesive	1927S

Material	7x10
Plastic	1928
Aluminum	1928A
Adhesive	1928S

Material	5x7
Labels (2/pk)	1928S
Material	7x10
Plastic	1929
Aluminum	1929A
Adhesive	1929S

Material	7x10
Plastic	1930
Aluminum	1930A
Adhesive	1930S



Material	14x10
Plastic	2931
Aluminum	2931A
Adhesive	2931S

Material	7x10
Plastic	1932
Aluminum	1932A
Adhesive	1932S

Material	7x10
Plastic	1933
Aluminum	1933A
Adhesive	1933S

Material	10x7
Plastic	1934
Aluminum	1934A
Adhesive	1934S

Material	10x7
Plastic	1935
Aluminum	1935A
Adhesive	1935S

Material	7x10
Plastic	1936
Aluminum	1936A
Adhesive	1936S



Material	7x10	10x14
Plastic	10069	20069
Aluminum	10069A	20069A
Adhesive	10069S	20069S

Material	7x10	10x14
Plastic	10070	20070
Aluminum	10070A	20070A
Adhesive	10070S	20070S

Material	7x10	10x14
Plastic	10071	20071
Aluminum	10071A	20071A
Adhesive	10071S	20071S

Material	7x10	10x14
Plastic	10072	20072
Aluminum	10072A	20072A
Adhesive	10072S	20072S



Material	7x10	14x10
Plastic	10073	20073
Aluminum	10073A	20073A
Adhesive	10073S	20073S

Material	10x7	14x10
Plastic	10074	20074
Aluminum	10074A	20074A
Adhesive	10074S	20074S

Material	7x10	10x14
Plastic	10075	20075
Aluminum	10075A	20075A
Adhesive	10075S	20075S



Material	7x10	10x14
Plastic	10077	20077
Aluminum	10077A	20077A
Adhesive	10077S	20077S

Material	7x10
Plastic	1909
Aluminum	1909A
Adhesive	1909S



## Health Safety Signs

- Communicate critical health and safety messages
- Made in the USA from recycled materials



Material	10x7	14x10
Plastic	1908	2908
Aluminum	1908A	2908A
Adhesive	1908S	2908S

Material	10x7	14x10
Plastic	10049	20049
Aluminum	10049A	20049A
Adhesive	10049S	20049S

Material	7x10	10x14
Plastic	10060	20060
Aluminum	10060A	20060A
Adhesive	10060S	20060S

Material	7x10	10x14
Plastic	10061	20061
Aluminum	10061A	20061A
Adhesive	10061S	20061S



Material	10x7	14x10
Plastic	10062	20062
Aluminum	10062A	20062A
Adhesive	10062S	20062S

Material	10x7	14x10
Plastic	10078	20078
Aluminum	10078A	20078A
Adhesive	10078S	20078S

Material	7x10	10x14
Plastic	10079	20079
Aluminum	10079A	20079A
Adhesive	10079S	20079S

Material	7x10	10x14
Plastic	10080	20080
Aluminum	10080A	20080A
Adhesive	10080S	20080S



Material	10x7	14x10
Plastic	10063	20063
Aluminum	10063A	20063A
Adhesive	10063S	20063S

Material	10x7	14x10
Plastic	10064	20064
Aluminum	10064A	20064A
Adhesive	10064S	20064S

Material	7x10	10x14
Plastic	10065	20065
Aluminum	10065A	20065A
Adhesive	10065S	20065S

Material	7x10	10x14
Plastic	10066	20066
Aluminum	10066A	20066A
Adhesive	10066S	20066S



Material	10x7	14x10
Plastic	10067	20067
Aluminum	10067A	20067A
Adhesive	10067S	20067S

Material	10x7	14x10
Plastic	10068	20068
Aluminum	10068A	20068A
Adhesive	10068S	20068S

Material	7x10	10x14
Plastic	10050	20050
Aluminum	10050A	20050A
Adhesive	10050S	20050S

Material	7x10	10x14
Plastic	10052	20052
Aluminum	10052A	20052A
Adhesive	10052S	20052S



Material	10x7	14x10
Plastic	10081	20081
Aluminum	10081A	20081A
Adhesive	10081S	20081S

Material	10x7	14x10
Plastic	10084	20084
Aluminum	10084A	20084A
Adhesive	10084S	20084S

Material	7x10	10x14
Plastic	10082	20082
Aluminum	10082A	20082A
Adhesive	10082S	20082S

Material	7x10	10x14
Plastic	10083	20083
Aluminum	10083A	20083A
Adhesive	10083S	20083S

# Clearly Communicate Critical Safety Information

## Health Safety Signs



Material	10x7	14x10
Plastic	1937	2937
Aluminum	1937A	2937A
Adhesive	1937S	2937S

Material	10x7	14x10
Plastic	1938	2938
Aluminum	1938A	2938A
Adhesive	1938S	2938S

Material	10x7	14x10
Plastic	1939	2939
Aluminum	1939A	2939A
Adhesive	1939S	2939S

Material	9x2
Magnetic	1956M

Material	9x2
Magnetic	1957M



## Health Facility and Parking Signs

- Made from 99% recycled aluminum, exceeding the EPA's recommended recycled content level
- All Parking Signs meet MUTCD Standards
- Feature 3M™ Engineer Grade reflective sheeting
- Signs measure 18"H by 12"W and are pre-drilled for easy mounting
- UL Validated for recycled content
- Made in the USA



3073



3075



3074



3077



3070



3071



3078



3084



3083



3085



3080



3082



3081



3079



3072



3076

## Eco Fire and Exit Signs

All signs meet OSHA and NFPA Life Safety Code requirements and are available in 4 eco-friendly formats, each made from recycled materials.



### Aluminum Signs

- Made from high-quality 94% recycled aluminum
- UL validated for recycled content
- Includes 4 pre-drilled holes for easy mounting

### Plastic Signs

- Made from high-quality 70% post-consumer recycled plastic
- UL validated for recycled content
- Includes 4 pre-drilled holes and adhesive tabs for easy mounting

### Self-Adhesive Signs

- Made from high-quality, recycled polystyrene with UV-resistant inks
- Apply directly to doors, walls or the outside of windows

### Glow-in-the-Dark Signs

- Made from recycled plastic with a high- performance, safety grade photoluminescent coating
- Do not require an electrical power source
- Will glow for a period of 10 hours on full charge
- Can be used indoors or outdoors
- Exceed requirements for life safety, emergency egress, and other safety standards



1077G Glow Sign Application



Material	7 x 10	10 x 14
Plastic	1077	2077
Aluminum	1077A	1077A
Adhesive	1077S	2077S
Glow Plastic	1077G	2077G

Material	7 x 10	10 x 14
Plastic	1078	2078
Aluminum	1078A	1078A
Adhesive	1078S	2078S
Glow Plastic	1078G	2078G

Material	7 x 10	10 x 14
Plastic	1084	2084
Aluminum	1084A	1084A
Adhesive	1084S	2084S
Glow Plastic	1084G	2084G

Material	7 x 10	10 x 14
Plastic	1081	2081
Aluminum	1081A	1081A
Adhesive	1081S	2081S
Glow Plastic	1081G	2081G



Material	7 x 10	10 x 14
Plastic	1082	2082
Aluminum	1082A	1082A
Adhesive	1082S	2082S
Glow Plastic	1082G	2082G

Material	7 x 10	10 x 14
Plastic	1886	2886
Aluminum	1886A	1886A
Adhesive	1886S	2886S
Glow Plastic	1886G	2886G
Adhesive	5x7	1884S

1884S Label meets NFPA Font size requirements. Sold 2/pack.



Material	7 x 10	10 x 14
Plastic	10131	20131
Aluminum	10131A	10131A
Adhesive	10131S	20131S



### Eco Fire Blanket Kit

- Flame-resistant, oversized blanket is used to smother flames and cover injured victims
- Ideal for use in first-aid stations, police and rescue vehicles, manufacturing facilities, offices and schools
- Includes hangable tote bag
- Made from 100% recycled materials
- Complete kit dimensions: 23" x 23" x 4"

Part #	Dimensions
7230	96" x 60" (Blanket)



Material	7x10	10x14	Material	7x10	10x14	Material	10x7	14x10	Material	14 x 3.25	Material	7x10	10x14
Plastic	1897	2897	Plastic	1898	2898	Plastic	1891	2891	Plastic	1892	Plastic	1904	2904
Aluminum	1897A	1897A	Aluminum	1898A	1898A	Aluminum	1891A	1891A	Aluminum	1892A	Aluminum	1904A	1904A
Adhesive	1897S	2897S	Adhesive	1898S	2898S	Adhesive	1891S	2891S	Adhesive	1892S	Adhesive	1904S	2904S
Glow Plastic	1897G	2897G	Glow Plastic	1898G	2898G	Glow Plastic	1891G	2891G			Glow Plastic	1904G	2904G



Material	7x10	10x14
Plastic	1894	2894
Aluminum	1894A	1894A
Adhesive	1894S	2894S
Glow Plastic	1894G	2894G

Material	10x7	14x10
Plastic	1893	2893
Aluminum	1893A	1893A
Adhesive	1893S	2893S
Glow Plastic	1893G	2893G

Material	14 x 3.25
Plastic	1895
Aluminum	1895A
Adhesive	1895S

Material	10x7	14x10
Plastic	1896	2896
Aluminum	1896A	1896A
Adhesive	1896S	2896S
Glow Plastic	1896G	2896G





Material	5x14
Adhesive	1900S

Material	14 x 3.25
Plastic	1885
Aluminum	1885A
Adhesive	1885S

Material	10x7	14x10
Plastic	1887	2887
Aluminum	1887A	1887A
Adhesive	1887S	2887S
Glow Plastic	1887G	2887G

Material	10x7	14x10
Plastic	1888	2888
Aluminum	1888A	1888A
Adhesive	1888S	2888S
Glow Plastic	1888G	2888G

Material	10x7	14x10
Plastic	1889	2889
Aluminum	1889A	1889A
Adhesive	1889S	2889S
Glow Plastic	1889G	2889G



Material	10x7	14x10
Plastic	1890	2890
Aluminum	1890A	1890A
Adhesive	1890S	2890S
Glow Plastic	1890G	2890G

Material	7x10	10x14
Plastic	1901	2901
Aluminum	1901A	1901A
Adhesive	1901S	2901S

Material	7x10	10x14
Plastic	1902	2902
Aluminum	1902A	1902A
Adhesive	1902S	2902S

Material	7x10	10x14
Plastic	1903	2903
Aluminum	1903A	1903A
Adhesive	1903S	2903S
Glow Plastic	1903G	2903G



### Glow-in-the-Dark Fire Extinguisher Backplate

- Features a glow-in-the-dark surface for extra visibility
- Rugged recycled plastic construction
- Features 4 mounting holes for easy installation
- Fire extinguisher not included

Part #	Dimensions
2671	5"H x 7"W x 0.1"D



No bulb or battery replacement needed!

### Eco-Brite Glow Exit Signs


- Provides powerful illumination without an electrical power source, helping reduce injuries and ensuring a safe, organized exit during emergencies
- Photoluminescent technology absorbs and stores ambient light, so that signs remain dependably visible during power outages or smoky conditions
- Glow-in-the-dark design helps save on maintenance and electricity costs
- Signs are visible from 100 feet
- Includes two removable directional chevrons if egress path changes
- Can be surface, flag, ceiling, conduit or stem mounted
- Made in the USA from recycled plastic, which supports sustainability initiatives and LEED credits
- Non-toxic, non-radioactive
- No disposal costs
- Non-toxic and non-radioactive, ensures no disposal costs  
We might want to keep these separate bullets? Not Sure!
- Size Dimensions: 8.75" H x 15.5" L x 0.75" D
- Letter Size: 7" height and 7/8" letter stroke



#### Listed To

- UL 924 Emergency Lighting and Power Equipment
- NFPA Life Safety Code 101
- OSHA requirements
- International Building and Fire Code 2009, 2012, 2015
- Listed for LED lighting

Part#	Description
7401	Red, Single Sided
7402	Red, Double Sided
7403	Green, Single Sided
7404	Green, Double Sided
7405	Black, Single Sided
7406	Black, Double Sided
7407	Red, Single Sided, Outdoor Use
7408	Red, Double Sided, Outdoor Use
7409	Green, Single Sided, Outdoor Use
7410	Green, Double Sided, Outdoor Use
7411	Black, Single Sided, Outdoor Use
7412	Black, Double Sided, Outdoor Use



# ZING™ Eco Projecting Signs Provide Maximum Visibility and Safety!

Available Exclusively From ZING™!



## Eco Projecting Tri-View Signs

- Feature 3 projecting sides for maximum visibility and safety
- Made in the USA from high-quality, 70% post-consumer recycled plastic and are UL validated for recycled content
- Glow-in-the-dark design illuminates for over 10 hours, exceeding the ASTME 2072-00 standards
- Available in two sizes: Standard and Slim
- Two mounting holes and adhesive tabs included for easy installation

Description	Dimensions
Standard	7.5"H x 20"W, Projects 5"
Slim	12"H x 9"W, Projects 3"



See page 108 for sign selection!



## Eco Projecting V & L Style Signs

- Feature 2 projecting sides for maximum visibility and safety
- Made in the USA from high-quality, 70% post-consumer recycled plastic and are UL validated for recycled content
- Two mounting holes and adhesive tabs included for easy installation

Description	Dimensions
V Style, Standard	7"H x 12"W, Projects 5"
V-Style, Bilingual	11"H x 7"W, Projects 5"
L Style, Standard	7"H x 2.5", Projects 7"

See page 109-110 for sign selection!

## Eco Projecting Corner Style Signs

- Two-sided projecting design saves space and significantly increases visibility
- Can be easily installed on any 90-degree angle corner
- Made in the USA from high-quality, 70% post-consumer recycled plastic and are UL validated for recycled content
- Two mounting holes and adhesive tabs included for easy installation

Description	Dimensions
Corner Style	10"H x 10"W, Projects 5"

See page 109-110 for sign selection!

## Tri-View Projecting Signs



Standard	3052
Slim	4052
Glow	3052G
Glow Slim	4052G



Standard	3053
Slim	-
Glow	4053
Glow Slim	-



Standard	3054
Slim	4054
Glow	3054G
Glow Slim	4054G



Standard	3055
Slim	4055
Glow	3055G
Glow Slim	4055G



Standard	3056
Slim	4056
Glow	3056G
Glow Slim	4056G



Standard	3057
Slim	4057



Standard	3059
Slim	4059



Standard	3060
Slim	4060



Standard	3062
Slim	-



Standard	-
Slim	4062



Standard	3063
Slim	4063



Standard	6051
Slim	6052



Standard	3086
Slim	-



Standard	3007
Slim	-



Standard	3009
Slim	-



Standard	3010
Slim	-



Standard	3011
Slim	-



Standard	3021
Slim	-



Standard	3022
Slim	-



Standard	3024
Slim	-



Standard	3026
Slim	-



Standard	3028
Slim	-



Standard	3030
Slim	-



Standard	3031
Slim	-



Standard	3033
Slim	-



Standard	3039
Slim	4039



Standard	3041
Slim	-



Standard	3046
Slim	-



Standard	3047
Slim	-

## V, L, &amp; Corner Projecting Signs



V-Shape	2562
L-Shape	2563
Corner	2637



V-Shape	2626
L-Shape	26272



V-Shape	2576
L-Shape	2577



V-Shape	2590
L-Shape	2591



V-Shape	2598
L-Shape	2599



V-Shape	2586
L-Shape	2587



V-Shape	2588
L-Shape	2589



V-Shape	2592
L-Shape	2593



V-Shape	2550
L-Shape	2551



V-Shape	2564
L-Shape	2565



Standard	2566
Slim	2567



Standard	2568
Slim	2569



V-Shape	2594
L-Shape	2595



V-Shape	2518
L-Shape	2519
Corner	2636



V-Shape	2616
L-Shape	2617



V-Shape	2552
L-Shape	2553



V-Shape	2630
L-Shape	2631



V-Shape	2554
L-Shape	2555



V-Shape	2578
L-Shape	2579



V-Shape	2556
L-Shape	2557



V-Shape	2632
L-Shape	2633



V-Shape	2516
L-Shape	2517
Corner	2634



V-Shape	2614
L-Shape	2615
Corner	2635



V-Shape	2558
L-Shape	2559



V-Shape	2628
L-Shape	2629



V-Shape	2520
L-Shape	2521
Corner	2638



V-Shape	2620
L-Shape	2621



V-Shape	2522
L-Shape	2523



V-Shape	2596
L-Shape	2597



V-Shape	2608
L-Shape	2609

V, L, & Corner Projecting Signs



V-Shape	2600
L-Shape	2601



V-Shape	2570
L-Shape	2571



V-Shape	2572
L-Shape	2573



V-Shape	2574
L-Shape	2575



V-Shape	2580
L-Shape	2581



V-Shape	2544
L-Shape	2545



V-Shape	2546
L-Shape	2547



V-Shape	2534
L-Shape	2535



V-Shape	2610
L-Shape	2611



V-Shape	2606
L-Shape	2607



V-Shape	2536
L-Shape	2537
Corner	2642



V-Shape	2582
L-Shape	2583



V-Shape	2532
L-Shape	2533



V-Shape	2548
L-Shape	2549



V-Shape	2526
L-Shape	2527



V-Shape	2528
L-Shape	2529
Corner	2641



V-Shape	2618
L-Shape	2619



V-Shape	6049
L-Shape	6050



V-Shape	6053
L-Shape	6054



V-Shape	2624
L-Shape	2625



V-Shape	2540
L-Shape	2541
Corner	2639



V-Shape	2560
L-Shape	2561



V-Shape	2612
L-Shape	2613



V-Shape	2530
L-Shape	2531



V-Shape	2604
L-Shape	2605



V-Shape	2584
L-Shape	2585



V-Shape	2542
L-Shape	2543



V-Shape	2622
L-Shape	2623



L-Shape



Corner

## Eco No Smoking Signs

- Signs communicate smoking policies and rules
- **Window decals** have adhesive on the front or face of the sign, making them ideal for use on the inside of windows or other glass surfaces
- **Adhesive labels** can be applied to doors, walls, or the outside of windows
- Decals and labels are made from recycled plastic with UV-resistant inks
- **Plastic signs** are made from high quality 70% post-consumer recycled plastic, and include 4 mounting holes and adhesive tabs
- **Aluminum signs** are made from high quality, 94% recycled aluminum, and include 4 mounting holes



Description	7x5 (2/pk)	10x7	14x10	7x5 (2/pk)	10x7	14x10	5x7 (2/pk)	7x10	10x14	5x7 (2/pk)	7x10	10x14	5x7 (2/pk)	7x10	10x14
Window Decal	1832D	-	-	1833D	-	-	1834D	-	-	1835D	-	-	1869D	-	-
Adhesive Label	1832S	1836S	2836S	1833S	1837S	2837S	1834S	1838S	2838S	1835S	1839S	2839S	1869S	1870S	2870S
Plastic Sign	-	1836	2836	-	1837	2837	-	1838	2838	-	1839	2839	-	1870	2870
Aluminum Sign	-	1836A	2836A	-	1837A	2837A	-	1838A	2838A	-	1839A	2839A	-	1870A	2870A



Description	5x7 (2/pk)	7x10	10x14	5x7 (2/pk)	7x10	10x14	7x5 (2/pk)	10x7	14x10	7x5 (2/pk)	10x7	14x10	7x5 (2/pk)	10x7	14x10
Window Decal	1871D	-	-	1873D	-	-	1875D	-	-	1877D	-	-	1879D	-	-
Adhesive Label	1871S	1872S	2872S	1873S	1874S	2874S	1875S	1876S	2876S	1877S	1836S	2836S	1879S	1880S	2880S
Plastic Sign	-	1872	2872	-	1874	2874	-	1876	2876	-	1836	2836	-	1880	2880
Aluminum Sign	-	1872A	2872A	-	1874A	2874A	-	1876A	2876A	-	1836A	2836A	-	1880A	2880A



Description	4x4 (2/pk)	6x6 (2/pk)	5x7 (2/pk)	7x10	10x7	14x10	10x7	14x10	10x7	14x10	7x5 (2/pk)	4x4 (2/pk)
Window Decal	1840D	1841D	1842D	-	-	-	-	-	-	-	1831D	1868D
Adhesive Label	1840S	1841S	1842S	1843S	1085S	2085S	1086S	2086S	1087S	2087S	1831S	1868S
Plastic Sign	-	-	-	1843	1085	2085	1086	2086	1087	2087	-	-
Aluminum Sign	-	-	-	1843A	1085A	2085A	1086A	2086A	1087A	2087A	-	-



## State-Specific No Smoking Signs

- Effectively communicate state smoking policies and laws



State	Arizona			Arkansas		Arkansas			Illinois			Illinois		
Material	7x5 (2/pk)	10x7	10x14	10x14		10x14			7x5 (2/pk)	10x7	10x14	7x5 (2/pk)	7x10	10x14
Window Decal	1844D	-	-						1848D	-	-	1849D	-	-
Adhesive Label	1844S	1845S	2845S		2846S		2847S		1848S	1850S	2850S	1849S	1851S	2851S
Plastic Sign	-	1845	2845		2846		2847		-	1850	2850	-	1851	2851
Aluminum Sign	-	1845A	2845A		2846A		2847A		-	1850A	2850A	-	1851A	2851A



State	Indiana			Iowa			New Jersey			Ohio			Oregon		
Material	7x5 (2/pk)	7x10	10x14	5x7 (2/pk)	10x7	4x6	7x5 (2/pk)	10x7	14x10	7x5 (2/pk)	10x7	14x10	5x7 (2/pk)	7x10	10x14
Window Decal	1852D	-	-	1854D	-	-	1856D	-	-	1858D	-	-	1860D	-	-
Adhesive Label	1852S	1853S	2853S	1854S	1855S	2855S	1856S	1857S	2857S	1858S	1859S	2859S	1860S	1861S	2861S
Plastic Sign	-	1853	2853	-	1855	2855	-	1857	2857	-	1859	2859	-	1861	2861
Aluminum Sign	-	1853A	2853A	-	1855A	2855A	-	1857A	2857A	-	1859A	2859A	-	1861A	2861A



State	Rhode Island			Tennessee			Washington			Wisconsin		
Material	7x5 (2/pk)	10x7	14x10	7x5 (2/pk)	10x7	14x10	5x7 (2/pk)	7x10	10x14	5x7 (2/pk)	7x10	10x14
Window Decal	1862D	-	-	1864D	-	-	1866D	-	-	1881D	-	-
Adhesive Label	1862S	1863S	2863S	1864S	1865S	2865S	1866S	1867S	2867S	1881S	1882S	2882S
Plastic Sign	-	1863	2863	-	1865	2865	-	1867	2867	-	1882	2882
Aluminum Sign	-	1863A	2863A	-	1865A	2865A	-	1867A	2867A	-	1882A	2882A

## Concealed Carry Signs

- Effectively communicate weapons policies



Material	7x5 (2/pk)	10x7	14x10	7x5 (2/pk)	10x7	14x10	7x5 (2/pk)	10x7	14x10	5x7 (2/pk)	7x10	10x14	5x7 (2/pk)	7x10	10x14
Window Decal	1810D	-	-	1811D	-	-	1812D	-	-	1816D	-	-	1817D	-	-
Adhesive Label	1810S	1813S	2813S	1811S	1814S	2814S	1812S	1815S	2815S	1816S	1818S	2818S	1817S	1819S	2819S
Plastic Sign	-	1813	2813	-	1814	2814	-	1815	2815	-	1818	2818	-	1819	2819
Aluminum Sign	-	1813A	2813A	-	1814A	2814A	-	1815A	2815A	-	1818A	2818A	-	1819A	2819A



Material	5x7 (2/pk)	7x10	10x14	5x7 (2/pk)	7x10	10x14	5x7 (2/pk)	7x10	10x14	10x7	14x10	14x10
Window Decal	1821D	-	-	1822D	-	-	1823D	-	-	-	-	-
Adhesive Label	1821S	1824S	2824S	1822S	1825S	2825S	1823S	1826S	2826S	1820S	2820S	2829S
Plastic Sign	-	1824	2824	-	1825	2825	-	1826	2826	1820	2820	2829
Aluminum Sign	-	1824A	2824A	-	1825A	2825A	-	1826A	2826A	1820A	2820A	2829A



Material	7x5 (2/pk)	7x5 (2/pk)	7x5 (2/pk)	7x5 (2/pk)	7x5 (2/pk)	7x5 (2/pk)
Window Decal	1827D	1828D	2762	2764	2766	2766
Adhesive Label	1827S	1828S	2761	2763	2765	2765



Material	10x14	10x14
Aluminum Sign	2745	2749



## State Specific Concealed Carry Signs

- Communicate firearms policies, and comply with individual state laws

### Window Decals

- Made from recycled plastic, and UV-resistant inks
- Adhesive on the front or face of the sign, making them ideal for use on the inside of windows or other glass surfaces

### Adhesive Labels

- Made from high-quality, recycled polystyrene with UV-resistant inks
- Apply directly to doors, walls or the outside of windows

### Plastic Signs

- Made from high-quality, 70% post-consumer recycled plastic
- UL validated for recycled content
- Includes 4 pre-drilled holes and adhesive tabs for easy mounting

### Aluminum Signs

- Made from high-quality, 94% recycled aluminum
- UL validated for recycled content
- Includes 4 pre-drilled holes for easy mounting



State	Arizona		Illinois	Kansas	Kansas Municipal	Missouri/Wisconsin
Material	7x10	10x14	4x6	8x8	14x10	14x10
Window Decal	-	-	2735D	1802D	-	-
Adhesive Label	1800S	2800S	2735S	1802S	2801S	2803S
Plastic Sign	1800	2800	-	1802	2801	2803
Aluminum Sign	1800A	2800A	-	-	2801A	2803A



State	Nebraska	Ohio	South Carolina	Tennessee	Texas	Wisconsin
Material	14x10	14x10	14x10	14x10	24x18	7x5 (2/pk) 10x7 14x10
Window Decal	-	-	-	-	-	1808D
Adhesive Label	2804S	2805S	2806S	2807S	-	1808S
Plastic Sign	2804	2805	2806	2807	-	1809
Aluminum Sign	2804A	2805A	2806A	2807A	2830A	1809A

## Green@Work Safety Signs

- Signs encourage waste reduction and energy-saving habits
- Standard 7H" x 10"W signs are recommended for most viewing applications
- 5H" x 3"W mini-signs work particularly well above light switches and water taps
- 10"H x 14"W signs are recommended for large, open areas, where longer viewing distances are expected
- Signs include adhesive mounting pads



Size   Part #							
7x10   1000	7x10   1002	7x10   1003	7x10   1004	7x10   1005	5x3   0006	7x10   1007	7x10   1008
-   -	-   -	-   -	-   -	-   -	7x10   1006	TriView   3007	TriView   -
-   -	-   -	-   -	-   -	-   -	-   -	-   -	-   -
Size   Part #							
7x10   1009	7x10   1010	7x10   1011	7x10   1012	7x10   1028	7x10   1029	7x10   1030	7x10   1031
TriView   3009	TriView   3010	TriView   3011	-   -	10x14   2028	-   -	10x14   2030	10x14   2031
-   -	-   -	-   -	-   -	TriView   3028	-   -	TriView   3030	TriView   3031
Size   Part #							
7x10   1032	7x10   1033	5x3   0034	7x10   1013	7x10   1014	7x10   1016	7x10   1017	7x10   1018
-   -	10x14   2033	7x10   1034	-   -	-   -	-   -	-   -	-   -
-   -	TriView   3033	-   -	-   -	-   -	-   -	-   -	-   -
Size   Part #							
7x10   1019	7x10   1020	7x10   1021	7x10   1022	7x10   1024	7x10   1026	7x10   1023	7x10   1068
-   -	-   -	10x14   2021	10x14   2022	10x14   2024	10x14   2026	-   -	10x14   2068
-   -	TriView   3021	TriView   3022	TriView   3024	TriView   3024	TriView   3026	-   -	-   -
Size   Part #							
7x10   1035	7x10   1036	7x10   1037	7x10   1038	7x10   1039	7x10   1040	7x10   1041	7x10   1042
10x14   2035	10x14   2036	10x14   2037	10x14   2038	10x14   2039	10x14   2040	10x14   2041	10x14   2042
-   -	-   -	-   -	-   -	TriView   3039	-   -	TriView   3041	-   -

## Green@Work Safety Signs



Size	Part #
7x10	1043
10x14	2043



Size	Part #
7x10	1044
10x14	2044



Size	Part #
7x10	1045
10x14	2045



Size	Part #
7x10	1046
10x14	2046
TriView	3046



Size	Part #
7x10	1047
10x14	2047
TriView	3047



Size	Part #
7x10	1048
10x14	2048

## Green@Work Safety Posters

- Unique, informative and fun posters to reinforce green work habits
- Posters are 22"H x 16"W
- Printed on high-quality, tear-resistant recycled plastic
- Made in the USA



Size	Part #
7x10	1049
10x14	2049



Size	Part #
7x10	1050
10x14	2050



Size	Part #
7x10	1051
10x14	2051



Part #	Description
5001	Lobby

Part #	Description
5002	General

Part #	Description
5003	Copy/Print/Mail

Part #	Description
5004	Break/Lunch Room



Part #	Description
5005	Energy Savings

Part #	Description
5006	Manufacturing

Part #	Description
5007	Warehouse

Part #	Description
5008	Mission Statement

**Green@Work Adhesive Labels**

- Labels clearly mark recycling containers
- Eco-friendly self-adhesive labels



Size	Part #
7x5	0009S
10x7	1009S
14x10	0009S

Size	Part #
7x5	0021S
10x7	1021S
14x10	0021S

Size	Part #
7x5	0022S
10x7	1022S
14x10	0022S

Size	Part #
7x5	0024S
10x7	1024S
14x10	0024S

Size	Part #
7x5	0026S
10x7	1026S
14x10	0026S

Size	Part #
7x5	0028S
10x7	1028S
14x10	0028S

Size	Part #
7x5	0030S
10x7	1030S
14x10	0030S



Size	Part #
7x5	0031S
10x7	1031S
14x10	0031S

Size	Part #
7x5	0041S
10x7	1041S
14x10	0041S

Size	Part #
7x5	0046S
10x7	1046S
14x10	0046S

Size	Part #
7x5	0047S
10x7	1047S
14x10	0047S

























Size	Part #
7x5	0049S
10x7	1049S
14x10	0049S

Size	Part #
7x5	0050S
10x7	1068S
14x10	0050S

**Lean@Work Signs**

- Signs encourage cost-effective, low-waste business practice
- Ideal for shop floors, training rooms, or break areas

- Made in the USA from recycled plastic and include adhesive mounting tabs
- Signs measure 10"H x 14"W, except for part #'s 2184-2186, which measure 14"H x 10"W

**Industrial Can Crusher and Kit**

- Made in the USA from heavy-duty nylon, stainless steel, and aluminum
- Accommodates 12oz. aluminum cans and measures 20"H x 6"W x 3-1/2"L
- Includes a 7" x 10" sign with the legend, "Please Crush Aluminum Cans"

- Optional collection barrel attachment (part # 7007), mounts directly to the bottom of the crusher and holds up to 48 cans

Part #	Description
7006	Industrial Can Crusher and Sign
7007	Can Collection Barrel, Stores 48 Cans
7008	Industrial Can Crusher Kit, With Barrel and Projecting Sign



# PROTECTING WORKERS. REDUCING RISK.



## Why Should You Choose ZING?



### 100% Hydrostatic Pressure Tested

Every eyewash unit is pressure-tested to ensure secure, leak-free connections that hold up under real-world conditions.



### 3rd-Party UL Verified

Independently tested and verified to meet ANSI Z358.1-2014 — so you're not just compliant, you're confident.



### Built to Last

Made with durable materials and simple designs that make inspection, maintenance, and activation easy.



### Quality Standards

Our eyewash components are manufactured in ISO-certified facilities, ensuring high quality products with low-impact processes.

# Emergency Eye Wash & Shower Solutions

In 2021–2022, over **21,800 cases** of U.S. workers exposed to chemicals or chemical products were reported. Properly installed and maintained emergency eyewash and shower equipment plays a critical role in **minimizing injuries**, reducing downtime, and maintaining compliance in hazardous work environments.

When located correctly and supported by regular maintenance and training, these systems can significantly reduce both the **number and cost of workplace injuries**.

## Placement & Installation Guidelines

- Located **within 10 seconds** reach of hazard exposure (\*Approximately 55 ft.)
- **Unobstructed access** – no barriers or locked doors
- On **same level** as the hazard
- Marked with **highly visible signage**



## Water Temperature and Flow Requirements

- **Tepid water** between 60 – 100° F (16-38° C)
- Minimum **15-minute flush** duration
- Flow rate at 30 PSI per ANSI Standards:
  - **Eyewash:** 0.4 GPM
  - **Eye/Face wash:** 3.0 GPM
  - **Safety shower:** 20 GPM



## Maintenance and Training Requirements

- **Weekly activation and inspection**
- **Annual full inspection** for functionality & compliance
- **Employee training** on procedures and emergency use



## The Importance of Emergency Eyewash & Shower Units

**7.5 vs. 20.5**

Difference in **number of days in hospital** when proper first aid/emergency response is not provided vs. provided.

**9.5% vs. 20.1%**

Difference in **mortality rates** when proper first aid/emergency response is provided vs. not (alkali burns)

**19% vs. 36%**

Difference in **victims needing skin grafts** when proper first aid/emergency is provided vs. not (alkali burns)

## We offer a full suite of emergency solutions to fit every workplace environment:

- **Self-Contained Eyewash Units** Portable and plumb-free for flexible installation
- **Plumbed Eye & Face Wash Stations** Fast-acting rinsing solutions for critical incidents
- **Combination Units** Integrated eyewash and shower systems for full-body emergency coverage
- **Safety Showers** Full-body decontamination, built for durability and compliance
- **Signage & Accessories** Clear, compliant visuals to support safety station visibility and use
- **Replacement Parts** Maintain functionality and compliance with readily stocked components

The **ANSI/ISEA Z358.1-2014** standard outlines essential requirements to ensure eyewash and shower units are effective when needed most.

**Emergency Eyewash & Shower User Guide**  
Scan to Learn More!





9 Gallon Capacity

### 9 Gallon Portable Eyewash Station

- Gravity Fed
- High-visibility translucent body helps indicate water level
- Eyewash nozzles are made from ABS
- Simple pull down action activates eyewash for ease of use
- Provides 15 minutes of continuous water supply in compliance with ANSI Z358.1-2014

Part #
96001291002

15 Gallon Capacity



### 15 Gallon Portable Eyewash Station

- Gravity Fed
- Ease of use by simply removing the pull strap to activate the water flow
- Provides over 15 minutes of continuous water supply in compliance with ANSI Z358.1-2014

Part #
96001292001



### Portable Eyewash Station Additive/Preservative Concentrate, 8 oz.

- A water preservative solution for use in self-contained emergency eye/face wash stations
- Protects against the growth of bacteria and other impurities helping ensure eyewash station water remains clean and odor-free for emergency use
- One bottle will preserve 5 to 20 gallons of potable water for up to 120 days
- An unopened bottle has a shelf life of 3 years

Part #
89022000



# 0.4 GPM

Self-contained eyewash units must deliver 0.4 GPM (gallons/minute) for a minimum of 15 minutes

## Eye and Face Wash Wall Mount with ABS Bowl

- Wall-mounted with galvanized pipes and fittings
- Stay-open brass valve
- Corrosion-resistant paint
- Spray nozzle is made from ABS
- Features a built-in pressure compensator, filter, and aerator for precise flow
- Contrasting yellow ABS bowl and push handle improve visibility
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014



### Part #

51121111

## Eye and Face Wash Wall Mount with Stainless Steel Bowl

- Wall-mounted with galvanized pipes and fittings
- Stay-open brass valve
- Corrosion-resistant paint
- Spray nozzle is made from ABS
- Features a built-in pressure compensator, filter and aerator for precise flow
- Stainless steel bowl makes it ideal for challenging environments
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014




### Part #

51121141

Stainless steel bowl is highly  
resistant to rust and corrosion

## Faucet Mounted Eye/Face Wash

- Easily converts any faucet into an emergency eye/face wash while maintaining standard faucet use
- Simple and easy to use with conveniently located ON/OFF knob
- Durable stainless steel construction



### Part #

91221612



All emergency units must be within 10 seconds reach of hazard, and located on the same level.  
Access to the unit must be free from obstructions.

\*ANSI Z358.1 Standard states the average person can walk a distance of 55 feet in 10 seconds.



Stainless steel is ideal for environments with high exposure to chemicals

### **Stainless Steel Eye and Face Wash Wall Mount**

- Wall-mounted with stainless steel pipes and fittings
- Stay open valve
- Spray nozzle is made from ABS
- Features a built-in pressure compensator, filter and aerator for precise flow
- Stainless steel bowl and push plate makes it ideal for harsher environments
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014

Part #
51124441



Built-in cover protects the station from environmental contaminants



### **Stainless Steel Covered Eye and Face Wash Wall Mount**

- Wall-mounted with stainless steel pipes and fittings
- Stay open valve
- Spray nozzle is made from ABS
- Features a built-in pressure compensator, filter and aerator for precise flow
- Stainless steel bowl, cover and push plate make it ideal for harsher environments
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014

Part #
51124451



### **Wall Mount Drench Hose**

- 8' long drench hose includes wall mounting bracket
- Spray head is single nozzle design
- Meets ANSI Z358.1-2014

Part #
91221504



# 3 GPM

Compliant eye/face wash units must release a continuous flow of at least 3 GPM of tepid flushing fluid for a minimum of 15 minutes

# Reliable Safety Where it Matters



91221202

Stainless steel units are ideal for harsher work environments



91223001



91211001

## Eye and Face Wash Pedestal Mounts

- Pedestal-mounted with stainless steel pipes and fittings
- Stay-open valve
- Spray nozzle is made from ABS
- Features a built-in pressure compensator, filter, and aerator for soothing, precise flow
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014
- **91223001 and 91221202:** Stainless steel features make it ideal for harsher work environments



# 60-100° F

ANSI Z358.1 standard defines tepid water to be between 60-100 degrees F, as this temperature encourages the injured worker to continue flushing for the entire 15 minutes or until medical personnel has arrived.

Part #	Description
91211001	Eye and Face Wash Pedestal Mount
91223001	Stainless Steel Eye and Face Wash Pedestal Mount
91221202	Stainless Steel Covered Eye and Face Wash Pedestal Mount



Unique “**Swirlflow**” shower head design delivers a deluge of water when the body is exposed to corrosive materials.

The compact water pattern relies on efficient fluid dynamics for adequate and complete drenching.

### Horizontal Drench Shower Wall Mount

- Wall-mounted with galvanized pipe
- 1" brass valve
- Corrosion-resistant paint
- Yellow powder-coated pull rod used for valve activation
- Swirlflow shower head with ABS dome
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014

Part #
52121111



### Stainless Steel Horizontal Drench Shower Wall Mount

- Wall-mounted with galvanized pipe
- 1" brass valve
- Corrosion-resistant paint
- Yellow powder-coated pull rod used for valve activation
- Swirlflow shower head with stainless steel dome
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014

Part #
52121141



Emergency shower, eye and eye/face wash units must be activated one time per week to ensure that units are still working properly and flush out any stagnant water. Inspection tags are used to document these audits.

## Horizontal Drench Shower Ceiling Mount

- Ceiling-mount features galvanized pipe
- 1" brass valve
- Corrosion-resistant paint
- Yellow powder-coated pull rod used for valve activation
- Swirlflow shower head with ABS dome
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014

Part #
52131111



## Stainless Steel Horizontal Drench Shower Ceiling Mount

- Ceiling-mount features galvanized pipe
- 1" brass valve
- Corrosion-resistant paint
- Yellow powder-coated pull rod used for valve activation
- Swirlflow shower head with stainless steel dome
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014

Part #
52131141



# 20 GPM

Compliant emergency shower units must release a continuous flow of at least 20 GPM of tepid flushing water for a minimum of 15 minutes.





53111111



53111121



53114441

Stainless steel  
is ideal for  
environments  
with high exposure  
to chemicals

### Eye/Face Wash & Safety Shower Combination Units

- Galvanized pipes and fittings
- Stay-open valve
- Corrosion-resistant paint
- Spray nozzles are made from ABS
- Features a built-in pressure compensator, filter, and aerator for soothing, precise flow
- Hand operated push handle and pull rod for ease of use
- Contrasting yellow color improves visibility
- Safety sign and inspection tag included
- 100% hydrostatically tested to ensure reliable connections
- 3rd Party UL tested to meet ANSI Z358.1-2014
- **53111121 and 53114441:** Durable stainless steel make it ideal for harsher environments



# 30 PSI

The recommended flow rate for showers, eye and eye/face wash is 30 psi to ensure a non-injurious soft flow

Part #	Description
53111111	Eye/Face Wash and Safety Shower Combination Unit
53111121	Eye/Face Wash and Safety Shower Combination Unit with Stainless Steel Bowl
53114441	Stainless Steel Eye/Face Wash and Safety Shower Combination Unit

## Pedestal Mount Conversion Kit

- Convert wall-mounted eyewash units to a free-standing pedestal version that can be located away from walls
- Includes robust floor flange for secure anchoring to the mounting surface
- Available in standard galvanized pipe (painted) or corrosion-resistant stainless steel


Part #	Description
89022001	Galvanized Pipe
89022002	Stainless Steel



## Modesty Curtain

- Provide privacy when clothing removal is necessary due to chemical exposure
- Bracket is 53" side and projects 41" from the wall
- Contains shower overspray so surrounding items stay dry
- Wall-mount units can be used anytime the shower head is installed on or near a wall
- Available in standard painted steel or corrosion-resistant stainless steel
- Includes yellow coated polyester shower curtain and stainless steel hangers



Part #	Description
89022005	Painted Steel
89022003	Stainless Steel



## Eyewash Test Gauge

- Measure spray patterns and arc to ensure eyewash stations are operating within the standards defined by ANSI/ISEA Z358.1
- Clear, durable plastic gauge include illustration template compliant with ANSI/ISEA Standard Z358.1
- Testing instructions printed on test gauge along with ruler for estimating height for proper use

Part #
89022009



## 1/2" Anti-Scald Temperature Control Valve Kit

- Temperature controlled valves protect employees from burn injuries caused by overheated water
- Automatically bleeds off overheated water from safety showers
- Allows cooler water from the supply line to reduce water temperature
- Activation temperature: Opens at 100°F, closes at 95°F
- Self-resetting for continuous protection
- Features 1/2" NPT (1/2-14) threaded connections on both ends



Part #
89022007

## 1/2" Anti-Freeze Temperature Control Valve Kit

- Temperature controlled valves prevent freezing by purging cold water from the system
- Automatically bleeds line to move water when it comes near the freezing point
- Activation temperature: Opens at 34°F, closes at 39°F
- Self-resetting to resume normal operation after cold conditions pass
- Features 1/2" NPT (1/2-14) threaded connections on both ends



Part #
89022008

# Safety Starts Here

## Replacement Parts for Critical Emergency Equipment



89110001



89120001



89110002



89120002



81301103



81300106



81300125



82500102



82300102

Product Description	Part #	Compatible Units
Eyewash Replacement Bowl, Yellow ABS	89110001	51121111, 91211001, 53111111
Eyewash Replacement Bowl, Stainless Steel	89120001	51121141, 51124441, 51124451, 91223001, 91221202, 53111121, 53114441
Eyewash Replacement Atomizer Unit, ABS	89110002	51121111, 51121141, 91211001, 53111111, 53111121
Eyewash Replacement Atomizer Unit, Stainless Steel	89120002	51124441, 51124451, 91223001, 91221202, 53114441
Eyewash Replacement Atomizer Head (Single), Without Flip Cover	81301103	51121111, 51121141, 91211001, 53111111, 53111121
Eyewash Replacement Atomizer Head Flip Cover (Single)	81300106	51121111, 51121141, 81301103, 89110002, 91211001, 53111111, 53111121
Eyewash Replacement Atomizer Unit Pop Off Dust Cover (Set), ABS	81300125	51124441, 89120002, 91221612, 91223001, 91221202, 53114441
Eyewash Replacement Push Lever Stay Open Ball Valve, 1/2" Brass, UniCare Brand Only	82500102	51121111, 51121141, 91211001, 53111111, 53111121
Eyewash Replacement Push Lever Stay Open Ball Valve, 1/2" Stainless Steel, UniCare Brand Only	82300102	51124441, 51124451, 91223001, 91221202, 53114441

# Stay Compliant. Stay Protected. Stay Operational



Product Description	Part #	Compatible Units
Emergency Shower Replacement Pull Rod	82100005	52121111, 52121141, 52131111, 52121141, 53111111, 53111121
Emergency Shower Replacement Pull Rod, Stainless Steel	82300007	53114441
Emergency Shower Replacement Pull Lever Valve, 1" Stainless Steel, UniCare Brand Only	82300108	53114441
Emergency Shower Replacement Pull Lever Valve, 1" Brass, UniCare Brand Only	82500107	52121111, 52121141, 53111111, 53111121
Emergency Shower Replacement Shower Dome with Swirlflow, Yellow ABS	89110003	52121111, 52121141, 52131111, 53111111, 53111121
Emergency Shower Replacement Shower Dome with Swirlflow, Stainless Steel Dome	89120004	52121141, 52121141, 53114441
Replacement or Add-On Foot Pedal with Chain Link	82100003	51124451, 91211001, 91223001, 91221202, 53111111, 53111121, 53111441, 89022001, 89022002



2519



2529



2617



2619

### Eco Safety L Sign

- Two-sided projecting design significantly increases visibility, and is ideal for designating critical workplace locations
- Two mounting holes and adhesive tabs included for easy installation
- Made in the USA from 70% post-consumer recycled plastic
- Recycled materials support sustainability initiatives and LEED credits



Part #	Message/Description	Dimensions
2519	Eyewash	7"H x 2.5"W x 7"D
2529	Safety Shower	7"H x 2.5"W x 7"D
2617	Eyewash, Bilingual	11"H x 2.5"W x 8"D
2619	Safety Shower, Bilingual	11"H x 2.5"W x 8"D



2518



2528

### Eco Safety V Sign

- Two-sided projecting design significantly increases visibility, and is ideal for designating important workplace locations
- Two mounting holes and adhesive tabs included for easy installation
- Made in the USA from 70% post-consumer recycled plastic
- Recycled materials support sustainability initiatives and LEED credits



Part #	Message/Description	Dimensions
2518	Eyewash	7"H x 12"W x 5"D
2528	Safety Shower	7"H x 12"W x 5"D
2616	Eyewash, Bilingual	11"H x 10.6"W x 5"D
2618	Safety Shower, Bilingual	11"H x 10.6"W x 5"D



2616



2618

## Eco Safety Corner Sign

- Two-sided projecting design saves space, significantly increases visibility, and is ideal for designating important workplace locations.
- Can be easily installed on any 90 degree angle corner
- Made in the USA from 70% post-consumer recycled plastic
- Two mounting holes and adhesive tabs included for easy installation
- Recycled materials support sustainability initiatives and LEED credits



2636



2641

Part #	Message/Description	Dimensions
2636	Eyewash	10"H x 10"W
2641	Safety Shower	10"H x 10"W



## Eco Safety Tri-View Sign

- Three-sided design provides 180 degree of visibility
- Glow-in-the-Dark option features a high-performance, safety grade photoluminescent coating which provides more than 10 hours of illumination on a full charge, exceeding the ASTME 2072-00 standards
- No electrical power source is required
- Made in the USA from 70% post-consumer recycled plastic
- Two mounting holes and adhesive tabs included for easy installation



3054



3054G



3059



3059G



180 degree of visibility

Part #	Message/Description	Dimensions
3054	Eyewash	7.5"H x 20"W x 5"D
3054G	Eyewash, Glow-in-the-Dark	7.5"H x 20"W x 5"D
3059	Safety Shower	7.5"H x 20"W x 5"D
3059G	Safety Shower, Glow-in-the-Dark	7.5"H x 20"W x 5"D
4054	Eyewash	12"H x 9"W x 3"D
4054G	Eyewash, Glow-in-the-Dark	12"H x 9"W x 3"D



4054



4054G

## Eco Emergency Eyewash and Shower Inspection Tags

- Date table to record the name of the inspector and date of the inspection
- Made in the USA from rigid, .055 gauge recycled plastic
- Suitable for indoor or outdoor use, easy to write on, and hold up against water, grease and a variety of chemicals
- Exceed OSHA's 50 lb. pull strength requirement
- Sold 10/pack

Suitable for indoor/  
outdoor use

Part #	Dimensions
7017	5.75"H x 3"W x 0.5" Hole



# zinggreenproducts.com

**We're Adding *NEW* Products Every Day!**

- Lockout/Tagout
- Safety Eyewear
- Signs
- GHS/Hazcom
- Emergency Eyewash
- Hand & Arm Protection
- Head Protection
- And much more!



**Add Your Logo to The Products You Use!**

**ADD  
YOUR  
LOGO**

## ZING® PRINT SHOP

We're CustomiZING Safety!



**Need Help? Call our Custom Order Specialists at 888.543.9464, and we'll be happy to assist you with any questions. Give us a try today!**

007 010826 © 2026 ZING Green Safety Products

**ZING®**  
Green Safety Products

Phone: (888) 543-9464  
[zinggreenproducts.com](http://zinggreenproducts.com)



126 Industrial Park Drive  
Frankfort, NY 13340

**Please Forward to Buyer In Charge of Safety Supplies**

PRST STD  
US Postage  
PAID  
Buffalo NY  
Permit 3370