

# **BREWERY SAFETY SOLUTIONS**









## USA-Made 900 Series Padlocks

ZING® Lockout/Tagout Products support compliance with the OSHA's 1910.147 - The Control of Hazardous Energy requirements.

The 900 series padlocks feature a solid thermoplastic body and hardened steel shackle with a 7-pin cylinder allowing more than 200,000 key changes, one of the highest in the industry. The padlock is Made in USA with domestic and global components and qualifies for the Buy American Act. The padlock body is 1.56"W x 1.84"H with a .25" diameter shackle and available shackle lengths of 1.5" or 3". Keyed different. One key

per lock.



#### **BUY AMERICAN ACT COMPLIANT!**

1.5" Shackle	3" Shackle	Description
900KD-RED	910KD-RED	USA-made Padlock

# 800 Series Extreme Environment Padlocks

The 800 Series Extreme Environment Safety Padlock is designed to perform in the most strenuous environments. The stainless steel shackle and key-way cap ensure dependable lockout safety.





Shackle Length	Red
800 SER	IES KEYED DIFFERENT
1.5"	800KD-RED
3"	810KD-RED

#### **800 SERIES FEATURES**

- The 800 Series Padlock is the best solution for extreme lockout applications. Excels in high wash-down environments like food manufacturing, saltwater locations like oil rigs or mines, and industrial environments that are exposed to the elements.
- The 800 Series includes all the features of the 700 Series padlock plus a specially treated lock body, stainless steel shackle, and protective key-way

Shackle Length	Red	
800 SERI	ES 3-PACK KEYED ALIKE	
1.5"	800KA3-RED	
800 SERIES 6-PACK KEYED ALIKE		
1.5"	800KA6-RED	

# Forklift/Plug/Cylinder Lockout

#### Exclusive from ZINGTM #7294 Multi-purpose Lockout Device



The Universal Forklift/Plug/Cylinder lockout allows workers to perform several lockout functions with one convenient device. The device effectively locks out plugs, gas cylinder shut-off valves, and electric or propane powered forklifts. The device is made in the USA from 100% recycled plastic and supports OSHA standard 1910.147.

#### **Applications Include:**

# Plug Lockout

- 120 Volt Plug
- 250 Volt-Sp Plug
- 15-60 Amp 3P Plug

Cylinder Lockout



• Fits all standard gas cylinder wheels

#### **Electrically-powered Forklifts**



- Battery Plug 50-350 AMP
- Starter Battery Negative(-) Terminal

#### Gas-powered Forklifts



- LP Gas Cylinder Shutoff Valve
- LP Gas Tank Coupling

Part #	Description	Dimensions	Padlock Capacity
7294	Forklift/Plug/Cylinder Lockout Device	3"H x 4.25"W x 7.25"L	6

# Lockout/Tagout Stations

ZING's Eco Lockout/Tagout Stations are made from impact-resistant recycled plastic (except part # 6063, which is made from recycled stainless steel). Hooks can store two padlocks or hasps each.













Kit with # 7030 and # 7046 Safety Locks	Kit with # 7095 and #7200 Aluminum Locks	Board Only	Description	Contents	Dimensions
7113	2726	7113E	Lockout/Tagout Station, 3 Safety Padlocks	(2) 1.5" Padlocks, (1) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (3) # 7010 Tags, (3) Ties	11"H x 11"W
7114	2727	7114E	Lockout/Tagout Station, 8 Safety Padlocks	(7) 1.5" Padlocks, (1) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Ties	15"H x 15"W
7115	2728	7115E	Lockout/Tagout Station, 12 Safety Padlocks	(10) 1.5" Padlocks, (2) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Ties	23"H x 15"W
7116	2729	7116E	Lockout/Tagout Station, 28 Safety Padlocks	(24) 1.5" Padlocks, (4) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Ties	23"H x 23"W
7117	2730	7117E	Plug Lockout Station, with 1 Safety Lock	(1) # 7100 Large Plug Lockout, (1) 1.5" Padlock, (1) #7010 Tag, (1) Tie	10"H x 7"W
6063	2723	6063E	Mini Lockout Station with 3 Safety Locks	(3) 1.5" Padlocks, (1) # 7107 1.5" Steel Hasp, (5) # 7010 Tags, (5) Ties, (1) # 7110 Breaker Lockout	10"H x 8"W

# Eco Lockout/Tagout Kits

Eco Lockout Kits provide a convenient assortment of locks, hasps, and devices in a durable, portable fabric pouch.



Kit With # 7030 or #7046 Safety Locks	Kit With # 7095 or #7200 Aluminum Locks	Description	Contents	Dimensions
7119	2731	General Application Small Pouch Kit	(2) 1.5" Padlocks, (1) # 7106 1" Steel Hasp, (1) #7107 1.5" Steel Hasp, (1) #7110 Breaker Lockout, (3) #7010 Do Not Operate Tags	6"H x 7"W x 2"D
7120	2732	Valve Lockout Large Pouch Kit	(1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5"-5" Valve Lockout, (2) 1.5" Padlocks, (2) #7010 Do Not Operate Tags, (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (1) #7110 Breaker Lockout, (3) Ties.	8"H x 7"W x 3"D
7121	2733	Plug Lockout Large Pouch Kit	(1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) 1.5" Padlock, (1) 1.5" Yellow Padlock (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (2) #7010 Do Not Operate Tags, (3) Ties	8"H x 7"W x 3"D
7134	2724	Lockout Bag Kit	(2) 1.5" Padlocks, (2) 3" Padlocks, (2) #7106 1" Hasps, (2) #7107 1.5" Hasps, (1) #6064 Wall Switch Lockout, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Gate Valve Lockout, (1) #7104 2.5"-5" Gate Valve Lockout, (10) Cable Ties, (10) #7010 Do Not Operate Tags	10"H x 18"W x 6"D
7135	2725	Lockout Belt Kit	(2) 1.5" Padlocks, (2) # 7016 1" Hasps, (2) # 7107 1.5" Hasps, (1) #7110 Breaker Lockout, (1) #7105 Small Plug Lockout, (1) #7104 2.5"-5" Gate Valve Lockout, (5) Cable ties, (5) #7010 Do Not Operate Tags	6"H x 24"W x 4"D

# USA-Made Lockout/Tagout Kits

USA Kits & Stations are assembled in the USA with all USA-made components. Many of the components also use recycled materials in the manufacturing process, diverting waste out of landfills.



7120-USA	71	19-USA	7158-USA	7121-USA
Part #	Description	Contents		Dimensions
6062-USA	Steel Lockout Cabinet Kit	# 7107 1.5" Steel Hasp Large Plug Lockout #7104 2.5" - 5" Valve out (2) 7110 Single-po Breaker Lockout, (1)	3" Padlocks, (2) # 7106 1" Steel Hasp, (2) (1) #7105 Small Plug Lockout, (1) #7100, (1) #7103 1"-2.5" Valve Lockout, (1) Lockout, (1) #7101 Large Cylinder Lockole Breaker Lockout, (1) #7111 Multi-pole # 6064 Wall Switch Lockout, (1) # 7010 Not Operate, 10/pk, (10) Cable Ties.	16"H x 15.25"W x 5.5"D
7129-USA	Lockout Toolbox Kit	#7100 Large Plug Loc #7103 1"-2.5" Valve	nackle, (3) #7110 Breaker Lockouts, (1) ckout, (1) #7105 Small Plug Lockout, (1) Lockout, (3) #7107 1.5" Steel Hasps, (1) afety Tags, 10/pk, (10) Ties	13"W x 6.5"H x 5"D
7158-USA	Plug Lockout Large Pouch Kit	Single, (2) CB Lockout	Plug Lockout, (2) Tags, (2)CB Lockout- -Double, (1) 900KD Padlock, (1) Hasp 1", Hasp 1.5", (2) Cable Ties	9.5" x 6.4" x 2.8"
7154-USA	Electrical and Valve Lockout Kit	Single, (1) CB Locko Valve Lockout, (1) Ha	Plug Lockout, (10) Tags, (1)CB Lockout- ut-Double, (2) 900KD Padlock,(1) Gate sp 1", Hasp 1.5", (1) Wall Switch Lockout, ockout Small (10) Cable Ties	9.5" x 6.4" x 2.8"
7155-USA	Electrical Lockout Kit	(1)Lockout Box, (1) Lockout-Double, (2) 9	5) Tags, (1)CB Lockout-Single, (1) CB 00KD Padlock, (1) Hasp 1", Hasp 1.5", (5) Cable Ties	9.5" x 6.4" x 2.8"
7156-USA	Electric Lockout Toolbox Kit	key per padloci (3) #7110 Breaker Lo #6064 Wall Switch I #7100 Large Plug Lo #7010 Lockout Tags v	ocks, 1.5" shackle, keyed different with 1 k, color red, assembled in the USA ckouts, (1) #7111 Breaker Lockouts, (1) ockout, (1) # 7105 Small Plug Lockout, (2) #7107 Large Steel Hasps. (10) with legend, "DO NOT OPERATE." 50 lb. h exceeds OSHA's requirement.  Qty. 10 Cable Ties	13" x 6.5" x 5"
7119-USA	General Application Small Pouch Kit		# 7106 1" Steel Hasp, (1) #7107 1.5" Steel ker Lockout, (3) #7010 Do Not Operate Tags	6"H x 7"W x 2"D
7120-USA	Valve Lockout Large Pouch Kit	Lockout, (2) 1.5" Pa (1) #7107 1.5" Steel 1	Valve Lockout, (1) #7104 2.5"-5" Valve dlocks, (2) #7010 Do Not Operate Tags, Hasp, (1) #7106 1" Steel Hasp, (1) #7110 aker Lockout, (3) Ties.	8"H x 7"W x 3"D
7121-USA	Plug Lockout Large Pouch Kit	(1) 1.5" Padlock, (1)	Lockout, (1) #7105 Small Plug Lockout, 1.5" Yellow Padlock (1) #7107 1.5" Steel tel Hasp, (2) #7010 Do Not Operate Tags, (3) Ties	8"H x 7"W x 3"D

# Lockout/Tagout Kits

Lockout/Tagout Kits include a convenient assortment of locks and devices. Durable plastic case is both portable and wall-mountable.









Part #	Description	Contents	
7136	Lockout Kit Lockout, (5) #7343 Do Not Operate Tags, (5) #7130 Cable Ties, (2) #7030 1.5" Shackle Padlocks, (1) # 7105 Small Plug Lockout (2) # 7607 Multi-pole Breaker Lockout, (1) # 6071 Lockout Training Booklet  Wall-Mount (1) #7136E Plastic Case, (1) 7619 1" Steel Hasp (1) # 7620 1.5" Steel Hasp,, (1) 7369 Breaker Lockout Set -		9.5" x 6.4" x 2.8"
7137			9.5" x 6.4" x 2.8"
7138	General Purpose Portable Lockout Kit		
7141			9.5" x 6.4" x 2.8"

## Forklift Lockout Kit

The Forklift Lockout Kit effectively locks out forklifts for routine maintenance and repair. The lockout device also locks out LP tanks. Contents include:

- (1) 7294 Universal Forklift/Plug/Valve Lockout
- (1) 7030 Padlock
- (4) 7356E Equipment Lockout Tags
- (4) 7130 Cable Ties

Part #	Description	Dimensions
7390	Forklift Lockout Kit	3.5"H x 2.5"W x 0.3"D



# 13-Lock Stainless Steel Group Lockout Box

Portable group lockout box protects workers in group maintenance and repair operations. The box is made in the USA from recycled stainless steel and accepts 12 padlocks, plus 1 on the latch. Unique inner shelf provides extra security for stored keys. Retractable handle for easy transportation and storage. Measures 6-1/4"H x 9"D x 4"W.







Part #	Description	Dimensions
6061Y	Group Lockout Box, Steel, Yellow	6.25" x 9" x 4"
6061R	Group Lockout Box, Steel, Red	6.25" x 9" x 4"

## Eco Circuit Breaker Lockouts

Universal Circuit Breaker Lockouts features with a slide-on feature which allows the device to be securely mounted to a wide range of breakers. Single-pole (110/220 voltage) and Multi-pole (120/277 voltage) models fit pole switches 0.3" - .6" high, 0.35" - 0.44" deep, with or without a hole. Each breaker lockout will accommodate 1 padlock, with up to a 9/32" shackle diameter. Includes a highly visible lockout label, "DO NOT OPERATE." The devices are made in the USA from recycled plastic. 3/Pack.

Part #	Description	Dimensions
7110	Single Pole Circuit Breaker Lockout, 3/pack	1"H x 2"L x 3/4"W
7111	Multi-Pole Circuit Breaker Lockout, 3/pack	1"H x 2"L x 1-5/8"W





## Eco Hasps


Eco hasps are made from 100% recycled material. The steel and plastic models feature tabs for extra strength and pry-resistance. Plastic hasps are dielectric. Made in North America. UL Validated for high recycled content.

Part #	Description	Dimensions
7106	Lockout Hasp 1" Steel with Tabs	0.5"H x 1.5"W x 5"D
7107	Lockout Hasp 1.5" Steel with Tabs	0.5"H x 1.5"W x 4.5"D
7108	Lockout Hasp 1" Plastic	0.5"H x 1.5"W x 5"D
7109	Lockout Hasp 1.5" Plastic	0.5"H x 1.5"W x 4.5"D
7127	Lockout Hasp 1" Aluminum	0.5"H x 1.5"W x 5"D
7128	Lockout Hasp 1.5" Aluminum	0.5"H x 1.5"W x 4.5"D
7102	Hasp/Tag Combo Device	7" L x 3" W



# Pull Handle Valve Lockout Device

The Pull Handle Butterfly Valve Lockout provides an easy-to-use lockout solution for butterfly valves. The device is resistant to cracking, abrasions, heat, and cold. Excellent for the food and beverage industry.



ZING manufactures the only device specifically designed for pull handle valves!



# Eco Plug Lockouts

**Eco Small Plug Lockout** fits up to 0.5" diameter cords and 2"W x 3"L plugs. Accepts 3 padlocks. Made in USA from recycled plastic.

**Eco Large Plug Lockout** features a universal fit closure, which accepts up to a 1.25" diameter cord and 3"W x 5.5"L plugs. Accepts 3 padlocks. Made in USA from recycled plastic.

**Propane Tank Lockout** fits LP gas cylinder handwheels up to 2-3/16" diameter. Accommodates up to 3 padlocks with shackles up to 9/16" diameter.

Part #	Description	Dimensions
7105	Eco Small Plug Lockout Device	3.5"H x 3.5"W x 3.5"D
7100	Eco Large Plug Lockout Device	5"H x 5"W x 7"D
7293	Propane Tank Lockout	3.5"H x 3.5"W x 3.5"D





7105 7293



7100

## Gate Valve Lockouts

#### **Eco Gate Valve Lockouts**

ZING Eco Gate Valve Lockouts are made from heavy-duty, 100% recycled plastic. Accommodates 3 padlocks, with shackles up to 3/8" diameter.

#### **Gate Valve Lockouts**

Gate Valve Lockout Devices are made from abrasion-resistant polyurethane or steel. When lockouts are secured, they rotate freely around the hand wheel and prevent the valve wheel from being turned.







Part #	Description	Dimensions	Padlock Capacity
7103	Eco Gate Valve Lockout, fits wheels from 1"-2.5"	1"H x 3"W x 3"D	3
7104	Eco Gate Valve Lockout, fits wheels from 2.5"-5"	1.75"H x 5.75"W x 5.75"D	3
7246	Gate Valve Lockout, fits wheels from 5"-6.5"	7"H x 7"W x 2"D	3
7247	Gate Valve Lockout, fits wheels from 6.5"-10"	1.75"H x 5.75"W x 5.75"D	3
7248	Gate Valve Lockout, fits wheels from 10"-13"	0.75"H x 3"W x 7"D	3
7807	Gate Valve Lockout, Steel, fits wheels from 1-2.5"	3.5"H x 3"W x 3"D	2
7808	Gate Valve Lockout, Steel, fits wheels from 2.5-5"	6"H x 5.5"W x 5.5"D	3
7809	Gate Valve Lockout, Steel, fits wheels from 5-6.5"	7.5"H x 7"W x 7"D	4
7810	Gate Valve Lockout, Steel, fits wheels from 6-10"	11"H 11" W x 3"	4
7811	Gate Valve Lockout, Steel, fits wheels from 10-13"	14"H 14" W x 3"	4



7807

## Eco GHS Stations

ZING® Compliance/Training Centers support compliance with the OSHA's GHS/Hazard Communication requirements. Compliance Stations include SDS binders, which provide quick and easy access to important chemical information. Training Stations include SDS binders and training manuals which give employees the resources they need to comply with the new standards. Stations are made in the USA from virtually indestructible aluminum. A variety of sizes and configurations are available; see chart below.











6039 6040 6041 6042









6043 6044 6068 2708

Part #	Description	Dimensions
6039	GHS-SDS Compliance Center, Single Station, Includes 6030 Binder	13.5"W x 19.25"H x 4.75"D
6040	GHS-SDS Compliance Center, Double Station, Includes two 6030 Binders	27.5"W x 23.25"H x 4.75"D
6041	GHS-SDS Training Station, Includes 6030 Binder and 10 Training Books	27.5"W x 23.25"H x 4.75"D
6042	GHS-SDS Compliance Center, Single Station, Bilingual, Includes 6033 Binder	13.5"W x 19.25"H x 4.75"D
6043	GHS-SDS Compliance Center, Double Station, Bilingual, Includes two 6033 Binders	27.5"W x 23.25"H x 4.75"D
6044	GHS-SDS Training Station, Bilingual, Includes 6033 SDS Binder and 10 Training Books	27.5"W x 23.25"H x 4.75"D
6068	GHS SDS Wire Rack Kit, White Wire Rack and 1.5" Ring Binder	9"H x 14"W x 4.5"L
6069	GHS SDS Wire Rack Kit, White Wire Rack and 3" Ring Binder	9"H x 14"W x 4.5"L
2708	SDS Station Kit, Economy, 1 Wall Rack, 1 1.5" English SDS Binder, 1 SDS Station Wall Sign	12"H x 14"W x 4"D
2709ENG	GHS-SDS Training Booklets, English, 10/pk	8.5"H x 5.5"W
2709SPN	GHS-SDS Training Booklets, Spanish, 10/pk	8.5"H x 5.5"W

# Eco Safety Tags

Safety Tags communicate critical safety messages and encourage compliance. The tags are made from heavy-duty 0.055" thick plastic. Made from 70% recycled materials. Accepts 1 padlock each. Sold 10/pk.













Part #	Description	Dimensions
7012	Safety Tag, Blank White, 10/pk	5.75"H x 3"W
7013	Safety Tag, Danger, 10/pk	5.75"H x 3"W
7014	Safety Tag, Safety Inspection Chart, 10/pk	5.75"H x 3"W
7011	Safety Tag, Danger Out of Service, 10/pk	5.75"H x 3"W
7015	Safety Tag, Blank Yellow, 10/pk	5.75"H x 3"W

Part #	Description	Dimensions
7016	Safety Tag, Fire Extinguisher Inspection Chart, 10/pk	5.75"H x 3"W
7017	Safety Tag, Eye Wash and Shower Inspection Chart, 10/pk	5.75"H x 3"W
7018	Safety Tag, AED Inspection Chart, 10/pk	5.75"H x 3"W
7019	Safety Tag, Caution, 10/pk	5.75"H x 3"W

# Safety Signs







1152 1091 1994

## WHERE SAFETY MEETS SUSTAINABILITY



P.O. Box 789 Oswego, IL 60543 Phone: 630-636-6188

Fax: 630-225-5303

WWW.ZINGGREENPRODUCTS.COM