

# LECKOUT SAFETY SOLUTIONS

**Edition 23** 



**BREAKER** 



**HASPS** 



**VALVE** 



**CYLINDER** 



**BOX** 



**CABLE** 



**MACHINE** 



**PLUG** 



see page 26! Universal Plug and Cylinder Lockout



see page 3-5!

Lockout Padlocks

Padlocks	2-4
Kits, Stations, Group LOTO	5-18
Hasps	21-22
Devices	23-39
Tags	40-41
Stem Shield Valve Covers	42-43

www.zinggreenproducts.com

#### 700 Series Safety Lockout Padlocks

The **700 Series Safety Lockout Padlock** is the most flexible and comprehensively applicable padlock on the market. The lock features a solid aluminum body with a hardened steel shackle for dependable industrial performance.

The padlocks are available in 6 colors; 1.5" and 3" shackles; keyed different, keyed alike, and keyed alike sets of 3 and 6. Custom master- keyed locks are also available. One key included per OSHA guidelines.





Shackle Length	Red	Blue	Green	Black	Yellow	Orange
700 SERIES KEYED DIFFERENT						
1.5"	700KD-RED	700KD-BLUE	700KD-GREEN	700KD-BLACK	700KD-YELLOW	700KD-ORANGE
3"	710KD-RED	710KD-BLUE	710KD-GREEN	710KD-BLACK	710KD-YELLOW	710KD-ORANGE
700 SEF	700 SERIES KEYED ALIKE					
1.5"	700KA-RED	700KA-BLUE	700KA-GREEN	700KA-BLACK	700KA-YELLOW	700KA-ORANGE
3"	710KA-RED	710KA-BLUE	710KA-GREEN	710KA-BLACK	710KA-YELLOW	710KA-ORANGE

#### 3 and 6 Pack Keyed Alike Sets

Shackle Length	Red	Blue	Green	Yellow	
700 SERIES 3-PACK KEYED ALIKE					
1.5"	700KA3-RED	700KA3-BLUE	700KA3-GREEN	700KA3-YELLOW	
700 SERIES 6-PACK KEYED ALIKE					
1.5"	700KA6-RED	700KA6-BLUE	700KA6-GREEN	700KA6-YELLOW	

#### **700 SERIES FEATURES**

- Unique body design features bilingual wraparound labels.
- Zing locks are the only lockout padlock that can accommodate a bilingual label on a standard size padlock.
- Shackle inserts feature a barrier cap, which protects the lock body and interior from dirt and moisture.
- Solid aluminum body with a hardened steel shackle.
- The body and shackle are encased in recycled plastic for extended durability and dielectric properties.
- The 6-pin lock mechanism provides dependable security with key-retaining and auto-locking functions.



700 Series Reverse View

710 Series 3" Shackle

#### 800 Series Extreme Environment Safety Padlocks

The **800 Series Extreme Environment Safety Padlock** is designed to perform in the most strenuous environments. The stainless steel shackle and key-way cap ensure dependable lockout safety. **800 SERIES FEATURES** 



Best lockout padlock as chosen by ISHN readers choice!




- The 800 Series Padlock is the best solution for extreme lockout applications. Excels in high washdown environments like food manufacturing, saltwater locations like oil rigs or mines, and industrial environments that are exposed to the elements.
- The 800 Series includes all the features of the 700 Series padlock plus a specially treated lock body, stainless steel shackle, and protective key-way cylinder cap.

Shackle Length	Red				
800 SER	IES 3-PACK KEYED ALIKE				
1.5"	800KA3-RED				
800 SERIES 6-PACK KEYED ALIKE					
1.5"	800KA6-RED				
800 SER	IES KEYED ALIKE				
1.5"	800KA-RED				
3"	810KA-RED				
800 SERIES KEYED DIFFERENT					
1.5"	800KD-RED				
3"	810KD-RED				

#### Cable Padlocks and Padlock Accessories

The **Cable Padlock** device features a durable plastic body and a coated-steel cable. Steel **Padlock Eyes** help you to install padlocks easily on electrical panels or other areas with isolation points that are difficult to reach. Disposable **Lockout Tags** accept 1 padlock and list critical safety information. Sold 10/pk.

Part #	Description	Dimensions
7319	Cable Padlock, 1 ft. cable	1.25" x 2"
7320	Cable Padlock, 2 ft. cable	1.25" x 2"
7321	Cable Padlock, 3 ft. cable	1.25" x 2"
7322	Cable Padlock, 4 ft. cable	1.25" x 2"
7339	Padlock Tags, Do Not OperateDisposable, 10/pk	1" x 5"
7323	Flat Padlock Eyes, Small, 10/pk	1"W x 1.2"H
7324	Flat Padlock Eyes, Medium, 10/pk	1"W x 1.9"H
7325	Flat Padlock Eyes, Large, 10/pk	1"W x 2.2"H
7326	Flat Padlock Eyes, Extra Large, 10/pk	1"W x 2.8"H
7327	Right-angled Padlock Eyes, Small, 10/pk	1"W x 0.85"H



Part #	Description	Dimensions
7328	Right-angled Padlock Eyes, Medium, 10/pk	1"W x 1.5"H
7329	Right-angled Padlock Eyes, Large, 10/pk	1"W x 1.85"H
7330	Right-angled Padlock Eyes, Extra Large, 10/pk	1"W x 2.35"H

#### Safety Padlocks

ZING® Safety Padlocks feature a solid aluminum body, steel shackle, and a fully insulated protective covering for increased safety and corrosion resistance.

Precision 6-pin cylinder has key-retaining and auto-locking functions. Locks are made from recycled materials, contain no PVC and use only food grade lubricants. UL Validated for recycled content.

- Shackles measure 1/4" diameter and are available in 1½" or 3" lengths.
- Body lengths are available in 1¾" and 3".







1.5" Shackle

3" Shackle

3" Body

Lock Type	Red	Blue	Green	Black	Yellow	Purple	Orange	Brown
KEYED DIFFE	KEYED DIFFERENT							
1.5" Shackle	7030	7032	7034	7036	7038	7040	7042	7044
1.5" Shackle, 3" Body	7070	7072	7074	7076	7078	7080	7082	7084
3" Shackle	7046	7048	7050	7052	7054	7056	7058	7060
KEYED ALIKE	,							
1.5"	7031	7033	7035	7037	7039	7041	7043	7045
1.5" Shackle, 3" Body	7071	7073	7075	7077	7079	7081	7083	7085
3"	7047	7049	7051	7053	7055	7057	7059	7061



Lock Type	Red	Blue	Green	Black	Yellow	Purple	Orange	Brown
KEYED ALIKE SET								
1.5" Shackle, Set of 3	7062	7064	7066	7037KAX3	7068	7041KAX3	7043KAX3	7045KAX3
1.5" Shackle, 3" Body, Set of 3	7086	7088	7090		7092			
KEYED ALIKE SET	OF 6							
1.5" Shackle, Set of 6	7063	7065	7067	7037KAX6	7069	7041KAX6	7043KAX6	7045KAX6
1.5" Shackle, 3" Body, Set of 6	7087	7089	7091		7093			

#### Aluminum Padlocks

Lock body measures 1-9/16"H x 1/2"W x 3/4"D, with a shackle diameter of 1/4". Available with 1½" or 3" shackles.







Lock bodies are made from lightweight recycled aluminum. The shackle is made from hardened alloy steel with a corrosion-resistant protective plating. Standard padlocks are keyed different and include two keys per lock. Locks are non-sparking, nonmagnetic, and feature a precision 6-pin cylinder for maximum security.

\*Custom configurations are available; call for a quote!

Lock Type	Red	Yellow	Black	Blue	Green	
KEYED DIFFERENT						
1.5" Shackle	7095	7096	7097	7098	7099	
3" Shackle	7200	7201	7202	7203	7204	

# Lockout/Tagout Stations

ZING's Eco Lockout/Tagout Stations are made from impact-resistant recycled plastic (except part # 6063, which is made from recycled stainless steel). Hooks can store two padlocks or hasps each.














Kit with # 7030 and # 7046 Safety Locks	Kit with # 7095 and #7200 Aluminum Locks	<b>Board Only</b>	Description	Contents	Dimensions
7113	2726	7113E	Lockout/Tagout Station, 3 Safety Padlocks	(2) 1.5" Padlocks, (1) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (3) # 7010 Tags, (3) Ties	11"H x 11"W
7114	2727	7114E	Lockout/Tagout Station, 8 Safety Padlocks	(7) 1.5" Padlocks, (1) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Ties	15"H x 15"W
7115	2728	7115E	Lockout/Tagout Station, 12 Safety Padlocks	(10) 1.5" Padlocks, (2) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Ties	23"H x 15"W
7116	2729	7116E	Lockout/Tagout Station, 28 Safety Padlocks	(24) 1.5" Padlocks, (4) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Ties	23"H x 23"W
7117	2730	7117E	Plug Lockout Station, with 1 Safety Lock	(1) # 7100 Large Plug Lockout, (1) 1.5" Padlock, (1) #7010 Tag, (1) Tie	10"H x 7"W
6063	2723	6063E	Mini Lockout Station with 3 Safety Locks	(3) 1.5" Padlocks, (1) # 7107 1.5" Steel Hasp, (5) # 7010 Tags, (5) Ties, (1) # 7110 Breaker Lockout	10"H x 8"W

# Lockout/Tagout Stations

Lockout Stations store and organize locks and tags. Available in 7, 16, & 48 lock combinations.







Stores 16 Locks



Stores 48 Locks

Stocked Station	Board Only	Description	Dimensions
7371	7353	(7) # 7030 1.5" Padlocks, (1) # 7619 1" Hasp, (1) # 7620 1.5" Hasp, (1) #7343 10- pack Tags	11.5" H x 11.5"W
7372	7354	(12) # 7030 1.5" Padlocks, (4) #7046 3" Padlocks (1) # 7619 1" Hasp, (1) # 7620 1.5" Hasp, (1) #7343 10-pack Tags	13.5"H x 14.5"W
7373	7355	(42) # 7030 1.5" Padlocks, (6) #7046 3" Padlocks (2) # 7619 1" Hasp, (2) # 7620 1.5" Hasp, (2) #7343 10-pack Tags	21.5" H x 23"W

#### Lockout/Tagout Shadow Boards


Lockout Shadow Boards stores and organizes important lockout locks, devices, and tags. The boards are made from sturdy ACP and feature a high-visibility red striped border to encourage compliance.



7800







SKU	Padlock Capacity	Dimensions
7800	4 Padlocks	17.5"L x 11.75W" x 1"D
7801	10 Padlocks	23.5"L x 15W" x 2.25"D
7802	20 Padlocks	23"L x 22W" x 1"D

# Basic Lockout Toolbox Kit

Lockout Tool Box provides a variety of lockout devices for on-the-job maintenance/repair operations. The tool box features a single open compartment which easily accommodates a variety of tools and devices. The tool box is made from heavy-duty, durable plastic. The devices are made from recycled materials and support sustainability initiatives and LEED credits.





Kit with #7030 Safety Locks	Kit with #7095 Aluminum Locks	Unstocked Toolbox	Description	Contents	Dimensions
7129	2734	7129E	Lockout Toolbox Kit	(3) Padlocks 1.5" Shackle, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (3) #7107 1.5" Steel Hasps, (1) #7010 Safety Tags, 10/pk, (10) Ties	13"W x 6.5"H x 5"D

#### Electrical Toolbox Kits



Stocked Toolbox	Description	Description Contents	
7581	Breaker/Plug Lockout Toolbox Kit	(1) Plug Lockout, (10) Do Not Operate Tags, (3) 1.5" Padlocks, (3) Red Dipped 1" Hasps (1) 120/277V Clamp-on Breaker Lockout, (1) 480/600V Breaker Lockout, (1) 480/600V Oversize Breaker Lockout, (10) Cable Ties	13"W x 6.5"H x 5"D
7671	Deluxe Breaker/Plug Electrical Lockout Toolbox Kit	(3) 1.5" Shackle Padlocks, (1) Large Plug Lockout, (1) Lockout Training Booklet, (3) Single-pole Breaker Lockouts (2) Multi-pole Breaker Lockouts, (3) 1.5" Steel Hasps, (1) Tags, Do Not Operate 10/ pk, (10) Cable Ties	13"W x 6.5"H x 5"D

#### Stainless Steel Lockout Cabinet Stations

Lockout Tagout Information Cabinet stores important safety documents and supports compliance with lockout/tagout standards. Cabinet includes an easy-to-carry handle and a built-in 3-ring binder assembly. Stores up to 300 sheets.

Lockout Cabinet (stocked) stores lockout devices. The inner shelf features 14 slots for extra storage of padlocks and hasps, and the inside door houses lockout tags and ties. Lockable hasp included for extra security. Cabinet is pre-drilled for easy mounting. Cabinets are constructed from recycled stainless steel.





6062

6058



Part #	Description	Dimensions
6058	Lockout/Tagout Document Case	12"H x 13"W x 3"D

Cabinet with #7030 & #7046 Safety Locks	Cabinet with #7095 & #7200 Aluminum Locks	Contents	Dimensions
6062	2722	(2) 1.5" Padlocks (2) 3" Padlocks, (2) # 7106 1" Steel Hasp, (2) # 7107 1.5" Steel Hasp (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5" - 5" Valve Lockout, (1) #7101 Large Cylinder Lockout (2) 7110 Single-pole Breaker Lockout, (1) #7111 Multi-pole Breaker Lockout, (1) # 6064 Wall Switch Lockout, (1) # 7010 Safety Tags, Do Not Operate, 10/pk, (10) Cable Ties.	16"H x 15.25"W x 5.5"D

#### Portable Lockout Station

Portable Lockout Station holds up to 17 locks and also accommodates hasps, tags, and ties. Sturdy handle and easy-to-open design make the kit easy to transport to work sites. Mounting holes are pre-drilled if a single location is desired.



Stocked Kit	Unstocked Kit	Description   Contents		Dimensions
7375	7375E	Portable Lockout Station	(12) 1.5" Padlocks, (2) 1" Hasps, (2) 1.5" Hasps, (1) Do Not Operate Safety Tags, 10/pk	17"H x 16"W x 3"D

# Eco Lockout/Tagout Kits

Eco Lockout Kits provide a convenient assortment of locks, hasps, and devices in a durable, portable fabric pouch.







Kit With # 7030 or #7046 Safety Locks	Kit With # 7095 or #7200 Aluminum Locks	Description	Contents	Dimensions
7119	2731	General Application Small Pouch Kit	(2) 1.5" Padlocks, (1) # 7106 1" Steel Hasp, (1) #7107 1.5" Steel Hasp, (1) #7110 Breaker Lockout, (3) #7010 Do Not Operate Tags	6"H x 7"W x 2"D
7120	2732	Valve Lockout Lockout, (1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5"-5" Valve Lockout, (2) 1.5" Padlocks, (2) #7010 Do Not Operate Tags, (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (1) #7110 Breaker Lockout, (3) Ties.		8"H x 7"W x 3"D
7121	2733	Plug Lockout Large Pouch Kit	(1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) 1.5" Padlock, (1) 1.5" Yellow Padlock (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (2) #7010 Do Not Operate Tags, (3) Ties	8"H x 7"W x 3"D
7134	(2) 1.5" Padlocks, (2) 3" Padlocks, (2) #7106 1" Hasps, (2) #7107 1.5" Hasps, (1) #6064 Wall Switch Lockout, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Gate Valve Lockout, (1) #7104 2.5"-5" Gate Valve Lockout, (10) Cable Ties, (10) #7010 Do Not Operate Tags		10"H x 18"W x 6"D	
7135	2725	Lockout Belt Kit	(2) 1.5" Padlocks, (2) # 7016 1" Hasps, (2) # 7107 1.5" Hasps, (1) #7110 Breaker Lockout, (1) #7105 Small Plug Lockout, (1) #7104 2.5"-5" Gate Valve Lockout, (5) Cable ties, (5) #7010 Do Not Operate Tags	6"H x 24"W x 4"D

#### USA-Made 900 Series Padlocks

#### **BUY AMERICAN ACT COMPLIANT!**

The 900 series padlocks feature a solid thermoplastic body and hardened steel shackle with a 7-pin cylinder allowing more than 200,000 key changes, one of the highest in the industry. The padlock is Made in USA with domestic and global components and qualifies for the Buy American Act. The padlock body is 1.56"W x 1.84"H with a .25" diameter shackle and available shackle lengths of 1.5" or 3". Keyed different. One key

per lock.



1.5" Shackle	3" Shackle	Description
900KD-RED	910KD-RED	USA-made Padlock

#### USA-Made Lockout/Tagout Kits

USA Kits & Stations are assembled in the USA with all USA-made components. Many of the components also use recycled materials in the manufacturing process, diverting waste out of landfills.



# USA-Made Lockout/Tagout Kits

USA Kits & Stations are assembled in the USA with all USA-made components. Many of the components also use recycled materials in the manufacturing process, diverting waste out of landfills.



Part #	Description	Contents	Dimensions
6062-USA	Steel Lockout Cabinet Kit	(2) 1.5" Padlocks (2) 3" Padlocks, (2) # 7106 1" Steel Hasp, (2) # 7107 1.5" Steel Hasp (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5" - 5" Valve Lockout, (1) #7101 Large Cylinder Lockout (2) 7110 Single-pole Breaker Lockout, (1) #7111 Multi-pole Breaker Lockout, (1) # 6064 Wall Switch Lockout, (1) # 7010 Safety Tags, Do Not Operate, 10/pk, (10) Cable Ties.	16"H x 15.25"W x 5.5"D
7129-USA	Lockout Toolbox Kit	(3) Padlocks 1.5" Shackle, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (3) #7107 1.5" Steel Hasps, (1) #7010 Safety Tags, 10/pk, (10) Ties	13"W x 6.5"H x 5"D
7158-USA	Plug Lockout Large Pouch Kit	(1)Lockout Bag, (1)Plug Lockout, (2) Tags, (2)CB Lockout- Single, (2) CB Lockout-Double, (1) 900KD Padlock, (1) Hasp 1", (1) Hasp 1.5", (2) Cable Ties	9.5" x 6.4" x 2.8"
7154-USA	Electrical and Valve Lockout Kit	(1)Lockout Box, (1)Plug Lockout, (10) Tags, (1)CB Lockout- Single, (1) CB Lockout-Double, (2) 900KD Padlock,(1) Gate Valve Lockout, (1) Hasp 1", Hasp 1.5", (1) Wall Switch Lockout, (1) Plug Lockout Small (10) Cable Ties	9.5" x 6.4" x 2.8"
7155-USA	Electrical Lockout Kit	(1)Lockout Box, (5) Tags, (1)CB Lockout-Single, (1) CB Lockout-Double, (2) 900KD Padlock, (1) Hasp 1", Hasp 1.5", (5) Cable Ties	9.5" x 6.4" x 2.8"
7156-USA	Electric Lockout Toolbox Kit	(3) #900KD-red padlocks, 1.5" shackle, keyed different with 1 key per padlock, color red, assembled in the USA (3) #7110 Breaker Lockouts, (1) #7111 Breaker Lockouts, (1) #6064 Wall Switch Lockout, (1) # 7105 Small Plug Lockout, #7100 Large Plug Lockout, (3) #7107 Large Steel Hasps. (10) #7010 Lockout Tags with legend, "DO NOT OPERATE." 50 lb. pull strength exceeds OSHA's requirement.  Qty. 10 Cable Ties	13" x 6.5" x 5"
7119-USA	General Application Small Pouch Kit	(2) 1.5" Padlocks, (1) # 7106 1" Steel Hasp, (1) #7107 1.5" Steel Hasp, (1) #7110 Breaker Lockout, (3) #7010 Do Not Operate Tags	6"H x 7"W x 2"D
7120-USA	Valve Lockout Large Pouch Kit	(1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5"-5" Valve Lockout, (2) 1.5" Padlocks, (2) #7010 Do Not Operate Tags, (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (1) #7110 Breaker Lockout, (3) Ties.	8"H x 7"W x 3"D

# Lockout/Tagout Kits

Lockout/Tagout Kits include a convenient assortment of locks and devices. Durable plastic case is both portable and wall-mountable.



Part #	Description	Contents	Dimensions
7136	Personal Electric Lockout Kit	(1)Plastic Case, (1) 1" Steel Hasp (1) 1.5" Steel Hasp, (2) Clamp-on Breaker Lockout, (5) Do Not Operate Tags, (5) Cable Ties, (2) 1.5" Shackle Padlocks, (1)Small Plug Lockout (2) Multi-pole Breaker Lockout, (1) Lockout Training Booklet	9.5" x 6.4" x 2.8"
7137	Wall-Mount Electrical Lockout Kit	(1) Plastic Case, (1) 1" Steel Hasp (1) 1.5" Steel Hasp,, (1) Breaker Lockout Set - Three Sizes, (5) Do Not Operate Tags, (5) Cable Ties, (2) 1.5" Shackle Padlocks, (1) Small Plug Lockout	9.5" x 6.4" x 2.8"
7138	General Purpose Portable Lockout Kit	(1) Portable Lockout Bag, (1) 1" Steel Hasp (1) 1.5" Steel Hasp, (2) Clamp-on Breaker Lockout, (1) Clamp-on Breaker Lockout, (5) Do Not Operate Tags, (5) Cable Ties, (2) 1.5" Shackle Padlocks, (1) Wall Switch Lockout, (1) Ball Valve Lockout, 3/8" -1.4" diameter, (1) Gate Valve Lockout 1" - 2.5", (1) Gate Valve Lockout 2.5"-5" (1) Pneumatic Lockout, (1) Cable Lockout, (1) Push Button Lockout, (1) Large Plug Lockout, (1) Small Plug Lockout	12" Base
7141	Operator Lockout Kit	(1) Plastic Case, (1) 1.5" Steel Hasp, (2) Clamp-on Breaker Lockout, (2) Do Not Operate Tags, (2) Cable Ties, (1)1.5" Shackle Padlocks	9.5" x 6.4" x 2.8"

# Lockout/Tagout Safety Kits

ZING uses premium components in all our Lockout Tagout kits. Safety Kits contain a variety of convenient locks, tags, and devices.



Part #	Description	Contents	Dimensions
7147	Electrical Lockout Kit	(1) Lockout Bag, (2) KD Red Padlocks with flexible labeling system, (10) Lockout tags and cable ties, (2) Lockout hasps, (4) Circuit breaker lockouts and (1) Plug lockout	3" x 8" x 7"
7148	Lockout Kit	(1) Lockout Bag, (2) KD Red Padlocks with flexible labeling system, (5) Lockout tags and cable ties and (2) Lockout hasps	2" x 8" x 7"
7149	Basic Lockout Kit	(1) Lockout Bag, (2) KD Red Padlocks with flexible labeling system, (5) Lockout tags and cable ties, (2) Steel lockout hasps, (1) Dielectric nylon lockout hasp and (2) Circuit breaker lockouts	
7150	Breaker Lockout Kit	(1) Lockout Bag, (3) KD Red Padlocks with flexible labeling system, (5) Lockout tags and cable ties, (3)  Lockout hasps and (7) Circuit breaker lockouts	
7151	Personal Lockout Kit	(1) Lockout Bag, (3) KD Red Padlocks with flexible labeling system, (5) Lockout tags and cable ties, (2) Steel lockout hasps, (1) Dielectric nylon hasp, (2) Circuit breaker lockouts and (1) Plug lockout	
7575	Economy Portable Electric Lockout Pouch Kit (2)Red Dipped 1" Hasps, (2) Do Not Operate Tags, (2) Padlocks, (2) Cable Ties		6"H x 8"W x 3"D
7576	Portable Electric Lockout Kit	(2) Red Dipped 1" Hasps, (2) Do Not Operate Tags, (2) Padlocks, (1) 120/277V Clamp-on Breaker Lockout, (1) 480/600V Breaker Lockout, (1) Multi-pole Breaker Lockout, (2) Cable Ties	
7679	Portable Breaker Lockout Kit	(2) 1.5" Shackle Padlocks, (1) 1" Steel Hasp, (1) Circuit Breaker Lockout Set of 3, (1) Tags, Do Not Operate 10/pk	6"H x 8"W x 3"D

#### Crane/Hoist Lockout/Tagout Kits

Prevent accidental startup of cranes and hoists with new Zing lockout kits! The kits provide devices, locks, and hasps in a portable, durable package, so workers can be confident they are safe and complying with OSHA standards.



\* All kit components can be ordered separately!





Part #	Description	6072	6073	6074
7343	Lockout Tags, 10/pk	1	1	1
700KD-RED	Safety Padlock, Red, 1.5" Shackle	1	1	3
7619	Lockout Hasp, 1" Jaw Diameter	1	1	2
7620	Lockout Hasp, 1.5" Jaw Diameter			2
7369	Set of 3 Circuit Breaker Lockouts	1	1	1
7364	Small Crane/Hoist/Pendant Control Lockout	1		1
7365	Large Crane/Hoist/Pendant Control Lockout		1	1
7342	Lockout/Tagout Duffle Bag, Large			1

#### Crane/Hoist Control/Plug Lockout Device

The multiple-button hoist control lockout effectively prevents users from operating hoist controls, such as those commonly used to operate cranes. The device includes a fabric cover and plastic pipe insert, which prevents buttons from being pressed. The cover features an enclosed leather belt that accepts up to 6 padlocks. The pipe fits around the hoist controls, which is then covered by the fabric pouch and locked out.

Part #	Description	Cover Dimensions	Pipe Insert Dimensions
7364	Hoist Control / Plug Lockout, Fabric Cover with Pipe Insert	18"H 9"W	12"H 5"W
7365	Hoist Control / Plug Lockout, Fabric Cover with Pipe Insert	25"H 9"W	20"H 5"W
7621	Hoist Control / Plug Lockout, Cover Only	18"H 9"W	
7622	Hoist Control / Plug Lockout, Cover Only	25"H 9"W	





#### Forklift Lockout Kit

The Forklift Lockout Kit effectively locks out forklifts for routine maintenance and repair. The lockout device also locks out LP tanks. Contents include:

- (1) 7294 Universal Forklift/Plug/Valve Lockout
- (1) 7030 Padlock
- (4) 7356E Equipment Lockout Tags
- (4) 7130 Cable Ties

Part #	Description	Dimensions
7390	Forklift Lockout Kit	3.5"H x 2.5"W x 0.3"D



#### Lockout Signs

Lockout signs are made in the USA from durable recycled materials!

V Signs measure 7"H x 12"W x 5" depth.

L Signs measure 7"H x 2.5"W x 7" depth.



#### **Standard Signs**



Material	7x10	10x14
Plastic	1107	2107
Aluminum	1107A	2107A
Adhesive	1107S	2107S

#### **Projecting Signs**





V-Shape	2570
L-Shape	2571

# Forklift Safety/Lockout Kits

ZING forklift lockout kits facilitate the safe maintenance, service, and repair of forklifts and other electric or propane-powered vehicles. The kits provide a comprehensive lockout solution and include devices, locks, tags, and adhesive safety labels in a durable, portable fabric pouch. **Includes ZING's exclusive #7294 multi-purpose lockout device!** 



Part #	Description	Contents	Dimensions
7675	Forklift Lockout Kit	(1) #7500 Tags, Danger Do Not Use Forklift, 10/pk, (1) #7501 Tags, Forklift Inspection, 10/pk, (1) #7505 Safety Labels, Keep Hands in Vehicle, 10/pk, (1) Safety Labels, Maintain 3 Points of Contact, 10/pk, (1) #7030 Padlock 1.5" Shackle, (1) #7620 1.5" Hasp, (1) #7294 Forklift/Plug/Cylinder Lockout Device, (10) Cable Ties	8"H x 7"W
7677	Deluxe Forklift Lockout Kit	(1) #7500 Tags, Danger Do Not Use Forklift, 10/pk, (1) #7501 Tags, Forklift Inspection, 10/pk, (1) #7505 Safety Labels, Keep Hands in Vehicle, 10/pk, (1) Safety Labels, Maintain 3 Points of Contact, 10/pk, (2) #7030 Padlock 1.5" Shackle, (1) # 7619 1" Hasp, (1) #7620 1.5" Hasp, (1) #7294 Forklift/Plug/Cylinder Lockout Device, (10) Cable Ties	8"H x 7"W

# Need to re-order components? All kit components can be ordered separately!

Part #	Description
7675	Economy Forklift Lockout Kit
7677	Deluxe Forklift Lockout Kit
7294	Forklift/Plug/Valve Lockout Device
7030	Safety Padlock, 1.5" Shackle, Red
7619	Lockout Hasp, 1" Jaw Diameter, Steel, Red

Part #	Description
7620	Lockout Hasp, 1.5" Jaw Diameter, Steel, Red
7500	Safety Tags, 6" x 3", Danger Do Not Use Forklift, 10/pk
7501	Forklift Inspection Tags, 6" x 3", 10/pk
7505	Forklift Label, 3" x 3", Keep Hands and Feet in Vehicle, 10/pk
7506	Forklift Label, 3" x 3", Three Points of Contact, 10/pk

#### Lockout Bag Kits


Lockout Bag Kits store and transport lockout/tagout devices and documents. A variety of lockout devices are included. Bags are also available separately.



7672 Electrical Lockout Kit



7674 Valve Lockout Kit



- Durable nylon construction.
- Wire framing around top edges keeps bag open when in use.
- Shoulder strap and 2 handles for easy transportation.
- Available in 3 sizes, with bases of 12", 16", & 18"



Deluxe Electrical Lockout Kit



Deluxe Valve Lockout Kit



Maintenance Department Lockout Kit

Stocked Kit	Bag Only	Kit Contents	Dimensions
7672	7340	(3) # 7030 1.5" Padlocks, (1) #7361 Snap-on Hasp, (1) # 7619 1" Hasp, (1) #7623 Cable Lockout, (1) #7319 Cable Lockout Padlock Device, (1) #7256 120/277V Circuit Breaker Lockout, (1) #7257 480/600V Circuit Breaker Lockout, (1) #7614 Wall Switch Lockout, (12) #7343E Safety Tags Do Not Operate	12" Base
7674	7340	(3) # 7030 1.5" Padlocks, (1) #7361 Snap-on Hasp, (1) # 7619 1" Hasp, (1) #7623 Adjustable Cable Lockout, (1) #7271 Adjustable Gate Valve Lockout, (1) # 7249 Ball Valve Lockout, Fits Valves from .38" to 1.4" Diameter, (1) #7250 Ball Valve Lockout Fits Valves from 1.5" to 2.5" Diameter, (12) #7343E Safety Tags Do Not Operate	12" Base
7681	7340	(1) #7343 Lockout Tags, Do Not Operate, 10 Pack, (1) #7106 1" Hasp, (1) #7369 Circuit Breaker Lockout Set of 3 sizes, (2) #7030 1.5" Shackle Padlocks, (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #6064 Wall Switch Lockout, (1) #7313 Circuit Breaker Lockout Set of 5, (1) #7609 4-way Fuse Breaker Lockout, (1) #7610 2-way Fuse Breaker Lockout	12" Base
7683	7341	(1) #7343 Lockout Tags, Do Not Operate, 10 Pack, (1) #7106 1" Hasp, (1) #7107 1.5" Hasp, (2) #7030 1.5" Shackle Padlocks, (1) #7271 Gate Valve Lockout 1-6.5", (1) #7290 Cable/Valve Lockout, (1) #7605 Butterfly Valve Lockout, (1) #7514 Pull Handle Valve Lockout, (1) #7249 Ball Valve Lockout 3/8" to 1.4", (1) #7250 Ball Valve Lockout 1.5" to 2.5", (1) #7294 Multi-purpose Plug/Cylinder/Valve Lockout, (1) #7632 Pneumatic Lockout	
7685	(2) #7343 Lockout Tags, Do Not Operate, 10 Pack, (2) #7106 1" Hasp, (2) #7107 1.5" Hasp, (3) #7369 Circuit Breaker Lockout Set of 3 sizes, (6) #7030 1.5" Shackle Padlocks, (3) #7046 Padlocks 3" Shackle (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #6064 Wall Switch Lockout, (1) 7313 Circuit Breaker Lockout Set of 5, (1) #7605 Butterfly Valve Lockout, (1) #7271 Gate Valve Lockout 1.6 5" (1) #7790 Cable Walve Lockout (1) #7514		18" Base

#### 13-Lock Stainless Steel Group Lockout Box

Portable group lockout box protects workers in group maintenance and repair operations. The box is made in the USA from recycled stainless steel and accepts 12 padlocks, plus 1 on the latch. Unique inner shelf provides extra security for stored keys. Retractable handle for easy transportation and storage. Measures 6-1/4"H x 9"D x 4"W.

Part #	Description	Dimensions
6061Y	Group Lockout Box, Steel, Yellow	6.25" x 9" x 4"
6061R	Group Lockout Box, Steel, Red	6.25" x 9" x 4"







# 7-Lock Group Lockout Box

Portable group lockout box protects workers in group maintenance and repair operations. Rugged steel construction. The box accommodates up to 7 padlocks.

Part #	Description	Dimensions
7286	7- Lock Group Lockout Box, Steel, Red	6.25" x 4.25" x 4.25"



# 13-Lock Group Lockout Box

The Group Lockout Box provides a convenient and safe lockout method for group lockout operations. The box is made out of durable steel, and accepts up to 12 padlocks, plus 1 on the box latch.

Part #	Description	Dimensions
7299R-UN	13-Lock Group Lockout Box, Steel, Red	6" x 10" x 4"
7299Y-UN	13-Lock Group Lockout Box, Steel, Yellow	6" x 10" x 4"
7697	13-Lock Group Lockout Box, Steel, Red	7" x 10" x 7"







7299Y-UN

#### Group Lockout Box

Zing's group lockout box is made from heavy-duty powder-coated steel with a clear plastic window.

- Handy box features a lockable storage compartment and a group lockout compartment. Accepts 17 locks.
- Made of heavy duty steel, powder coated for extra rust resistance. 6 lbs.
- Group lockout compartment has clear lexan window with keyhole slot.

Part #	Description	Dimensions
7635	17- Lock Group Lockout Box	7.1" H x 13.6 " W x 7.75"D



#### 26-Lock Group Lockout Box

Group lockout box supports compliance in group lockout operations. The box is made from durable steel and accepts up to 26 padlocks. The box features a clear sliding lid, which can be locked when the box is closed. The box measures 9.25"H x 4.25"W x 5.5"L.

Part #	Description	Dimensions
7630	26-lock Group Lockout Box, Steel, Red	9.25" x 5.5" x 4.25"



#### Portable Wall-Mount Group Lockout Box

Wall-Mountable Group Lockout Box protects workers during maintenance and repair operations. The device measures 7"H x 10"D x 4"W and is made of durable steel. Accommodates up to 12 padlocks, plus 1 on the latch.

	Part # Description		Dimensions
I	7288	Group Lockout Box, Wall Mount, Red	7" x 10" x 4"



# Wall-Mount Group Lockout Box

Wall-Mount Group Lockout Boxes provide a durable, convenient solution to group lockout. Clear plastic doors allow workers to easily see the contents. Mounting holes are pre-drilled. Hardware is included.





Part #	Description	Dimensions H x W x D	Padlock Capacity
7366	Group Lockout Box, Steel, Red	18" x 10.5" x 4.5"	12
7386	Group Lockout Box, Steel, Red	9.25" x 8.10" x 2.35"	7
7387	Group Lockout Box, Steel, Red	13.35" x 8.12" x 3.10"	9
7388	Double Lockout Box, Steel	7" x 12" x 2"	12
7389	Group Lockout Box, Plastic	11" x 13" x 4"	27
7813	Group Lockout Box, Wall Mount	12" x 6" x 3"	13

#### Lockout Key Cabinet

Key Cabinets store and organize the keys of lockout padlocks. The cabinet is made from durable powder-coated steel with a clear plastic window. 4 mounting holes are pre-drilled for easy installation. A security lock and two keys are included. Available in 3 sizes.

Part #	Description	Dimensions
7331YC	Key Cabinet, 30 Key Capacity	14" x 10.5" x 2"
7332YC	Key Cabinet, 60 Key Capacity	18.25" x 15.5" x 2"
7333YC	Key Cabinet, 160 Key Capacity	18.25" x 15.5" x 4"



#### Padlock Stations

Padlock stations conveniently store and organize lockout padlocks. The station is made from durable powder-coated steel. Mounting holes are pre-drilled for easy installation. Available in 4 sizes, stocked or unstocked.

Stocked Part #	Unstocked Part #	Description	Padlock Capacity	Dimensions H x W x D
6075 (includes 5 locks)	7379	Padlock Station, Steel	5-6	2.75" x 5.10" x 1.20"
6076 (includes 10 locks)	7380	Padlock Station, Steel	10-12	2.75" x 9.85" x 1.20"
6077 (includes 15 locks)	7381	Padlock Station, Steel	15-18	2.75" x 14.5" x 1.20"
6078 (includes 20 locks)	7382	Padlock Station, Steel	20-24	2.75" x 19.30" x 1.20"



#### Padlock Cabinet

Padlock cabinets store and organize lockout padlocks. Made from durable powder-coated steel. A security lock and two keys are included.

Part #	Description	Dimensions	Door Type
7335	Padlock Cabinet, 10 Hooks, 19 Lock Capacity	14"H x 10.5"W x 2"D	Clear
7336	Padlock Cabinet, 21 Hooks, 41 Lock Capacity	18.25"H x 15.5"W x 2"D	Clear
7337	Padlock Cabinet, 28 Hooks, 55 Lock Capacity	23"H x 15.5"W x 2"D	Clear
7338	Padlock Cabinet, 42 Hooks, 84 Lock Capacity	23"H x 15.5"W x 5.5"D	Clear
7376	Padlock Cabinet, 21 Hooks, 41 Lock Capacity	18.25"H x 15.5"W x 2"D	Solid
7377	Padlock Cabinet, 55 hooks, 112 Lock Capacity	23"H x 15.5"W x 5.5"D	Solid
7378	Padlock Cabinet, 109 hooks, 220 Lock Capacity	23"H x 31.5"W x 5.5"D	Solid





#### Eco Hasps

Eco hasps are made from 100% recycled material. The steel and plastic models feature tabs for extra strength and pry-resistance. Plastic hasps are dielectric. Made in North America. UL Validated for high recycled content.

Part #	Description	Dimensions	
7106	Lockout Hasp 1" Steel with Tabs	0.5"H x 1.5"W x 5"D	
7107	Lockout Hasp 1.5" Steel with Tabs	0.5"H x 1.5"W x 4.5"D	
7108	Lockout Hasp 1" Plastic	0.5"H x 1.5"W x 5"D	
7109	Lockout Hasp 1.5" Plastic	0.5"H x 1.5"W x 4.5"D	
7127	Lockout Hasp 1" Aluminum	0.5"H x 1.5"W x 5"D	
7128	Lockout Hasp 1.5" Aluminum	0.5"H x 1.5"W x 4.5"D	
7102	Hasp/Tag Combo Device	7" L x 3" W	




#### Coated Hasps

Coated hasps are highly visible and easy to grip. Accepts padlocks with a shackle diameter up to 0.35" and accommodates up to 6 locks.



Part #	Description	Dimensions
7619	Coated Steel Hasp, Red, 1" Jaw Diameter	1.75"H x 1.63"W x 0.35"D
7620	Coated Steel Hasp, Red, 1.5" Jaw Diameter	2.5"H x 5"W x 0.35"D
7642	Coated Steel Hasp, Yellow and Black, 1" Jaw Diameter	1.75"H x 1.63"W x 0.35"D
7643	Coated Steel Hasp, Yellow and Black, 1.5" Jaw Diameter	2.5"H x 5"W x 0.35"D
7644	Coated Steel Hasp, Red, 1" Jaw Diameter, with Tabs	1.75"H x 1.63"W x 0.35"D
7645	Coated Steel Hasp, Red, 1.5" Jaw Diameter, with Tabs	2.5"H x 5"W x 0.35"D
7545	Coated Aluminum Hasp, Red, 1" Jaw Diameter	1.75"H x 1.63"W x 0.35"D
7546	Coated Aluminum Hasp, Red, 1.5" Jaw Diameter	2.5"H x 5"W x 0.35"D



#### Large Hasps

ZING large lockout hasps help keep workers safe when several workers are affected by the same energy isolation point.



Part # Description		Dimensions
7240	Lockout Hasp, 12 Hole, Steel	8.5"H x 2.25"W x 0.3"D
7241	Lockout Hasp, 24 Hole, Steel	14"H x 2.25"W x 0.3"D
7361	Hasp/Tag Combination Device, Aluminum, 12 Hole	3"H x 7.5"W x 0.25"D

#### Stainless Steel Hasp

Stainless Steel Hasps are made from die-casted stainless steel for maximum corrosion resistance. Accommodates multiple padlocks.


Part #	Description	Dimensions
7242	Lockout Hasp, Stainless Steel	3.5"H x 2.5"W x 0.3"D



# Flexible Dielectric Hasps

Flexible Lockout Hasps are made from durable plastic and accommodate multiple padlocks. The hasp is lightweight and completely non-conductive. Ideal for use on electrical panels, miniature circuit breakers, switches, and panel handles.

Part #	Description	Dimensions
7270	Lockout Hasp, Plastic, 3 Hole	4"H x 1.75"W x 0.25"D
7512	Lockout Hasp, Plastic, 6 Hole	8"H x 1.75"W x 0.35"D



#### Double-ended Hasps

Double-ended hasps feature a dual-jaw design for versatile lockout applications.

Part #	Description	Dimensions
7269	Double-Ended Hasp, Steel, 6 Hole	6"H x 4.5"W x 3.5"D
7616	Double-Ended Hasp, Aluminum, 10 Hole	6"H x 2"W x 0.25"D



#### Ball Valve Lockouts

Ball Valve Lockouts lock quarter-turn ball valves in the OFF position. Available in steel and plastic.



Part #	Material	Description	Valve Size	Dimensions
7273	Steel	Ball Valve Lockout, Accepts 8 Padlocks	Fits 0.25" - 1" Valves	3.5"H x 2.5"W x 2.1"D
7274	Steel	Ball Valve Lockout, Accepts 15 Padlocks	Fits 1.25" - 3" Valves	5.5"H x 5"W x 5"D
7275	Plastic	Ball Valve Lockout, Accepts 8 Padlocks	Fits up to 1.5" Valves	6"H x 5"W x 4.5"D
7670	Steel	Ball Valve Lockout, Accepts 6 Padlocks	Fits 0.25" - 1" Valves	6"H x 2"W x 0.5"D

#### Adjustable Ball Valve Lockouts

Adjustable Ball Valve Lockouts lock and close ball valve openings of various sizes. Nylon and stainless steel construction. Designed to lock out quarter-turn valves of varying sizes and handle dimensions (round, square or flat) up to 1-1/4" thick x 1-5/8" wide. Valves can also be locked in the ON or fixed positions for non-lockout applications.

Part #	Description	Dimensions	Fits Handle Sizes
7633	Adjustable Ball Valve, with 4.5" Arm	10"H x 3"W x 7.2"D	Up to 1" Wide, 0.6" Thick
7634	Adjustable Ball Valve, with 5.75" Arm	10"H x 3.5"W x 7.5"D	Up to1.6" Wide, 1.1" Thick





#### Ball Valve Lockout Device

Ball Valve Devices fits most common ball valves. The sleeves inside the cover adjust to grip valves. The device is non-conductive and resistant to extreme weather & temperature conditions.



Part #	Description	Valve Sizes	Dimensions
7249	Ball Valve Lockout	Fits Valves from .38" to 1.4" Diameter	8"H x 3.75"W x 4"D
7250	Ball Valve Lockout	Fits Valves from 1.5" to 2.5" Diameter	11"H x 4"W x 5"D
7251	Ball Valve Lockout	Fits Valves from 2" to 8" Diameter	14"H x 4.75"W x 6"D



7249 application

#### Pull Handle Valve Lockout Device

The Pull Handle Butterfly Valve Lockout provides an easy-to-use lockout solution for butterfly valves. The device is resistant to cracking, abrasions, heat, and cold. Excellent for the food and beverage industry.

Part #	Description	Dimensions
7514	Pull Handle Valve Lockout	8"H x 1.63"W x 1.5"D





#### Gate Valve Lockouts

#### **Eco Gate Valve Lockouts**

ZING Eco Gate Valve Lockouts are made from heavy-duty, 100% recycled plastic. Accommodates 3 padlocks, with shackles up to 3/8" diameter.



#### **Gate Valve Lockouts**

Gate Valve Lockout Devices are made from abrasion-resistant polyurethane or steel. When lockouts are secured, they rotate freely around the hand wheel and prevent the valve wheel from being turned.





7	1	Λ	3
/	1	v	J

7246

Part #	Description	Dimensions	Padlock Capacity
7103	Eco Gate Valve Lockout, fits wheels from 1"-2.5"	1"H x 3"W x 3"D	3
7104	Eco Gate Valve Lockout, fits wheels from 2.5"-5"	1.75"H x 5.75"W x 5.75"D	3
7246	Gate Valve Lockout, fits wheels from 5"-6.5"	7"H x 7"W x 2"D	3
7247	Gate Valve Lockout, fits wheels from 6.5"-10"	1.75"H x 5.75"W x 5.75"D	3
7248	Gate Valve Lockout, fits wheels from 10"-13"	0.75"H x 3"W x 7"D	3
7807	Gate Valve Lockout, Steel, fits wheels from 1-2.5"	3.5"H x 3"W x 3"D	2
7808	Gate Valve Lockout, Steel, fits wheels from 2.5-5"	6"H x 5.5"W x 5.5"D	3
7809	Gate Valve Lockout, Steel, fits wheels from 5-6.5"	7.5"H x 7"W x 7"D	4
7810	Gate Valve Lockout, Steel, fits wheels from 6-10"	11"H 11" W x 3"	4
7811	Gate Valve Lockout, Steel, fits wheels from 10-13"	14"H 14" W x 3"	4



7807

#### Adjustable Gate Valve Lockout

Adjustable Gate Valve Lockout Devices fit valve hand wheels from 1" to 6.5". Made of durable polypropylene and resistant to extreme temperature changes (-13°F to 194°F).

Part #	Description	Dimensions
7271	Adjustable Gate Valve Lockout, Plastic	7"H x 5"W x 2"D





#### Butterfly Valve Lockout Device

Fits most common butterfly valves. Resistant to cracking, abrasion, solvents and other chemical products.

Part #	Description	Dimensions
7605	Butterfly Valve Lockout	12"H x 4"W x 2.75"D





# Forklift/Plug/Cylinder Lockout

#### **#7294** Multi-purpose Lockout Device



The Universal Forklift/Plug/Cylinder lockout allows workers to perform several lockout functions with one convenient device. The device effectively locks out plugs, gas cylinder shut-off valves, and electric or propane powered forklifts. The device is made in the USA from 100% recycled plastic and supports OSHA standard 1910.147.

#### **Applications Include:**

**Plug Lockout** 



- 120 Volt Plug
- 250 Volt-Sp Plug
- 15-60 Amp 3P Plug

**Cylinder Lockout** 



• Fits all standard gas cylinder wheels

#### **Electrically-powered Forklifts**



- Battery Plug 50-350 AMP
- Starter Battery Negative(-)
  Terminal

#### **Gas-powered Forklifts**



- LP Gas Cylinder Shutoff Valve
- LP Gas Tank Coupling

Part #	Description	Dimensions	Padlock Capacity
7294	Forklift/Plug/Cylinder Lockout Device	3"H x 4.25"W x 7.25"L	6

#### Plug Lockouts

**Eco Small Plug Lockout** fits up to 0.5" diameter cords and 2"W x 3"L plugs. Accepts 3 padlocks. Made in USA from recycled plastic.

**Eco Large Plug Lockout** features a universal fit closure, which accepts up to a 1.25" diameter cord and 3"W x 5.5"L plugs. Accepts 3 padlocks. Made in USA from recycled plastic.

**Small Plug Lockout** fits up to 0.5" diameter cords and accepts 4 padlocks.

**Large Plug Lockout** fits up to 1" and 1.5" diameter cords and accepts 4 padlocks.

110-120V Two-Prong Plug Lockout Device works on two prong plugs with or without the ground, polarized and non-polarized. Device is keyed different and comes with two keys.

**Propane Tank Lockout** fits LP gas cylinder handwheels up to 2-3/16" diameter. Accommodates up to 3 padlocks with shackles up to 9/16" diameter.

**Small Premier Lockout:** 110V plug lockout with 1/2" diameter hole for cable.


**Large Premier Lockout:** 220V / 500V plug lockout with 1" diameter hole for cable.

**Large Rectangular Plug Lockout:** locks out standard and large 3 phase connectors, and 220V / 500V plugs up to 1/10"H x 3-2/5"D x 3-1/3"W. Fits cord diameters from 1/3"-3/4".

**Pneumatic/Plug Lockout:** locks out 220V/500V plugs and standard and larger 3-phase connectors, plus 4 sizes of male pneumatic hose fittings.









7100








7508



7509





27

#### Cylinder Lockouts

Cylinder Lockout fits over neck rings up to 3-1/2" diameter and valve stems to 1-1/4". Accommodates 3 padlocks with shackles up to 9/16" diameter. The device measures 5"W x 7"H.

# DANGER CYLINDER LOCKOUT 7101

#### Cylinder Lockouts, Full and Empty Status:

effectively locks out gas cylinders and indicates fill levels. The device is made from polystyrene and accepts up to 3 padlocks.

Part #	Description	Dimensions
7101	Cylinder Lockout	5"H x 5"W x 7"D
7311	Cylinder Lockout, Full Status	4"H x 4"W x 6"D
7312	Cylinder Lockout, Empty Status	4"H x 4"W x 6"D





#### Ladder Lockouts and Lockout Kits

#### Ladder Lockout Cover Wrap

- 11.3 oz
- Overall Length: 87" x 13-3/8"
- Visible area when wrapped on the ladder: 43-1/2" x 13-3/8"
- Wraps identifies ladders that are out of service or defective. Deters use by wrapping around the rungs and being secured with a padlock.
- Bilingual messaging: DANGER DO NOT CLIMB ON LADDER/PELIGRO NO TREPE LA ESCALERA
- Highly visible graphic for visual communication
- Heavy-duty canvas construction
- 1/2" ID metal grommet at each end
- Can be easily rolled up or folded when not in use
- Made in the USA

7399 also includes (1) Lockout Padlock Keyed Different, with 1 key.

7400 also Includes (1) Lockout Padlock Keyed Different, with 1 key, (1) Out of Service Safety Tag, and (1) Cable Lockout with 3' cable.







7398

7399

Part #	Description	
7398	Ladder Cover Heavy-duty Canvas	
7399	Ladder Lockout Kit, Cover with Padlock	
7400	Deluxe Ladder Lockout Kit, with Cover, 3" Shackle Padlock, Safety Tag, and Cable Lockout	

#### Steering Wheel Covers

Warning covers communicate important safety information. Warning messages are written in English, Spanish, and French for broader communication. Brass reinforced padlock hole can be locked with a padlock or lockout hasp.

Part #	Description	
7345	Steering Wheel Cover, 15.75" Diameter, Plastic	
7346	Steering Wheel Cover, 19.75" Diameter, Plastic	
7347	Steering Wheel Cover, 23.6" Diameter, Plastic	
7345-HD	Steering Wheel Cover, 15.75" Diameter, Heavy-duty Canvas	
7346-HD	Steering Wheel Cover, 19.75" Diameter, Heavy-duty Canvas	
7347-HD	Steering Wheel Cover, 23.6" Diameter, Heavy-duty Canvas	



#### Blind Flange Lockout

New Blind Flange Lockout devices provide a safe and easy-to-use pipeline lockout solution. The adjustable cup ensures a secure fit when locked in place with a lockout padlock.

- Coated aluminum construction with hardened steel rod.
- Fully conceals flange bolts, preventing access to the blind until all work has been completed.
- Adjustable device provides a tight fit.
- Available in three sizes, covering pipe diameters from 1/2" to 24".
- Accommodates up to 8 padlocks.
- Performs in temperatures from -40 to 200 degrees Fahrenheit.












Step 1

Step 2

Step 3

Step 4



Part #	Nut Diameter (A)	Fits Pipe Diameters (B)
7693	3/4" to 1-1/8"	1/2" to 3"
7694	1-1/4" to 1-7/8"	3-1/2" to 12"
7695	2" to 2-3/4"	14" to 24"
7698	Blind Flange Lockout Set (includes 7693, 7694, and 7695)	

#### Clamp-on Circuit Breaker Lockouts

Clamp-On Breaker Lockouts work on a wide variety of single-pole and internal-trip multi-pole breakers. The thumbscrew design facilitates easy installation: simply tighten the lockout securely onto switch tongue, pull the cover over the thumbscrew and lock in place. Accepts lock shackles up to 9/32" in diameter. The lockouts are made of durable plastic (polypropylene) and impact-modified nylon. Cleats are included.



Part #	Description	Dimensions
7256	120/277V Clamp-on Breaker Lockout, with cleat	2"H x 1.25"W x 1.5"L
7257	480-600V Clamp-on Breaker Lockout, with cleat	2.75"H x 2.25"W x 2"L
7258	Oversize Breaker Lockout, 480/600V, Switches up to 2-1/4" wide and 7/8" thick	4"H x 3.75"W x 3"L
7369	Clamp-on Breaker Lockout Set. Includes part #s 7256, 7257, and 7258	6"H x 4.5"W x 2.75"L





7257

7258

#### Circuit Breaker Lockouts

**7284**: This lockout fits directly into the switch. To apply, mount in place over "off" position switch and secure with a padlock. Fits most common single-pole breakers.

7285: 120/277 Multi-pole circuit breaker. Requires the breakers to be connected with a cross bar.

**7606**: Single-pole lockout device. Fits circuit breaker toggles up to 1/2" wide without a recess hole in the toggle. Made from durable plastic. Fast and easy to install.

**7607**: 120/277 Clamp-on circuit breaker lockout fits most multi-pole breakers that employ a tie bar. Durable nylon construction with a stainless steel screw.

7611: Double pole circuit breaker lockout accommodates larger breakers.

7803: Locks Out Flip Switches to 1/2" x 1 1/2"



7284







7607



7611

7285 7606


Part #	Description	Dimensions
7284	Top Slide Single Pole Circuit Breaker Lockout Device	2.25"H x 1"W x 1"L
7285	Multi-pole Circuit Breaker Lockout Device	2.25"H x 1"W x 1"L
7606	Single Pole Circuit Breaker Lockout Device	2.25"H x 1"W x 1"L
7607	Universal Multi-pole Circuit Breaker Lockout	2.25"H x 1"W x 1"L
7611	Double-pole Lockout for Large Breakers	2.25"H x 1"W x 1"L
7803	Large Flip Switch Breaker Lockout	3"H x 4.5"W x 4.5"L





#### Eco Circuit Breaker Lockouts

Universal Circuit Breaker Lockouts features with a slide-on feature which allows the device to be securely mounted to a wide range of breakers. Single-pole (110/220 voltage) and Multi-pole (120/277 voltage) models fit pole switches 0.3" - .6" high, 0.35" - 0.44" deep, with or without a hole. Each breaker lockout will accommodate 1 padlock, with up to a 9/32" shackle diameter. Includes a highly visible lockout label, "DO NOT OPERATE." The devices are made in the USA from recycled plastic. 3/Pack.



#### Pin In & Pin Out Breaker Lockouts

Slider Breaker lockouts provide a safe and effective method for locking out smaller circuit breakers. No tools are required for installation. Lockouts accommodate 1 safety padlock. Includes a highly visible safety label, "DO NOT REMOVE".

Part #	Description	Dimensions
7259	Pin In Circuit Breaker Lockout	1"H x 2"L x 3/4"W
7260	Pin Out Circuit Breaker Lockout	1"H x 2" L x 3/4"W
7261	Pin Out Wide Circuit Breaker Lockout	1"H x 2"L x 3/4"W
7262	Combo Pack (3 Devices: Pin In, Pin Out, and Pin Out Wide)	1"H x 2"L x 3/4"W



#### ABB Circuit Breaker Lockout

Lockout device for residual-current circuit breakers (RCCBs). Secures single or multi-pole RCCBs against unauthorized energization.

Part #	Description	Dimensions
7317	ABB Circuit Breaker Lockout	2"H x 1.75"L x 0.38"W



#### Circuit Breaker Lockout Set

Set of 5 circuit breaker lockout devices safely locks out single and multi-pole breakers. Each device accepts one padlock. Screwdriver required for installation.

Part #	Description	Dimensions
7313	Circuit Breaker Lockout Set	3"H x 2"L x 4"W







# Europa Circuit Breaker Lockout

Europa Miniature Circuit Breaker lockout effectively locks out miniature circuit breakers, residual current circuit breakers, and residual-current circuit breakers with overcurrent protection. The device accommodates 1 padlock.

Part #	Description	Dimensions
7314	Europa Miniature Circuit Breaker Lockout, Red	1"H x 1"L x 3"W





\*actual color not shown

#### Multi-function Circuit Breaker Lockout

The Universal Circuit Breaker Lockout fits most miniature circuit breakers and main switches. Extra length clearance on the toggle side allows the device to be used on standard breakers with long toggles. The opposite side of the device accommodates thicker main switches.

Part #	Description	Dimensions
7315	Multi-functional Circuit Breaker Lockout	1"H x 1"L x 2.5"W




#### Merlin Gerin Breaker Lockout

The Merlin Gerin 4c Breaker Lockout engages in the slot behind the switch toggle, effectively locking out the switch. The device measures 2" x 2" and accepts up to 3 padlocks.

Part #	Description	Dimensions
7316	Merlin Gerin Breaker Lockout	0.25"H x 2"L x 2"W





#### Mini Circuit Breaker Lockout

Miniature Circuit Breaker Lockout effectively locks out ISO/DIN miniature circuit breakers. The device is made from durable aluminum and accommodates 1 padlock with a maximum shackle diameter of 9/32".

Part #	Description	Dimensions
7263	Mini Circuit Breaker Lockout	0.75"H x 0.5"W x 1"L





#### Snap-on Circuit Breaker Lockout

The Snap-on Circuit Breaker Lockout locks out 120V breakers with holes in the switch tongue. No tools are required for installation. The two ends of the device snap together, which can then be locked out with a lockout padlock.

Part #	Description	Dimensions
7513	Snap-on Circuit Breaker Lockout	2"H x 0.75"W x 0.25"L





#### Fuse Lockouts

The **Fuse Blocker lockout device** is designed to be placed where fuses have been removed, thereby preventing accidental insertion of fuses. The device is made from durable plastic and accepts 1 safety tag.

Part # 7609 fits fuse sizes of 13/16", 11/16", and blade-type fuses.

Part # 7610 fits fuse sizes of 1/4", 9/32", 13/32", and 9/16".

**Fuse holder lockout devices** clamp on to fuse holders using a small screw. Applying a padlock prevents access to the screw, thereby locking the device into place.







Part #	Description	Dimensions
7609	Fuse Blocker, 4-Way	1.75"H x 1.75"W x 0.75"D
7610	Fuse Blocker, 2-Way	3.25"H x 3"W x 1.25"L
7691	Fuse Holder Lockout	2.25" H x 1.0" W x 0.5"D
7692	Fuse Holder Lockout, Slim	2.25" H x 1.5" W x 0.5"D



7609 and 7610 application

#### Pin & Sleeve Socket Lockouts

Ideal for locking out pin and sleeve surface-mounted or trailing sockets. Lockouts are available in 4 sizes, and block sockets of 110V, 16 Amp to sockets of 500 V, 63 Amp. The lockouts are made from durable polyproylene plastic. To use the Socket Lockout, simply insert the device into the female socket, bring over the socket flap to hold it in place, and lock out with hasp & padlock.

Part #	Voltage	Description	Dimensions
7264	110-130V	Socket Lockout, Small	4"H x 2"W x 1.5"L
7265	220-240V	Socket Lockout, Medium	4.5"H x 2.5"W x 2.25"L
7266	380-415V	Socket Lockout, Large	5.25"H x 3"W x 2.5"L
7267	500V	Socket Lockout, Extra Large	7"H x 5"W x 4"L





#### Pin & Sleeve Plug Lockout

Pin & Sleeve Plug Lockout prevents plugs from being used. To apply, slide the device over the alignment tab on the plug rim and snap closed.

Part #	Description	Dimensions
7268	Pin and Sleeve Plug Lockout	2"H x 1.25"W x 1"L





#### Push Button Lockouts

Safe & effective method of locking out start/stop buttons.

- Made from clear plastic (polycarbonate).
- Accommodates 1 padlock.
- Lockout labels are provided.
- Easy installation


Part #	Description	Dimensions
7253	Standard Push Button Lockout	1.3"L x 2.7"W, with 1.15" hole diameter
7254	Oversize Push Button Lockout	3.5"H x 5"L x 3.2"W with 1.8" hole diameter





7253





#### Electrical Panel Handle Lockout

The Electrical Panel Handle lockout device prohibits the movement of handles or levers on electrical panels. A plastic yellow base and an adjustable stainless steel strip (1" x 11-4/5", with 20 holes) immobilizes handles once locked with a lockout padlock. Recommended for all handles and levers that do not have a built-in lockout arrangement.

Part #	Description	Dimensions
7252	Electrical Panel Handle Lockout	4"H x 2.25"W x 3"L



#### Knife Switch/Power Handle Lockout

The 7815 Knife Switch Lockout is used to lockout knife switch style power handles and does not require the device to be secured to anything other than the switch itself. The device accommodates up to 4" diameter handle bases with up to a .6" diameter, 5" long handle. Includes 2 different styles of handle attachments to accommodate both round or oblong shaped handles.

Part #	Description	Dimensions
7815	Knife Switch Lockout	7"H x 2.5"W x 2"L





7815 application

#### Motor Protection Lockout

Motor Protection Circuit Breaker lockout is a unique device for locking out the breakers on a motor control unit by encasing the breaker. Fits up 1.75" breaker housing. Features:

- Made of special grade alloy and ABS.
- Can easily be installed with the help of black twister at the bottom of the device
- The brass pherol gives extra life and strength to stainless steel screw that binds the lockout to the breaker.
- Can be installed on variety / types of MPCB of different companies.
- A padlock should be applied on the MPCBL for locking it out.

Part #	Description	Dimensions
7816	Motor Protection Lockout	3"H x 4"W x 3"L





7816 application

#### Power Handle Lockout

Ideal for locking out electrical panel power handles.

- Fits handle diameter up to 1-3/16"
- Green color indicates the disconnect; red color indicates the connection
- Made from rugged high-impact plastic

Part #	Description	Dimensions
7804	Power Handle Lockout	3"H x 3"W x 3"L






7804 application

#### Stainless Steel Cable Lockouts

Industrial Steel Cable Lockout devices are made from durable stainless steel and are suitable for harsh or outdoor environments. The cables are made from stainless steel.









7243 application

#### Multi-purpose Cable Lockouts

Multi-purpose Cable Lockouts conform to the shape of your hand, making them easy to adjust and secure. To install, simply squeeze the handle and apply your padlock when the cable is tight and the source is locked out. The device is available with a vinyl-coated steel cable or a dielectric nylon cable.



Part #	Description	Dimensions
7244	Cable Lockout, 3' Steel Cable	6"H x 6"W x 1"L, with 3' Cable
7245	Cable Lockout, 3' Dielectric Nylon Cable	6"H x 6"W x 1"L, with 3' Cable



#### **Universal Cable Lockouts**

Cable Lockout devices provide an effective, multi-purpose solution to lockout compliance. The accommodates 6 padlocks with a maximum shackle diameter of 3/8". The hasp is made from durable plastic, with a coated steel cable. Several cable lengths are available; see chart below.

Part #	Description	Dimensions
7289	Cable Lockout, 3' Steel Cable	5"H x 2.5"W x 1"L, with 3' Cable
7290	Cable Lockout, 6' Steel Cable	5"H x 2.5"W x 1"L, with 6' Cable
7291	Cable Lockout, 9' Steel Cable	5"H x 2.5"W x 1"L, with 9' Cable
7292	Cable Lockout, 15' Steel Cable	5"H x 2.5"W x 1"L, with 15' Cable



#### Eco Cable Lockouts

Eco Cable Lockout prevents switches, valves and other energy devices from being used while equipment is being serviced or repaired. The device is made in the USA from recycled plastic, with a coated steel cable. The closed hasp hole measures 1". The device features pry-resistant tabs for extra security, and

accommodates up to 6 padlocks with shackles up to 3/8" diameter.

Part #	Description	Dimensions
7132	Cable Lockout, Steel, 6.5' Cable, with Adjustable Grip	0.75"H x 3"W x 7"L, with 6.5' Cable
7133	Cable Lockout, Steel, 6' Cable	0.75"H x 3"W x 7"L, with 6' Cable



#### Cable Lockouts, 7 Hole

- Easy to carry and use.
- Plastic construction with 6 ft. insulated steel cable.
- Effective in a variety of lockout situations.

Part #	Description	Dimensions
7623	Cable Lockout, 6 ft. Coated Steel Cable	6"H x 2"W x 0.25"L, with 6' Cable
7624	Cable Lockout, 9 ft. Coated Steel Cable	6"H x 2"W x 0.25"L, with 9' Cable



#### Interlocking Cable Lockout

Interlocking Cable Lockout accommodates up to 4 padlocks and includes a vinyl-coated steel cable. Available with a 6 ft. or 15 ft. cable.

Part #	Description	Dimensions
7625	Cable Lockout, 6 ft. Coated Steel Cable	7"H x 3.25"W x 1"L, with 6' Cable
7646	Cable Lockout, 15 ft. Coated Steel Cable	7"H x 3.25"W x 1"L, with 15' Cable



#### Cable Lockouts, 4 Hole

Multi-purpose cable lockout device with 6ft. coated steel cable.

- PVC construction.
- Ergonomic design features finger curves and a thumb rest.
- Accommodates 4 padlocks.

Part #	Description	Dimensions
7626	Cable Lockout, 6 ft. Coated Steel Cable, 4 Holes	7"H x 4"W x 1"L, with 6' Cable





#### Pneumatic Lockout, Fits 7 Sizes

The stainless steel pneumatic lockout device locks out 7 sizes of pneumatic fittings, accommodating nearly all pneumatic fittings commonly used in manufacturing facilities. The device accepts up to 2 padlocks.

The device is easy to install: simply enclose the fittings between the two parts and apply a lockout padlock.

Part #	Description	Dimensions
7631	Pneumatic Lockout, Steel, Fits 7 Sizes	3"H x 7.25"W x 0.25"L



#### Pneumatic Lockout, Fits 3 Sizes

The 3-sided Pneumatic Lockout device isolates pneumatic energy without the expense of installing in-line lockout valves. The device is applied directly to the male fittings, isolating equipment from all compressed air sources.

Part #	Description	Dimensions	For Male Fittings:
7632	3-sided Pneumatic Lockout	3"H x 3"W x 0.75"L	1/4", 3/8", 1/2"



#### Wall Switch Lockouts

Wall Switch Lockout devices cover wall-mounted switches and locks switches in the "on" or "off" position. The devices accommodate1 padlock each, with shackles up to 3/8" diameter.



Part #	Description	Dimensions
6064	Eco Wall Switch Lockout, Red	3.5"H x 1.5"W x 0.25"L
6064-WHITE	Eco Wall Switch Lockout, White	3.5"H x 1.5"W x 0.25"L
7613	Clear Wall Switch Lockout	3.75"H x 1.5"W x 0.5"L
7614	Universal Wall Switch Lockout	4.25"H x 1.5"W x 1"D
7507	Side-Hinge Wall Switch Lockout	3"H x 1.5"W x 0.5"L










7614

#### Switch/Button/Plug Lockouts

Multi-purpose lockout devices have been designed to lock out switches, buttons, and plugs without a built-in lockout provision. The devices are made from clear polycarbonate. Installation requires three steps:

- 1. Using the self-adhesive backing, attach the base directly over the relevant switch, button, or plug.
- 2. Place the house unit over the base.
- 3. To prevent unauthorized access, apply a lockout padlock.

The devices are available in several different designs (see chart below).



Part #	Description	Dimensions
7255	Key-type lockout device	3"H x 3.5"L x 3.5"W
7276	Switch/Button/Plug Lockout Device, Round, 45 mm opening	2.5"H x 3"L x 3"W
7277	Switch/Button/Plug Lockout Device, Round, 55 mm opening	3"H x 3.5"L x 3.5"W
7278	Switch/Button/Plug Lockout Device, Small Square Box	2.25" x 2.25" x 2.25"H
7279	Switch/Button/Plug Lockout Device, Medium Square Box	3.1" x 3.1" x 2.25"H
7280	Switch/Button/Plug Lockout Device, Medium Square Box, 45-degree cutouts	3.1" x 3.1" x 2.25"H
7281	Switch/Button/Plug Lockout Device, Medium Square Box, 90-degree cutouts	3.1" x 3.1" x 2.25"H
7282	Switch/Button/Plug Lockout Device, Large Square Box	4.15" x 4.15" x 4.15"H
7283	Switch/Button/Plug Lockout Device, Round	3"H x 3.5"L x 3.5"W
7805	Control Panel Lockout	2.75" x 2.75" x 2.5"
7806	Control Panel Lockout	2.75" x 5.5" x 2.5"

#### Lockout Tags

Lockout Tags communicate critical safety messages. The surface is easy to write on and will hold up against water, grease and a variety of chemicals. Suitable for indoor or outdoor use. Sold in packs of 10.



Part #	Description	Dimensions
7010	Danger Do Not Operate Tags, 10/pk	5.75"H x 3"W
7011	Danger Out of Service Tags, 10/pk	5.75"H x 3"W
7502	Danger Do Not Operate Tags, 10/pk	6"H x 3"W
7503	Do Not Operate Tags, English/Spanish, 10/pk	6"H x 3"W
7504	Lockout Point Tags, 10/pk	6"H x 3"W
7343	Danger Do Not Operate Tags, with Border, 10/pk	5.5"H x 3.25"W

Part #	Description	Dimensions
7344	Danger Out of Service Tags, with Border, 10/pk	5.5"H x 3.25"W
7348	Danger Do Not Operate Tags, 10/pk	5.5"H x 3.25"W
7349	Danger Out of Service, Tags,10/pk	5.5"H x 3.25"W
7357	Stop Do Not Operate Tags, 10/pk	5.5"H x 3.25"W
7358	Only Person Listed Can Remove Tags, 10/pk	5.5"H x 3.25"W
7370	Do Not Operate, Maintenance Tags, 10/pk	5.5"H x 3.25"W

# Self-laminating Lockout Tags

Self-laminating tags protect critical messages in industrial environments. When you need a customized message that won't smudge or fade, self-laminating tags let you seal in your message under a clear, protected layer. To laminate, remove the lining and press the clear laminate layer onto your text.

- Each tag features a reinforced grommet for sturdy hanging.
- Durable tags resist water and wear.
- 0.28" thick PVC with polyester laminate.

Part #	Description
7350	Self-laminating Tag, Do Not Operate, Equipment Locked Out By
7351	Self-laminating Tag, Do Not Operate





#### Two-part Perforated Lockout Tags


Perforated Tags are made from durable plastic and feature a removable stub for enhanced operational control and record-keeping. The tag and stub have matching serial numbers. The stub is removed when the tag is attached to a lockout point. Only the employee in possession of the stub has the authority to remove the tag. After the job is done, stub is returned to management for verification and monitoring.

Part #	Description
7352	Perforated Lockout Tag, Do Not Operate
7356	Perforated Lockout Tag, Equipment Locked Out

# Lockout Training Poster

ZING's Lockout/Tagout poster provides a visual overview of Lockout/Tagout procedures. Eye-catching graphics emphasize and reinforce key points. Made from recycled plastic. Poster measures 18"H x 24"W. Made in the USA.

Part #	Description
6065	Eco Lockout/Tagout Poster



#### Lockout Training Booklets

ZING's Lockout/Tagout Training Booklets provide a clear overview of lockout/tagout procedures. Topics include lockout procedures, lockout devices, group lockout, and employee responsibilities. A quiz is also included to test employee knowledge.

Part #	Description
6071	Lockout Training Booklet, 10/pk



#### Lockout Registers

Lockout registers encourage lockout compliance and ensure that crucial lockout information is available for employees. The set includes two books: **Energy Isolation Record** and **Equipment Issue/Return Record**. Each department uses a register to:

- store procedures
- record which devices can be used by which employee
- record crucial information about each machine 's location, authorized employees, and recommended devices.

Part #	Description
7600	Lockout Registers (set of 2)



#### Stem Shield Valve Covers






Stem Shields are pipe and elastomeric foam sleeves that quickly slip over exposed stems. A small, stainless steel tether holds the unit firmly in place. They take less than 15 seconds to install and protect the stem for years.

#### **BENEFITS OF STEM SHIELD:**

- 1. **Worker Protection:** Workers are protected from injuries associated with exposed valve stems (cuts, gouges, broken ribs, concussions, facial trauma, impalement, etc.). Bright colored stem covers also raise awareness of potential hazards.
- 2. **Valve Protection:** The stems are protected from thread damage. They are protected from elements, corrosion, and over sprays. Also helps prevent yoke contamination, ensuring your valve will continue to operate correctly.
- 3. **Lubricant Protection**: The lubrication needed to keep stems operational is protected from the elements and debris, like sand and dirt, which causes wheels to tighten up and become difficult to turn. Lubricant run-off is eliminated and frequency of lubrication is reduced.



#### **How It Works:**

Simply slide the Stem Shield over an exposed stem and clip the stainless steel tether to the wheel or valve yoke casing. The installation process takes less than 15 seconds.

#### Stem Shield Valve Covers



Stem Shields provide simple, cost-effective safeguards against the all-too-preventable injuries sustained when workers bump, graze, or ram into stems that project from industrial valves.

**LIGHTWEIGHT** – Stem Shields, depending on size, weigh between 7-14 ounces. They are lightweight and easily ship from supplier to your job site. With 5 main sizes to choose from, Stem Shields are made to fit length and diameter of 95% of all industrial stems.

**EASY INSTALLATION**– Stem Shields are installed in less than 15 seconds per stem.

**NO JOB INTERRUPTIONS**– Stem Shields attach to valves without inhibiting operations, Stems are operational with Stem Shield installed.

MADE IN THE USA – Stem Shields are designed with quality in mind, utilizing stainless steel attachments and chemically resistant, waterproof, flexible rubber foam cushioning. Stem Shields are constructed to resist damage, high temperatures, and element erosion. Stem shields will provide quality insurance for years.



Part #	Description
7217	Stem Shield 5" fits 3"-5" Valve Stems
7218	Stem Shield 7" fits 6"-7" Valve Stems
7219	Stem Shield 9" fits 8"-9" Valve Stems
7211	Stem Shield 12" fits 10"-12" Valve Stems
7212	Stem Shield 18" fits 13"-18" Valve Stems

#### Upgrade to 700 and 800 Series Padlocks!

Dependable performance from the **most versatile lockout padlocks on the market**. See pages 2-3 inside!



#### 700 Series

Superior Lockout
Performance
Solid recycled aluminum
body and plastic-encased
hardened steel shackle
unites durability with
dielectric properties!





#### 800 Series

The Best Solution for Extreme Environments
Stainless steel shackle excels in environments with frequent washdowns including:

- Food Manufacturing
- Oil Rigs
- Mining



\*Every padlock includes English, English/Spanish, and English/French Labels!













\*700 Series available in 6 colors!

- Innovative wraparound labels make Zing padlocks the only lockout padlock that can accommodate a bilingual label on a standard size padlock.
- A unique barrier cap around the shackle protects the lock mechanism from dirt and moisture.





Distributed by:		