

EDITION 25

SAFETY AND COMPLIANCE CATALOG











WWW.ZINGGREENPRODUCTS.COM



ZING[™] is the first safety company to consistently use high-quality recycled materials in our products. We remain the foremost supplier of sustainable safety products. Our range includes Lockout/tagout, Hazard Communication, PPE, and industrial safety supplies. Our goal is simple: to protect people and our environment with durable, quality safety products.

The **ZING**[™] Advantage:

- Many ZING[™] products are made with recycled materials. Look for the UL Validation badge.
- Over 90% of our products are made in the USA!
- High-performance construction is designed to excel in your workplace, from retail to industrial environments.
- Our unique product range will help your workplace comply with critical safety regulations including OSHA's Lockout/Tagout Standard 1910.147 and Hazard Communication Standard 1910.1200

Need truly sustainable products? Look for the badge.



ZING is dedicated to manufacturing products made from high-quality recycled materials. At ZING, sustainability is more than a marketing pitch. Many of our products are certified by Underwriters Laboratory (UL), which provides objective validation of environmental claims through rigorous audits and testing. UL-certified products are designated with a green badge that indicates the type and percentage of recycled materials used. When we say our products are green, you can be confident that we mean it.

CONTENTS:

NEW PRODUCTS!

Lockout/Tagout	Page		
Padlocks	4-6		
Kits, Stations, Group LOTO	7-21		
Hasps	22-24		
Devices	25-43	DANGER	
Tags	44-45	LOCKED OUT DO NOT REMOVE	900KD-RED
Stem Shield Valve Covers	46-47	EALELEK :	P.14
HazCom/GHS	Page	USA-made Padlocks	
Stations and Binders	48-49		
Signs and Posters	50-51		
Safety Supplies	Page	615)	5001
PPE Dispensers	52-53		7821 P.21
Safety Tags	54	Laboratory Lockout	
Signs	Page		
Parking/Traffic Kit Bundles	55-59		
Parking/Traffic	60-62		
Danger, Caution, and Notice	63-67		7816
Agriculture and Security	64-65		P.26
Biohazard and Radiation	66-67	Motor Lockout	
Healthcare	68-69		
Fire and Exit	66-68	ELECTRIC / HYBRID VEHICLE	
Projecting Facility Signs	69-72	VEHICLE	
No Smoking	73-76	Danger No Access	
Concealed Carry	77-78	Technician In Charge	2653
Recycling			
Recycling	80-82		P.39



700 Series Safety Padlocks

The **700 Series Safety Lockout Padlock** is the most flexible and comprehensively applicable padlock on the market. The lock features a solid aluminum body with a hardened steel shackle for dependable industrial performance.

The padlocks are available in 6 colors; 1.5" and 3" shackles; keyed different, keyed alike, and keyed alike sets of 3 and 6. Custom master keyed locks are also available. One key included per OSHA guidelines.





Shackle Length	Red	Blue	Green	Black	Yellow	Orange		
700 SERIES KEYED DIFFERENT								
1.5"	700KD-RED	700KD-BLUE	700KD-GREEN	700KD-BLACK	700KD-YELLOW	700KD-ORANGE		
3"	710KD-RED	710KD-BLUE	710KD-GREEN	710KD-BLACK	710KD-YELLOW	710KD-ORANGE		
700 SER	700 SERIES KEYED ALIKE							
1.5"	700KA-RED	700KA-BLUE	700KA-GREEN	700KA-BLACK	700KA-YELLOW	700KA-ORANGE		
3"	710KA-RED	710KA-BLUE	710KA-GREEN	710KA-BLACK	710KA-YELLOW	710KA-ORANGE		

3 and 6 Pack Keyed Alike Sets

Shackle Length	Red	Blue	Green	Yellow			
700 SERIES 3-PACK KEYED ALIKE							
1.5"	700KA3-RED	700KA3-BLUE	700KA3-GREEN	700KA3-YELLOW			
700 SERIES 6-PACK KEYED ALIKE							
1.5"	700KA6-RED	700KA6-BLUE	700KA6-GREEN	700KA6-YELLOW			

700 SERIES FEATURES

- Unique body design features bilingual wraparound labels.
- Zing locks are the only lockout padlock that can accommodate a bilingual label on a standard size padlock.
- Shackle inserts feature a barrier cap, which protects the lock body and interior from dirt and moisture.
- Solid aluminum body with a hardened steel shackle.
- The body and shackle are encased in recycled plastic for extended durability and dielectric properties.
- The 6-pin lock mechanism provides dependable security with key-retaining and auto-locking functions.



700 Series Reverse View

710 Series 3" Shackle

800 Series Extreme Environment Safety Padlocks

The **800 Series Extreme Environment Safety Padlock** is designed to perform in the most strenuous environments. The stainless steel shackle and key-way cap ensure dependable





Shackle Length	Red						
800 SER	800 SERIES KEYED DIFFERENT						
1.5"	800KD-RED						
3"	810KD-RED						

800 SERIES FEATURES

- The 800 Series Padlock is the best solution for extreme lockout applications. Excels in high wash-down environments like food manufacturing, saltwater locations like oil rigs or mines, and industrial environments that are exposed to the elements.
- The 800 Series includes all the features of the 700 Series padlock plus a specially treated lock body, stainless steel shackle, and protective key-way cylinder cap.

Shackle Length	Red				
800 SERIES 3-PACK KEYED ALIKE					
1.5"	800KA3-RED				
800 SERIES 6-PACK KEYED ALIKE					
1.5"	800KA6-RED				

Cable Padlocks and Padlock Accessories

The **Cable Padlock** device features a durable plastic body and a coated-steel cable. Steel **Padlock Eyes** help you to install padlocks easily on electrical panels or other areas with isolation points that are difficult to reach. Disposable **Lockout Tags** accept 1 padlock and list critical safety information. Sold 10/pk.

Part #	Description	Dimensions
7319	Cable Padlock, 1 ft. cable	1.25" x 2"
7320	Cable Padlock, 2 ft. cable	1.25" x 2"
7321	Cable Padlock, 3 ft. cable	1.25" x 2"
7322	Cable Padlock, 4 ft. cable	1.25" x 2"
7339	Padlock Tags, Do Not OperateDisposable, 10/pk	1" x 5"
7323	Flat Padlock Eyes, Small, 10/pk	1"W x 1.2"H
7324	Flat Padlock Eyes, Medium, 10/pk	1"W x 1.9"H
7325	Flat Padlock Eyes, Large, 10/pk	1"W x 2.2"H
7326	Flat Padlock Eyes, Extra Large, 10/pk	1"W x 2.8"H
7327	Right-angled Padlock Eyes, Small, 10/pk	1"W x 0.85"H



Part #	Description	Dimensions
7328	Right-angled Padlock Eyes, Medium, 10/pk	1"W x 1.5"H
7329	Right-angled Padlock Eyes, Large, 10/pk	1"W x 1.85"H
7330	Right-angled Padlock Eyes, Extra Large, 10/pk	1"W x 2.35"H

Safety Padlocks

ZING® Safety Padlocks feature a solid aluminum body, steel shackle, and a fully insulated protective covering for increased safety and corrosion resistance.

Precision 6-pin cylinder has key-retaining and auto-locking functions. Locks are made from recycled materials, contain no PVC and use only food grade lubricants. UL Validated for recycled content.

- Shackles measure 1/4" diameter and are available in 1½" or 3" lengths.
- Body lengths are available in 1¾" and 3".







1.5" Shackle

3" Shackle

3" Body

Lock Type	Red	Blue	Green	Black	Yellow	Purple	Orange	Brown
KEYED DIFFE								
1.5" Shackle	7030	7032	7034	7036	7038	7040	7042	7044
1.5" Shackle, 3" Body	7070	7072	7074	7076	7078	7080	7082	7084
3" Shackle	7046	7048	7050	7052	7054	7056	7058	7060
KEYED ALIKE								
1.5"	7031	7033	7035	7037	7039	7041	7043	7045
1.5" Shackle, 3" Body	7071	7073	7075	7077	7079	7081	7083	7085
3"	7047	7049	7051	7053	7055	7057	7059	7061



Lock Type	Red	Blue	Green	Black	Yellow	Purple	Orange	Brown
KEYED ALIKE SET	KEYED ALIKE SET OF 3							
1.5" Shackle, Set of 3	7062	7064	7066	7037KAX3	7068	7041KAX3	7043KAX3	7045KAX3
1.5" Shackle, 3" Body, Set of 3	7086	7088	7090		7092			
KEYED ALIKE SET OF 6								
1.5" Shackle, Set of 6	7063	7065	7067	7037KAX6	7069	7041KAX6	7043KAX6	7045KAX6
1.5" Shackle, 3" Body, Set of 6	7087	7089	7091		7093			

Aluminum Padlocks

Lock body measures 1-9/16"H x 1/2"W x 3/4"D, with a shackle diameter of 1/4". Available with $1\frac{1}{2}$ " or 3" shackles.







Lock bodies are made from lightweight recycled aluminum. The shackle is made from hardened alloy steel with a corrosion-resistant protective plating. Standard padlocks are keyed different and include two keys per lock. Locks are non-sparking, nonmagnetic, and feature a precision 6-pin cylinder for maximum security.

*Custom configurations are available; call for a quote!

Lock Type	Red	Yellow	Black	Blue	Green		
KEYED DIFFERENT							
1.5" Shackle	7095	7096	7097	7098	7099		
3" Shackle	7200	7201	7202	7203	7204		

Lockout/Tagout Stations

ZING's Eco Lockout/Tagout Stations are made from impact-resistant recycled plastic (except part # 6063, which is made from recycled stainless steel). Hooks can store two padlocks or hasps each.





7114









Kit with # 7030 and # 7046 Safety Locks	Kit with # 7095 and #7200 Aluminum Locks	Board Only	Description	Contents	Dimensions
7113	2726	7113E	Lockout/Tagout Station, 3 Safety Padlocks	(2) 1.5" Padlocks, (1) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (3) # 7010 Tags, (3) Ties	11"H x 11"W
7114	2727	7114E	Lockout/Tagout Station, 8 Safety Padlocks	(7) 1.5" Padlocks, (1) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Ties	15"H x 15"W
7115	2728	7115E	Lockout/Tagout Station, 12 Safety Padlocks	(10) 1.5" Padlocks, (2) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Ties	23"H x 15"W
7116	2729	7116E	Lockout/Tagout Station, 28 Safety Padlocks	(24) 1.5" Padlocks, (4) 3" Padlocks, (1) # 7106 1" Steel Hasp, (1) # 7107 1.5" Steel Hasp, (10) # 7010 Tags, (10) Ties	23"H x 23"W
7117	2730	7117E	Plug Lockout Station, with 1 Safety Lock	(1) # 7100 Large Plug Lockout, (1) 1.5" Padlock, (1) #7010 Tag, (1) Tie	10"H x 7"W
6063	2723	6063E	Mini Lockout Station with 3 Safety Locks	(3) 1.5" Padlocks, (1) # 7107 1.5" Steel Hasp, (5) # 7010 Tags, (5) Ties, (1) # 7110 Breaker Lockout	10"H x 8"W

Lockout/Tagout Stations

Lockout Stations store and organize locks and tags. Available in 7, 16, & 48 lock combinations.



7371 Stores 7 Locks



7372 Stores 16 Locks



73/3 Stores 48 Locks

Stocked Station	Board Only	Description	Dimensions
7371	7353	(7) # 7030 1.5" Padlocks, (1) # 7619 1" Hasp, (1) # 7620 1.5" Hasp, (1) #7343 10- pack Tags	11.5" H x 11.5"W
7372	7354	(12) # 7030 1.5" Padlocks, (4) #7046 3" Padlocks (1) # 7619 1" Hasp, (1) # 7620 1.5" Hasp, (1) #7343 10-pack Tags	13.5"H x 14.5"W
7373	7355	(42) # 7030 1.5" Padlocks, (6) #7046 3" Padlocks (2) # 7619 1" Hasp, (2) # 7620 1.5" Hasp, (2) #7343 10-pack Tags	21.5" H x 23"W

Stainless Steel Lockout Cabinet Stations

Lockout Tagout Information Cabinet stores important safety documents and supports compliance with lockout/tagout standards. Cabinet includes an easy-to-carry handle and a built-in 3-ring binder assembly. Stores up to 300 sheets.

Lockout Cabinet (stocked) stores lockout devices. The inner shelf features 14 slots for extra storage of padlocks and hasps, and the inside door houses lockout tags and ties. Lockable hasp included for extra security. Cabinet is pre-drilled for easy mounting. Cabinets are constructed from recycled stainless steel.







6058



Part #	Description	Dimensions	
6058	Lockout/Tagout Document Case	12"H x 13"W x 3"D	

Cabinet with #7030 & #7046 Safety Locks	Cabinet with #7095 & #7200 Aluminum Locks	Contents	Dimensions
6062	2722	(2) 1.5" Padlocks (2) 3" Padlocks, (2) # 7106 1" Steel Hasp, (2) # 7107 1.5" Steel Hasp (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5" - 5" Valve Lockout, (1) #7101 Large Cylinder Lockout (2) 7110 Single-pole Breaker Lockout, (1) #7111 Multi-pole Breaker Lockout, (1) # 6064 Wall Switch Lockout, (1) # 7010 Safety Tags, Do Not Operate, 10/pk, (10) Cable Ties.	16"H x 15.25"W x 5.5"D

Basic Lockout Toolbox Kit

Lockout Tool Box provides a variety of lockout devices for on-the-job maintenance/repair operations. The tool box features a single open compartment which easily accommodates a variety of tools and devices. The tool box is made from heavy-duty, durable plastic. The devices are made from recycled materials and support sustainability initiatives and LEED credits.





Kit with #7030 Safety Locks	Kit with #7095 Aluminum Locks	Unstocked Toolbox	Description	Contents	Dimensions
7129	2734	7129E	Lockout Toolbox Kit	(3) Padlocks 1.5" Shackle, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (3) #7107 1.5" Steel Hasps, (1) #7010 Safety Tags, 10/pk, (10) Ties	13"W x 6.5"H x 5"D

Electrical Toolbox Kits



7581 7671

Stocked Toolbox	Unstocked Toolbox	Description	Contents	Dimensions
7581	7129E	Breaker/Plug Lockout Toolbox Kit	(1) 7100 Plug Lockout, (10) #7343E Do Not Operate Tags, (3) # 7030 1.5" Padlocks, (3) #7619 Red Dipped 1" Hasps (1) #7256 120/277V Clamp-on Break er Lockout, (1) #7257 480/600V Breaker Lockout, (1) #7258 480/600V Oversize Breaker Lockout, (10) Cable Ties	13"W x 6.5"H x 5"D
7671	7129E	Deluxe Breaker/Plug Electrical Lockout Toolbox Kit	(3) #7030 1.5" Shackle Padlocks, (1) #7100 Large Plug Lockout, (1) #6071 Lockout Training Booklet, (3) #7256 Single-pole Breaker Lockouts (2) #7285 Multi-pole Breaker Lockouts, (3) #7620 1.5" Steel Hasps, (1) #7343 Tags, Do Not Operate 10/pk, (10) Cable Ties	13"W x 6.5"H x 5"D

Portable Lockout Station

Portable Lockout Station holds up to 17 locks and also accommodates hasps, tags, and ties. Sturdy handle and easy-to-open design make the kit easy to transport to work sites. Mounting holes are pre-drilled if a single location is desired.



Stocked Kit	Unstocked Kit	Description	Contents	Dimensions
7375	7375E	Portable Lockout Station	(12) #7030 1.5" Padlocks, (2) #7619 1" Hasps, (2) #7620 1.5" Hasps, (1) #7343 Do Not Operate Safety Tags, 10/pk	17"H x 16"W x 3"D

Electrical Lockout/Tagout Kits

Portable Electrical Lockout Kit provide a convenient assortment of locks, hasps, and devices for on-the-job electrical maintenance.



Part #	Description	Contents	Dimensions
7575	Economy Portable Electric Lockout Pouch Kit	(2) #7619 Red Dipped 1" Hasps, (2) #7343E Do Not Operate Tags, (2) #7030 Padlocks, (2) Cable Ties	6"H x 8"W x 3"D
7576	Portable Electric Lockout Kit	(2) #7619 Red Dipped 1" Hasps, (2) #7343E Do Not Operate Tags, (2) # 7030 Padlocks, (1) #7256 120/277V Clamp-on Breaker Lockout, (1) #7257 480/600V Breaker Lockout, (1) #7607 Multi-pole Breaker Lockout, (2) Cable Ties	6"H x 8"W x 3"D
7679	Portable Breaker Lockout Kit	(2) #7030 1.5" Shackle Padlocks, (1) #7106 1" Steel Hasp, (1) #7369 Circuit Breaker Lockout Set of 3, (1) #7343 Tags, Do Not Operate 10/pk	6"H x 8"W x 3"D

Eco Lockout/Tagout Kits

Eco Lockout Kits provide a convenient assortment of locks, hasps, and devices in a durable, portable fabric pouch.







7134 7135

Kit With # 7030 or #7046 Safety Locks	Kit With # 7095 or #7200 Aluminum Locks	Description	Contents	Dimensions
7119	2731	General Application Small Pouch Kit	(2) 1.5" Padlocks, (1) # 7106 1" Steel Hasp, (1) #7107 1.5" Steel Hasp, (1) #7110 Breaker Lockout, (3) #7010 Do Not Operate Tags	6"H x 7"W x 2"D
7120	2732	Valve Lockout Large Pouch Kit	(1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5"-5" Valve Lockout, (2) 1.5" Padlocks, (2) #7010 Do Not Operate Tags, (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (1) #7110 Breaker Lockout, (3) Ties.	8"H x 7"W x 3"D
7121	2733	Plug Lockout Large Pouch Kit	(1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) 1.5" Padlock, (1) 1.5" Yellow Padlock (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (2) #7010 Do Not Operate Tags, (3) Ties	8"H x 7"W x 3"D
7134	2724	Lockout Bag Kit	(2) 1.5" Padlocks, (2) 3" Padlocks, (2) #7106 1" Hasps, (2) #7107 1.5" Hasps, (1) #6064 Wall Switch Lockout, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Gate Valve Lockout, (1) #7104 2.5"-5" Gate Valve Lockout, (10) Cable Ties, (10) #7010 Do Not Operate Tags	10"H x 18"W x 6"D
7135	2725	Lockout Belt Kit	(2) 1.5" Padlocks, (2) # 7016 1" Hasps, (2) # 7107 1.5" Hasps, (1) #7110 Breaker Lockout, (1) #7105 Small Plug Lockout, (1) #7104 2.5"-5" Gate Valve Lockout, (5) Cable ties, (5) #7010 Do Not Operate Tags	6"H x 24"W x 4"D

Lockout/Tagout Kits

7138

Lockout/Tagout Kits include a convenient assortment of locks and devices. Durable plastic case is both portable and wall-mountable.



Part #	Description	Contents	Dimensions
7136	Personal Electric Lockout Kit	(1) #7136E Plastic Case, (1) 7619 1" Steel Hasp (1) # 7620 1.5" Steel Hasp, (2) # 7256 Clamp-on Breaker Lockout, (5) #7343 Do Not Operate Tags, (5) #7130 Cable Ties, (2) # 7030 1.5" Shackle Padlocks, (1) # 7105 Small Plug Lockout (2) # 7607 Multi-pole Breaker Lockout, (1) # 6071 Lockout Training Booklet	9.5" x 6.4" x 2.8"
7137	Wall-Mount Electrical Lockout Kit	(1) #7136E Plastic Case, (1) 7619 1" Steel Hasp (1) # 7620 1.5" Steel Hasp,, (1) 7369 Breaker Lockout Set - Three Sizes, (5) #7343 Do Not Operate Tags, (5) #7130 Cable Ties, (2) # 7030 1.5" Shackle Padlocks, (1) # 7105 Small Plug Lockout	9.5" x 6.4" x 2.8"
7138	General Purpose Portable Lockout Kit	(1) # 7340 Portable Lockout Bag, (1) 7619 1" Steel Hasp (1) # 7620 1.5" Steel Hasp, (2) # 7256 Clamp-on Breaker Lockout, (1) #7257 Clamp-on Breaker Lockout, (5) #7343 Do Not Operate Tags, (5) #7130 Cable Ties, (2) # 7030 1.5" Shackle Padlocks, (1) #7614 Wall Switch Lockout, (1) #7249 Ball Valve Lockout, 3/8" -1.4" diameter, (1) # 7103 Gate Valve Lockout 1" - 2.5", (1) # 7104 Gate Valve Lockout 2.5"-5" (1) #7632 Pneumatic Lockout, (1) #7244 Cable Lockput, (1) #7253 Push Button Lockout, (1) # 7100 Large Plug Lockout, (1) # 7105 Small Plug Lockout	12" Base
7141	Operator Lockout Kit	(1) #7136E Plastic Case, (1) # 7620 1.5" Steel Hasp, (2) # 7256 Clamp-on Breaker Lockout, (2) #7343 Do Not Operate Tags, (2) #7130 Cable Ties, (1) # 7030 1.5" Shackle Padlocks	9.5" x 6.4" x 2.8"

Crane/Hoist Lockout/Tagout Kits

Prevent accidental startup of cranes and hoists with new Zing lockout kits! The kits provide devices, locks, and hasps in a portable, durable package, so workers can be confident they are safe and complying with OSHA standards.



* All kit components can b	e
ordered separately!	

Part #	Description	6072	6073	6074
7343	Lockout Tags, 10/pk	1	1	1
700KD-RED	Safety Padlock, Red, 1.5" Shackle	1	1	3
7619	Lockout Hasp, 1" Jaw Diameter	1	1	2
7620	Lockout Hasp, 1.5" Jaw Diameter			2
7369	Set of 3 Circuit Breaker Lockouts	1	1	1
7364	Small Crane/Hoist/Pendant Control Lockout	1		1
7365	Large Crane/Hoist/Pendant Control Lockout		1	1
7342	Lockout/Tagout Duffle Bag, Large			1

Crane/Hoist Control/Plug Lockout Device

The multiple-button hoist control lockout effectively prevents users from operating hoist controls, such as those commonly used to operate cranes. The device includes a fabric cover and plastic pipe insert, which prevents buttons from being pressed. The cover features an enclosed leather belt that accepts up to 6 padlocks. The pipe fits around the hoist controls, which is then covered by the fabric pouch and locked out.

Part #	Description	Cover Dimensions	Pipe Insert Dimensions
7364	Hoist Control / Plug Lockout, Fabric Cover with Pipe Insert	18"H 9"W	12"H 5"W
7365	Hoist Control / Plug Lockout, Fabric Cover with Pipe Insert	25"H 9"W	20"H 5"W
7621	Hoist Control / Plug Lockout, Cover Only	18"H 9"W	
7622	Hoist Control / Plug Lockout, Cover Only	25"H 9"W	





USA-Made 900 Series Padlocks

BUY AMERICAN ACT COMPLIANT!

The 900 series padlocks feature a solid thermoplastic body and hardened steel shackle with a 7-pin cylinder allowing more than 200,000 key changes, one of the highest in the industry. The padlock is Made in USA with domestic and global components and qualifies for the Buy American Act. The padlock body is 1.56"W x 1.84"H with a .25" diameter shackle and available shackle lengths of 1.5" or 3". Keyed different. One key

per lock.



1.5" Shackle	3" Shackle	Description
900KD-RED	910KD-RED	USA-made Padlock

USA-Made Lockout/Tagout Kits

USA Kits & Stations are assembled in the USA with all USA-made components. Many of the components also use recycled materials in the manufacturing process, diverting waste out of landfills.



7155-USA 7156-USA

USA-Made Lockout/Tagout Kits

USA Kits & Stations are assembled in the USA with all USA-made components. Many of the components also use recycled materials in the manufacturing process, diverting waste out of landfills.



7120-USA	71	19-USA 7158-USA	7121-USA
Part #	Description	Contents	Dimensions
6062-USA	Steel Lockout Cabinet Kit	(2) 1.5" Padlocks (2) 3" Padlocks, (2) #7106 1" Steel Hasp, (2) #7107 1.5" Steel Hasp (1) #7105 Small Plug Lockout, (1) #7100 Large Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5" - 5" Valve Lockout, (1) #7101 Large Cylinder Lockout (2) 7110 Single-pole Breaker Lockout, (1) #7111 Multi-pole Breaker Lockout, (1) # 6064 Wall Switch Lockout, (1) # 7010 Safety Tags, Do Not Operate, 10/pk, (10) Cable Ties.	16"H x 15.25"W x 5.5"D
7129-USA	Lockout Toolbox Kit	(3) Padlocks 1.5" Shackle, (3) #7110 Breaker Lockouts, (1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) #7103 1"-2.5" Valve Lockout, (3) #7107 1.5" Steel Hasps, (1) #7010 Safety Tags, 10/pk, (10) Ties	13"W x 6.5"H x 5"D
7158-USA	Plug Lockout Large Pouch Kit	(1)Lockout Bag, (1)Plug Lockout, (2) Tags, (2)CB Lockout- Single, (2) CB Lockout-Double, (1) 900KD Padlock, (1) Hasp 1", (1) Hasp 1.5", (2) Cable Ties	9.5" x 6.4" x 2.8"
7154-USA	Electrical and Valve Lockout Kit	(1)Lockout Box, (1)Plug Lockout, (10) Tags, (1)CB Lockout- Single, (1) CB Lockout-Double, (2) 900KD Padlock,(1) Gate Valve Lockout, (1) Hasp 1", Hasp 1.5", (1) Wall Switch Lockout, (1) Plug Lockout Small (10) Cable Ties	9.5" x 6.4" x 2.8"
7155-USA	Electrical Lockout Kit	(1)Lockout Box, (5) Tags, (1)CB Lockout-Single, (1) CB Lockout-Double, (2) 900KD Padlock, (1) Hasp 1", Hasp 1.5", (5) Cable Ties	9.5" x 6.4" x 2.8"
7156-USA	Electric Lockout Toolbox Kit	(3) #900KD-red padlocks, 1.5" shackle, keyed different with 1 key per padlock, color red, assembled in the USA (3) #7110 Breaker Lockouts, (1) #7111 Breaker Lockouts, (1) #6064 Wall Switch Lockout, (1) # 7105 Small Plug Lockout, #7100 Large Plug Lockout, (3) #7107 Large Steel Hasps. (10) #7010 Lockout Tags with legend, "DO NOT OPERATE." 50 lb. pull strength exceeds OSHA's requirement. Qty. 10 Cable Ties	13" x 6.5" x 5"
7119-USA	General Application Small Pouch Kit	(2) 1.5" Padlocks, (1) # 7106 1" Steel Hasp, (1) #7107 1.5" Steel Hasp, (1) #7110 Breaker Lockout, (3) #7010 Do Not Operate Tags	6"H x 7"W x 2"D
7120-USA	Valve Lockout Large Pouch Kit	(1) #7103 1"-2.5" Valve Lockout, (1) #7104 2.5"-5" Valve Lockout, (2) 1.5" Padlocks, (2) #7010 Do Not Operate Tags, (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (1) #7110 Breaker Lockout, (3) Ties.	8"H x 7"W x 3"D
7121-USA	Plug Lockout Large Pouch Kit	(1) #7100 Large Plug Lockout, (1) #7105 Small Plug Lockout, (1) 1.5" Padlock, (1) 1.5" Yellow Padlock (1) #7107 1.5" Steel Hasp, (1) #7106 1" Steel Hasp, (2) #7010 Do Not Operate Tags, (3) Ties	8"H x 7"W x 3"D

Forklift Lockout Kit

The Forklift Lockout Kit effectively locks out forklifts for routine maintenance and repair. The lockout device also locks out LP tanks. Contents include:

- (1) 7294 Universal Forklift/Plug/Valve Lockout
- (1) 7030 Padlock
- (4) 7356E Equipment Lockout Tags
- (4) 7130 Cable Ties

Part #	Description	Dimensions
7390	Forklift Lockout Kit	3.5"H x 2.5"W x 0.3"D



Forklift Signs

Zing Forklift Safety Signs promote lift truck awareness.

The signs are made in the USA from durable recycled materials!

V Signs measure 7"H x 12"W x 5" depth.

L Signs measure 7"H x 2.5"W x 7" depth.



Material	7x10	10x14
Plastic	1155	2155
Aluminum	1155A	2155A
Adhesive	1155S	2155S



V-Shape	2596
L-Shape	2597

Forklift Tags and Labels

Forklift Tags and labels communicate critical forklift safety information. Labels conveniently adhere directly to any hard, dry surface. Tags and Labels are sold 10/pk.



7500







7505

7506

Part #	Description	Dimensions
7500	Safety Tag, Do Not Use Forklift, 10/pk	6"H x 3"W
7501	Safety Tag, Forklift Inspection, 10/pk	6"H x 3"W

Part #	Description	Dimensions
7505	Forklift Label, 3" x 3", Keep Hands and Feet in Vehicle, 10/pk	3"H x 3"W
7506	Forklift Label, 3" x 3", Three Points of Contact, 10/pk	3"H x 3"W

Forklift Safety/Lockout Kits

ZING forklift lockout kits facilitate the safe maintenance, service, and repair of forklifts and other electric or propane-powered vehicles. The kits provide a comprehensive lockout solution and include devices, locks, tags, and adhesive safety labels in a durable, portable fabric pouch. **Includes ZING's exclusive #7294 multi-purpose lockout device!**



Part #	Description	Contents	Dimensions
7675	Forklift Lockout Kit	(1) #7500 Tags, Danger Do Not Use Forklift, 10/pk, (1) #7501 Tags, Forklift Inspection, 10/pk, (1) #7505 Safety Labels, Keep Hands in Vehicle, 10/pk, (1) Safety Labels, Maintain 3 Points of Contact, 10/pk, (1) #7030 Padlock 1.5" Shackle, (1) #7620 1.5" Hasp, (1) #7294 Forklift/Plug/Cylinder Lockout Device, (10) Cable Ties	8"H x 7"W
7677	Deluxe Forklift Lockout Kit (1) #7500 Tags, Danger Do Not Use Forklift, 10/pk, (1) #7501 Tags, Forklift Inspection, 10/pt (1) #7505 Safety Labels, Keep Hands in Vehicle, 10/pk, (1) Safety Labels, Maintain 3 Points Contact, 10/pk, (2) #7030 Padlock 1.5" Shackle, (1) # 7619 1" Hasp, (1) #7620 1.5" Hasp, (1) #7294 Forklift/Plug/Cylinder Lockout Device, (10) Cable Ties		8"H x 7"W

Need to re-order components? All kit components can be ordered separately!

Part #	Description
7675	Economy Forklift Lockout Kit
7677	Deluxe Forklift Lockout Kit
7294	Forklift/Plug/Valve Lockout Device
7030	Safety Padlock, 1.5" Shackle, Red
7619	Lockout Hasp, 1" Jaw Diameter, Steel, Red

Part #	Description
7620	Lockout Hasp, 1.5" Jaw Diameter, Steel, Red
7500	Safety Tags, 6" x 3", Danger Do Not Use Forklift, 10/pk
7501	Forklift Inspection Tags, 6" x 3", 10/pk
7505	Forklift Label, 3" x 3", Keep Hands and Feet in Vehicle, 10/pk
7506	Forklift Label, 3" x 3", Three Points of Contact, 10/pk

Lockout Bag Kits

Lockout Bag Kits store and transport lockout/tagout devices and documents. A variety of lockout devices are included. Bags are also available separately.



7672 Electrical Lockout Kit



Valve Lockout Kit



7674





*Comprehensive and Portable!

• Durable nylon construction. • Wire framing around top edges

keeps bag open when in use. • Shoulder strap and 2 handles for

with bases of 12", 16", & 18"

easy transportation. • Available in 3 sizes,

Maintenance Department Lockout Kit



Deluxe Electrical Lockout Kit



Deluxe Valve Lockout Kit

Electric Vehicle Lockout Bag Kits

Convenient kits are designed to lock out low voltage and high voltage systems on electric and hybrid vehicles.



SKU	Description	Quantity
7341	Medium Tool Bag	1
7299R-UN	Group Lockout Box	1
7030	Red KD Padlocks	2
7830	Universal Fuse Carrier/Isolation Port Lockout	2
7835	RFID Blocking Bags	2
7512	Plastic Hasps	2
7027	Lockout Tags 10/Pk	1
7025E	High Voltage Tags	2
7130	Cable Ties	10
2654	High Voltage Sign	2
7294	Multi Plug Lockout	1
7100	Large Plug Lockout	1
7105	Small Plug Lockout	1
7245	Cable Lockout	1



7833

SKU	Description	Quantity
7340	Small Tool Bag	1
7030	Red KD Padlocks	2
7830	Universal Fuse Carrier/Isolation Port Lockout	1
7835	RFID Blocking Bags	1
7512	Plastic Hasps	1
7027	Lockout Tags 10/Pk	1
7130	Cable Ties	10
7294	Multi Plug Lockout	1
7100	Large Plug Lockout	1
7105	Small Plug Lockout	1
7245	Cable Lockout	1

Electric Hybrid Vehicle HIGH VOLTAGE and DISCHARGED Maintenance Signs

High visibility Danger High Voltage and Discharged projecting signs sit on top of a vehicle surface like the car top during maintenance work and help to warn workers about the current state of the vehicle being worked on. The sign features a V style shape to provide stability and includes non-slip rubber feet to prevent sliding and protect the surface of the vehicle. The sign is made from durable, eco-friendly plastic. The sign face is 6.5" High x 11" Wide, and the base is 8" Deep.

Also available in a set of 3: order part # 2652!









2649

2650





2651

Universal Fuse Carrier/Isolation Port Lockout

The adjustable Universal Fuse Carrier/Isolation Port Lockout is a multi-use, safety lockout device used for locking out electrical fuse holders up to 100A (20amp, 32amp, 63amp and 100amp), sometimes referred to as Red Spot Fuses. The device also locks out electrical isolation port/sockets on electric and hybrid vehicles commonly referred to as the Manual Service Disconnect (MSD). The adjustable design makes it suitable for larger Red Spot fuse holders rated at 63A and 100A and other similar cavity style fuse holders. The device can be installed without the use of any tools by simply gripping the side wall of the fuse holder and then is locked in place with safety padlock (insulated/dielectric padlock recommended). It is designed to restrict finger access to live contacts and prevent the reinsertion of a fuse or connectors while maintenance is in progress. It is constructed from a blend of Polycarbonate and ABS for high impact strength and durability. It has no metal parts to reduce risks in live working environments. Accepts any padlock up to 1/4" diameter shackle.



Part #	Description	Dimensions
7830	Universal Fuse Carrier/Isolation Port Lockout	3" x 2" x 0.5"

Electric Hybrid Vehicle Keys

Electric Hybrid Vehicle Key Tags warn workers of high voltage vehicles and has an area for the Technician in Charge to be written in. The tag is made from durable plastic and measures 2" High x 2.75" Wide.



7831

RFID Blocking/Faraday Key Pouch





RFID Blocking/Faraday key pouch prevents accidental transmission of key signal to vehicle. 3" x 5", Black.

Electric Hybrid Vehicle Maintenance Signs – Window Mount

Window mount Electric Hybrid Vehicle signs warn workers that they are working on a high voltage vehicle. The signs include a suction cup mount so they can be applied directly to a window. Indicates high voltage and only authorized personnel are allowed. The sign has an area for the Technician in Charge to be written in (wet erase markers recommended if reusability is desired).



2653

Part #	Description	Dimensions
2653	Window-Mount EV Sign	10" x 7"
2654	Danger High Voltage - Red	7" x 10"

Part #	Description	Dimensions
2655	High Voltage – Discharging, Orange	7" x 10"
2656	Vehicle Safe – Discharged, Green	7" x 10"

Laboratory Valve Lockout Kits





ZING #7822 Laboratory Ball Valve Lockout Kit is designed to lock out ball valves with lever handles typically used in laboratory settings. The device is made from durable PETG red plastic and has a 1" diameter opening that fits over the valve body. It accommodates a single padlock with up to a 5/16" diameter shackle. The kit includes: (1) Patent Pending #7821 lockout device, (1) #7308 carrying pouch, (1) #7030 red lockout padlock, (2) #7343 lockout tags and (2) cable ties.



Part #	Description	Dimensions
7822	Laboratory Ball Valve Lockout Kit	7"H x 6"W x 2D

ZING #7823 Laboratory Needle Valve Lockout Kit is designed to lock out needle valves with standard four-arm handles typically used in laboratory settings. The device is made in the USA from durable plastic and measures 1"H x 3"D. The lockout fits 1"-2.5" valves and accommodates 3 padlocks with shackles up to 3/8" diameter. The kit includes: (1) #7103 handle lockout device, (1) #7308 carrying pouch, (1) #7030 red lockout padlock, (2) #7343 lockout tags and (2) cable ties.



Part #	Description	Dimensions
7823	Laboratory Needle Valve Lockout Kit	7"H x 6"W x 2D



ZING #7824 Laboratory Valve Lockout Kit is designed to lock out ball valves with lever handles and gas needle valves with standard four-arm handles typically used in laboratory settings. The ball valve device is made in the USA from durable PETG red plastic and has a 1" diameter opening that fits over the valve body. It accommodates a single padlock with up to a 5/16" diameter shackle. The needle valve device is made in the USA from durable plastic and measures 1"H x 3"D. The lockout fits 1"-2.5" valves and accommodates 3 padlocks with shackles up to 3/8" diameter. The kit includes: (1) #7103 handle lockout device, (1) Patent Pending #7821 lockout device, (1) #7308 carrying pouch, (1) #7030 red lockout padlock, (5) #7343 lockout tags and (5) cable ties.

Part #	Description	Dimensions
7824	Laboratory Valve Lockout Kit - Standard and Needle	7"H x 6"W x 2D

Laboratory Needle Valve Lockout Kits



ZING #7829 Laboratory Valve Lockout Deluxe Kit is designed to lock out ball valves with lever handles and gas needle valves with standard four-arm handles typically used in laboratory settings. The ball valve device is made in the USA from durable PETG red plastic and has a 1" diameter opening that fits over the valve body. It accommodates a single padlock with up to a 5/16" diameter shackle. The needle valve device is made in the USA from durable plastic and measures 1"H x 3"D. The lockout fits 1"-2.5" valves and accommodates 3 padlocks with shackles up to 3/8" diameter. The kit includes: (3) #7103 handle lockout device, (3) Patent Pending #7821 lockout device, (1) #7309 carrying bag, (3) #7030 red lockout padlock, (1) #7320 cable padlock with 2' cable, (10) #7343 lockout tags and (10) cable ties.



Part #	Description	Dimensions
7829	Deluxe Laboratory Valve Lockout Kit - Standard and Needle	8"H x 7"W x 3D

Laboratory Ball Valve Lockout

ZING Patent Pending #7821 Laboratory Ball Valve Lockouts lock out ball valves with lever handles typically used in laboratory settings. The device is made from durable PETG red plastic and has a 1" diameter opening that fits over the valve body. It accommodates a single padlock with up to a 5/16" diameter shackle. Made in the USA.



Part #	Description	Dimensions
7821	Laboratory Ball Valve Lockout	3.5"H x 3.125"W x 1.125"D

Group Lockout Box, 13-Lock, Steel



The 7636 Group Lockout Box provides a convenient and safe lockout method for group lockout operations. The box is made out of durable stainless steel and polycarbonate. It measures 7.25"H and 10.75"W x 4.35"D. The box accepts up to 12 padlocks plus 1 on the box latch.

Part #	Description	Dimensions
7636	Group Lockout Box, 13-Lock, Steel	7.25"H 10.75"W x 4.35"D

13-Lock Stainless Steel Group Lockout Box

Portable group lockout box protects workers in group maintenance and repair operations. The box is made in the USA from recycled stainless steel and accepts 12 padlocks, plus 1 on the latch. Unique inner shelf provides extra security for stored keys. Retractable handle for easy transportation and storage. Measures 6-1/4"H x 9"D x 4"W.







Part #	Description	Dimensions
6061Y	Group Lockout Box, Steel, Yellow	6.25" x 9" x 4"
6061R	Group Lockout Box, Steel, Red	6.25" x 9" x 4"

7-Lock Group Lockout Box

Portable group lockout box protects workers in group maintenance and repair operations. Rugged steel construction. The box accommodates up to 7 padlocks.

Part #	Description	Dimensions
7286	7- Lock Group Lockout Box, Steel, Red	6.25" x 4.25" x 4.25"



13-Lock Group Lockout Box

The Group Lockout Box provides a convenient and safe lockout method for group lockout operations. The box is made out of durable steel, and accepts up to 12 padlocks, plus 1 on the box latch.

Part #	Description	Dimensions
7299R-UN	13-Lock Group Lockout Box, Steel, Red	6" x 10" x 4"
7299Y-UN	13-Lock Group Lockout Box, Steel, Yellow	6" x 10" x 4"
7697	13-Lock Group Lockout Box, Steel, Red	7" x 10" x 7"



26-Lock Group Lockout Box

Group lockout box supports compliance in group lockout operations. The box is made from durable steel and accepts up to 26 padlocks. The box features a clear sliding lid, which can be locked when the box is closed. The box measures 9.25"H x 4.25"W x 5.5"L.

Part #	Description	Dimensions
7630	26-lock Group Lockout Box, Steel, Red	9.25" x 5.5" x 4.25"



Portable Wall-Mount Group Lockout Box

Wall-Mountable Group Lockout Box protects workers during maintenance and repair operations. The device measures 7"H x 10"D x 4"W and is made of durable steel. Accommodates up to 12 padlocks, plus 1 on the latch.

Part #	Description	Dimensions
7288	Group Lockout Box, Wall Mount, Red	7" x 10" x 4"



Wall-Mount Group Lockout Box

Wall-Mount Group Lockout Boxes provide a durable, convenient solution to group lockout. Clear plastic doors allow workers to easily see the contents. Mounting holes are pre-drilled. Hardware is included.









Part #	Description	Dimensions H x W x D	Padlock Capacity
7366	Group Lockout Box, Steel, Red	18" x 10.5" x 4.5"	12
7386	Group Lockout Box, Steel, Red	9.25" x 8.10" x 2.35"	7
7387	Group Lockout Box, Steel, Red	13.35" x 8.12" x 3.10"	9
7388	Double Lockout Box, Steel	7" x 12" x 2"	12
7389	Group Lockout Box, Plastic	11" x 13" x 4"	27
7813	Group Lockout Box - 13-Hole Portable or Wall Mount	12" x 3" x 6"	13



7813

Lockout Key Cabinet

Key Cabinets store and organize the keys of lockout padlocks. The cabinet is made from durable powder-coated steel with a clear plastic window. 4 mounting holes are pre-drilled for easy installation. A security lock and two keys are included. Available in 3 sizes.

Part #	Description	Dimensions
7331YC	Key Cabinet, 30 Key Capacity	14" x 10.5" x 2"
7332YC	Key Cabinet, 60 Key Capacity	18.25" x 15.5" x 2"
7333YC	Key Cabinet, 160 Key Capacity	18.25" x 15.5" x 4"



Padlock Stations

Padlock stations conveniently store and organize lockout padlocks. The station is made from durable powder-coated steel. Mounting holes are pre-drilled for easy installation. Available in 4 sizes, stocked or unstocked.

Stocked Part #	Unstocked Part #	Description	Padlock Capacity	Dimensions H x W x D
6075 (includes 5 700KD locks)	7379	Padlock Station, Steel	5-6	2.75" x 5.10" x 1.20"
6076 (includes 10 700KD locks)	7380	Padlock Station, Steel	10-12	2.75" x 9.85" x 1.20"
6077 (includes 15 700KD locks)	7381	Padlock Station, Steel	15-18	2.75" x 14.5" x 1.20"
6078 (includes 20 700KD locks)	7382	Padlock Station, Steel	20-24	2.75" x 19.30" x 1.20"



Padlock Cabinet

Padlock cabinets store and organize lockout padlocks. Made from durable powder-coated steel. A security lock and two keys are included.

Part #	Description	Dimensions	Door Type
7335	Padlock Cabinet, 10 Hooks, 19 Lock Capacity	14"H x 10.5"W x 2"D	Clear
7336	Padlock Cabinet, 21 Hooks, 41 Lock Capacity	18.25"H x 15.5"W x 2"D	Clear
7337	Padlock Cabinet, 28 Hooks, 55 Lock Capacity	23"H x 15.5"W x 2"D	Clear
7338	Padlock Cabinet, 42 Hooks, 84 Lock Capacity	23"H x 15.5"W x 5.5"D	Clear
7376	Padlock Cabinet, 21 Hooks, 41 Lock Capacity	18.25"H x 15.5"W x 2"D	Solid
7377	Padlock Cabinet, 55 hooks, 112 Lock Capacity	23"H x 15.5"W x 5.5"D	Solid
7378	Padlock Cabinet, 109 hooks, 220 Lock Capacity	23"H x 31.5"W x 5.5"D	Solid





7376

Eco Hasps

Eco hasps are made from 100% recycled material. The steel and plastic models feature tabs for extra strength and pry-resistance. Plastic hasps are dielectric. Made in North America. UL Validated for high recycled content.

Part #	Description	Dimensions
7106	Lockout Hasp 1" Steel with Tabs	0.5"H x 1.5"W x 5"D
7107	Lockout Hasp 1.5" Steel with Tabs	0.5"H x 1.5"W x 4.5"D
7108	Lockout Hasp 1" Plastic	0.5"H x 1.5"W x 5"D
7109	Lockout Hasp 1.5" Plastic	0.5"H x 1.5"W x 4.5"D
7127	Lockout Hasp 1" Aluminum	0.5"H x 1.5"W x 5"D
7128	Lockout Hasp 1.5" Aluminum	0.5"H x 1.5"W x 4.5"D
7102	Hasp/Tag Combo Device	7" L x 3" W





Coated Hasps

Coated hasps are highly visible and easy to grip. Accepts padlocks with a shackle diameter up to 0.35" and accommodates up to 6 locks.



Part #	Description	Dimensions
7619	Coated Steel Hasp, Red, 1" Jaw Diameter	1.75"H x 1.63"W x 0.35"D
7620	Coated Steel Hasp, Red, 1.5" Jaw Diameter	2.5"H x 5"W x 0.35"D
7642	Coated Steel Hasp, Yellow and Black, 1" Jaw Diameter	1.75"H x 1.63"W x 0.35"D
7643	Coated Steel Hasp, Yellow and Black, 1.5" Jaw Diameter	2.5"H x 5"W x 0.35"D
7644	Coated Steel Hasp, Red, 1" Jaw Diameter, with Tabs	1.75"H x 1.63"W x 0.35"D
7645	Coated Steel Hasp, Red, 1.5" Jaw Diameter, with Tabs	2.5"H x 5"W x 0.35"D
7545	Coated Aluminum Hasp, Red, 1" Jaw Diameter	1.75"H x 1.63"W x 0.35"D
7546	Coated Aluminum Hasp, Red, 1.5" Jaw Diameter	2.5"H x 5"W x 0.35"D



Stainless Steel Hasp

Stainless Steel Hasps are made from die-casted stainless steel for maximum corrosion resistance. Accommodates multiple padlocks.

Part #	Description	Dimensions
7242	Lockout Hasp, Stainless Steel	3.5"H x 2.5"W x 0.3"D



Large Hasps

ZING large lockout hasps help keep workers safe when several workers are affected by the same energy isolation point.




Part #	Description	Dimensions
7240	Lockout Hasp, 12 Hole, Steel	8.5"H x 2.25"W x 0.3"D
7241	Lockout Hasp, 24 Hole, Steel	14"H x 2.25"W x 0.3"D
7361	Hasp/Tag Combination Device, Aluminum, 12 Hole	3"H x 7.5"W x 0.25"D

Flexible Dielectric Hasps

Flexible Lockout Hasps are made from durable plastic and accommodate multiple padlocks. The hasp is lightweight and completely non-conductive. Ideal for use on electrical panels, miniature circuit breakers, switches, and panel handles.

Part #	Description	Dimensions
7270	Lockout Hasp, Plastic, 3 Hole	4"H x 1.75"W x 0.25"D
7512	Lockout Hasp, Plastic, 6 Hole	8"H x 1.75"W x 0.35"D
7112	Lockout Hasp, Plastic, 6 Hole	7"H x 2"W x 1"D



Double-ended Hasps

Double-ended hasps feature a dual-jaw design for versatile lockout applications.

Part #	Description	Dimensions
7269	Double-Ended Hasp, Steel, 6 Hole	6"H x 4.5"W x 3.5"D
7616	Double-Ended Hasp, Aluminum, 10 Hole	6"H x 2"W x 0.25"D



Motor Protection Lockout

Motor Protection Circuit Breaker lockout is a unique device for locking out the breakers on a motor control unit by encasing the breaker. Fits up 1.75" breaker housing. Features:

- Made of special grade alloy and ABS.
- Can be installed on variety / types of MPCB of different companies.
- A padlock should be applied on the MPCBL for locking it out.

Part #	Description	Dimensions
7816	Motor Protection Lockout	3"H x 4"W x 3"L



7816 application

Knife Switch/Power Handle Lockout

The 7815 Knife Switch Lockout is used to lockout knife switch style power handles and does not require the device to be secured to anything other than the switch itself. The device accommodates up to 4" diameter handle bases with up to a .6" diameter, 5" long handle. Includes 2 different styles of handle attachments to accomodate both round or oblong shaped handles.

Part #	Description	Dimensions
7815	Knife Switch Lockout	7"H x 2.5"W x 2"L





Ball Valve Lockouts

Ball Valve Lockouts lock quarter-turn ball valves in the OFF position. Available in steel and plastic.



Part #	Material	Description	Valve Size	Dimensions
7273	Steel	Ball Valve Lockout, Accepts 8 Padlocks	Fits 0.25" - 1" Valves	3.5"H x 2.5"W x 2.1"D
7274	Steel	Ball Valve Lockout, Accepts 15 Padlocks	Fits 1.25" - 3" Valves	5.5"H x 5"W x 5"D
7275	Plastic	Ball Valve Lockout, Accepts 8 Padlocks	Fits up to 1.5" Valves	6"H x 5"W x 4.5"D
7670	Steel	Ball Valve Lockout, Accepts 6 Padlocks	Fits 0.25" - 1" Valves	6"H x 2"W x 0.5"D

Adjustable Ball Valve Lockouts

Adjustable Ball Valve Lockouts lock and close ball valve openings of various sizes. Nylon and stainless steel construction. Designed to lock out quarter-turn valves of varying sizes and handle dimensions (round, square or flat) up to 1-1/4" thick x 1-5/8" wide. Valves can also be locked in the ON or fixed positions for non-lockout applications.

Part #	Description	Dimensions	Fits Handle Sizes
7633	Adjustable Ball Valve, with 4.5" Arm	10"H x 3"W x 7.2"D	Up to 1" Wide, 0.6" Thick
7634	Adjustable Ball Valve, with 5.75" Arm	10"H x 3.5"W x 7.5"D	Up to1.6" Wide, 1.1" Thick





7634

Ball Valve Lockout Device

Ball Valve Devices fits most common ball valves. The sleeves inside the cover adjust to grip valves. The device is non-conductive and resistant to extreme weather & temperature conditions.



Part #	Description	Valve Sizes	Dimensions
7249	Ball Valve Lockout	Fits Valves from .38" to 1.4" Diameter	8"H x 3.75"W x 4"D
7250	Ball Valve Lockout	Fits Valves from 1.5" to 2.5" Diameter	11"H x 4"W x 5"D
7251	Ball Valve Lockout	Fits Valves from 2" to 8" Diameter	14"H x 4.75"W x 6"D



7249 application

Pull Handle Valve Lockout Device

The Pull Handle Butterfly Valve Lockout provides an easy-to-use lockout solution for butterfly valves. The device is resistant to cracking, abrasions, heat, and cold. Excellent for the food and beverage industry.

Part #	Description	Dimensions
7514	Pull Handle Valve Lockout	8"H x 1.63"W x 1.5"D





Gate Valve Lockouts

Eco Gate Valve Lockouts

ZING Eco Gate Valve Lockouts are made from heavy-duty, 100% recycled plastic. Accommodates 3 padlocks, with shackles up to 3/8" diameter.



Gate Valve Lockouts

Gate Valve Lockout Devices are made from abrasion-resistant polyurethane or steel. When lockouts are secured, they rotate freely around the hand wheel and prevent the valve wheel from being turned.





_		_
7	10	13

7246

Part #	Description	Dimensions	Padlock Capacity
7103	Eco Gate Valve Lockout, fits wheels from 1"-2.5"	1"H x 3"W x 3"D	3
7104	Eco Gate Valve Lockout, fits wheels from 2.5"-5"	1.75"H x 5.75"W x 5.75"D	3
7246	Gate Valve Lockout, fits wheels from 5"-6.5"	7"H x 7"W x 2"D	3
7247	Gate Valve Lockout, fits wheels from 6.5"-10"	1.75"H x 5.75"W x 5.75"D	3
7248	Gate Valve Lockout, fits wheels from 10"-13"	0.75"H x 3"W x 7"D	3
7807	Gate Valve Lockout, Steel, fits wheels from 1-2.5"	3.5"H x 3"W x 3"D	2
7808	Gate Valve Lockout, Steel, fits wheels from 2.5-5"	6"H x 5.5"W x 5.5"D	3
7809	Gate Valve Lockout, Steel, fits wheels from 5-6.5"	7.5"H x 7"W x 7"D	4
7810	Gate Valve Lockout, Steel, fits wheels from 6-10"	11"H 11" W x 3"	4
7811	Gate Valve Lockout, Steel, fits wheels from 10-13"	14"H 14" W x 3"	4



7807

Adjustable Gate Valve Lockout

Adjustable Gate Valve Lockout Devices fit valve hand wheels from 1" to 6.5". Made of durable polypropylene and resistant to extreme temperature changes (-13°F to 194°F).

Part #	Description	Dimensions
7271	Adjustable Gate Valve Lockout, Plastic	7"H x 5"W x 2"D





Butterfly Valve Lockout Device

Fits most common butterfly valves. Resistant to cracking, abrasion, solvents and other chemical products.

Part #	Description	Dimensions
7605	Butterfly Valve Lockout	12"H x 4"W x 2.75"D





Plug Lockouts

Eco Small Plug Lockout fits up to 0.5" diameter cords and 2"W x 3"L plugs. Accepts 3 padlocks. Made in USA from recycled plastic.

Eco Large Plug Lockout features a universal fit closure, which accepts up to a 1.25" diameter cord and 3"W x 5.5"L plugs. Accepts 3 padlocks. Made in USA from recycled plastic.

Small Plug Lockout fits up to 0.5" diameter cords and accepts 4 padlocks.

Large Plug Lockout fits up to 1" and 1.5" diameter cords and accepts 4 padlocks.

110-120V Two-Prong Plug Lockout Device works on two prong plugs with or without the ground, polarized and non-polarized. Device is keyed different and comes with two keys.

Propane Tank Lockout fits LP gas cylinder handwheels up to 2-3/16" diameter. Accommodates up to 3 padlocks with shackles up to 9/16" diameter.

Small Premier Lockout: 110V plug lockout with 1/2" diameter hole for cable.

Large Premier Lockout: 220V / 500V plug lockout with 1" diameter hole for cable.

Large Rectangular Plug Lockout: locks out standard and large 3 phase connectors, and 220V / 500V plugs up to 1/10"H x 3-2/5"D x 3-1/3"W. Fits cord diameters from 1/3"-3/4".

Pneumatic/Plug Lockout: locks out 220V/500V plugs and standard and larger 3-phase connectors, plus 4 sizes of male pneumatic hose fittings.









7100














7629





7509





Forklift/Plug/Cylinder Lockout

Exclusive from ZING™ #7294 Multi-purpose Lockout Device



The Universal Forklift/Plug/Cylinder lockout allows workers to perform several lockout functions with one convenient device. The device effectively locks out plugs, gas cylinder shut-off valves, and electric or propane powered forklifts. The device is made in the USA from 100% recycled plastic and supports OSHA standard 1910.147.

Applications Include:

Plug Lockout



- 120 Volt Plug
- 250 Volt-Sp Plug
- 15-60 Amp 3P Plug

Electrically-powered Forklifts



- Battery Plug 50-350 AMP
- Starter Battery Negative(-) Terminal

Cylinder Lockout



• Fits all standard gas cylinder wheels

Gas-powered Forklifts



- LP Gas Cylinder Shutoff Valve
- LP Gas Tank Coupling

Part #	Description	Dimensions	Padlock Capacity
7294	Forklift/Plug/Cylinder Lockout Device	3"H x 4.25"W x 7.25"L	6

ylinder Lockouts

Cylinder Lockout fits over neck rings up to 3-1/2" diameter and valve stems to 1-1/4". Accommodates 3 padlocks with shackles up to 9/16" diameter. The device measures 5"W x 7"H.

Cylinder Lockouts, Full and Empty Status:

effectively locks out gas cylinders and indicates fill levels. The device is made from polystyrene and accepts up to 3 padlocks.

Part #	Description	Dimensions
7101	Cylinder Lockout	5"H x 5"W x 7"D
7311	Cylinder Lockout, Full Status	4"H x 4"W x 6"D
7312	Cylinder Lockout, Empty Status	4"H x 4"W x 6"D



7101







7312

Steering Wheel Covers

Warning covers communicate important safety information. Warning messages are written in English, Spanish, and French for broader communication. Brass reinforced padlock hole can be locked with a padlock or lockout hasp.

Part #	Description	
7345	Steering Wheel Cover, 15.75" Diameter, Plastic	
7346	Steering Wheel Cover, 19.75" Diameter, Plastic	
7347	Steering Wheel Cover, 23.6" Diameter, Plastic	
7345-HD	Steering Wheel Cover, 15.75" Diameter, Heavy-duty Canvas	
7346-HD	Steering Wheel Cover, 19.75" Diameter, Heavy-duty Canvas	
7347-HD	Steering Wheel Cover, 23.6" Diameter, Heavy-duty Canvas	



Fire Hydrant Covers



Out Of Service Hydrant Covers provide a high visibility solution for identifying fire hydrants that are out of service. They are made from heavy duty canvas with a PVC waterproof inner backing. Covers include a cut out for hydrants with snow poles/markers. Hook and loop cinch strap in back secures cover to hydrant. Size: 34"H x 18" diameter (56.5" Circumference). Red with a white 4" Out of Service legend. Made in the USA.



Part #	Description	Dimensions
4100	Fire Hydrant Cover	34"H x 8"W x 7.25"L

Blind Flange Lockout

New Blind Flange Lockout devices provide a safe and easy-to-use pipeline lockout solution. The adjustable cup ensures a secure fit when locked in place with a lockout padlock.

- Coated aluminum construction with hardened steel rod.
- Fully conceals flange bolts, preventing access to the blind until all work has been completed.
- Adjustable device provides a tight fit.
- Available in three sizes, covering pipe diameters from 1/2" to 24".
- Accommodates up to 8 padlocks.
- Performs in temperatures from -40 to 200 degrees Fahrenheit.










Step 1



Step 2

Step 3

Step 4

Part #	Nut Diameter (A)	Fits Pipe Diameters (B)
7693	3/4" to 1-1/8"	1/2" to 3"
7694	1-1/4" to 1-7/8"	3-1/2" to 12"
7695	2" to 2-3/4" 14" to 24"	
7698	Blind Flange Lockout Set (includes 7693, 7694, and 7695)	

Clamp-on Circuit Breaker Lockouts

Clamp-On Breaker Lockouts work on a wide variety of single-pole and internal-trip multi-pole breakers. The thumbscrew design facilitates easy installation: simply tighten the lockout securely onto switch tongue, pull the cover over the thumbscrew and lock in place. Accepts lock shackles up to 9/32" in diameter. The lockouts are made of durable plastic (polypropylene) and impact-modified nylon. Cleats are included.



7	1		6
/	Z	Э	o

Part #	Description	Dimensions
7256	120/277V Clamp-on Breaker Lockout, with cleat	2"H x 1.25"W x 1.5"L
7257	480-600V Clamp-on Breaker Lockout, with cleat	2.75"H x 2.25"W x 2"L
7258	Oversize Breaker Lockout, 480/600V, Switches up to 2-1/4" wide and 7/8" thick	4"H x 3.75"W x 3"L
7369	Clamp-on Breaker Lockout Set. Includes part #s 7256, 7257, and 7258	6"H x 4.5"W x 2.75"L







Circuit Breaker Lockouts

7284: This lockout fits directly into the switch. To apply, mount in place over "off' position switch and secure with a padlock. Fits most common single-pole breakers.

7285: 120/277 Multi-pole circuit breaker. Requires the breakers to be connected with a cross bar.

: Single-pole lockout device. Fits circuit breaker toggles up to 1/2" wide without a recess hole in the toggle. Made from durable plastic. Fast and easy to install.

: Double pole circuit breaker lockout accommodates larger breakers.

7607: 120/277 Clamp-on circuit breaker lockout fits most multi-pole breakers that employ a tie bar. Durable nylon construction with a stainless steel screw.












Part #	Description	Dimensions
7284	Top Slide Single Pole Circuit Breaker Lockout Device	2.25"H x 1"W x 1"L
7285	Multi-pole Circuit Breaker Lockout Device	2.25"H x 1"W x 1"L
7606	Single Pole Circuit Breaker Lockout Device	2.25"H x 1"W x 1"L
7607	Universal Multi-pole Circuit Breaker Lockout	2.25"H x 1"W x 1"L
7611	Double-pole Lockout for Large Breakers	2.25"H x 1"W x 1"L

Eco Circuit Breaker Lockouts

Universal Circuit Breaker Lockouts features with a slide-on feature which allows the device to be securely mounted to a wide range of breakers. Single-pole (110/220 voltage) and Multi-pole (120/277 voltage) models fit pole switches 0.3" - .6" high, 0.35" - 0.44" deep, with or without a hole. Each breaker lockout will accommodate 1 padlock, with up to a 9/32" shackle diameter. Includes a highly visible lockout label, "DO NOT OPERATE." The devices are made in the USA from recycled plastic. 3/Pack.



Pin In & Pin Out Breaker Lockouts

Slider Breaker lockouts provide a safe and effective method for locking out smaller circuit breakers. No tools are required for installation. Lockouts accommodate 1 safety padlock. Includes a highly visible safety label, "DO NOT REMOVE".

Part #	Description	Dimensions
7259	Pin In Circuit Breaker Lockout	1"H x 2"L x 3/4"W
7260	Pin Out Circuit Breaker Lockout	1"H x 2" L x 3/4"W
7261	Pin Out Wide Circuit Breaker Lockout	1"H x 2"L x 3/4"W
7262	Combo Pack (3 Devices: Pin In, Pin Out, and Pin Out Wide)	1"H x 2"L x 3/4"W



ABB Circuit Breaker Lockout

Lockout device for residual-current circuit breakers (RCCBs). Secures single or multi-pole RCCBs against unauthorized energization.

Part #	Description	Dimensions
7317	ABB Circuit Breaker Lockout	2"H x 1.75"L x 0.38"W



Circuit Breaker Lockout Set

Set of 5 circuit breaker lockout devices safely locks out single and multi-pole breakers. Each device accepts one padlock. Screwdriver required for installation.

Part #	Description	Dimensions
7313	Circuit Breaker Lockout Set	3"H x 2"L x 4"W







Europa Circuit Breaker Lockout

Europa Miniature Circuit Breaker lockout effectively locks out miniature circuit breakers, residual current circuit breakers, and residual-current circuit breakers with overcurrent protection. The device accommodates 1 padlock.

Part #	Description	Dimensions
7314	Europa Miniature Circuit Breaker Lockout, Red	1"H x 1"L x 3"W





*actual color not shown

Multi-function Circuit Breaker Lockout

The Universal Circuit Breaker Lockout fits most miniature circuit breakers and main switches. Extra length clearance on the toggle side allows the device to be used on standard breakers with long toggles. The opposite side of the device accommodates thicker main switches.


Part #	Description	Dimensions
7315	Multi-functional Circuit Breaker Lockout	1"H x 1"L x 2.5"W






Merlin Gerin Breaker Lockout

The Merlin Gerin 4c Breaker Lockout engages in the slot behind the switch toggle, effectively locking out the switch. The device measures 2" x 2" and accepts up to 3 padlocks.







<u>Mini Circuit Breaker Lockout</u>

Miniature Circuit Breaker Lockout effectively locks out ISO/DIN miniature circuit breakers. The device is made from durable aluminum and accommodates 1 padlock with a maximum shackle diameter of 9/32".

Part #	Description	Dimensions
7263	Mini Circuit Breaker Lockout	0.75"H x 0.5"W x 1"L





Snap-on Circuit Breaker Lockout

The Snap-on Circuit Breaker Lockout locks out 120V breakers with holes in the switch tongue. No tools are required for installation. The two ends of the device snap together, which can then be locked out with a lockout padlock.

Part #	Description	Dimensions
7513	Snap-on Circuit Breaker Lockout	2"H x 0.75"W x 0.25"L





Fuse Lockouts

The Round/Bottle Fuse Lockout is designed specifically for E-style fuses. Made from durable, non-conductive material.

The **Fuse Blocker lockout device** is designed to be placed where fuses have been removed, thereby preventing accidental insertion of fuses. The device is made from durable plastic and accepts 1 safety tag. Part # 7609 fits fuse sizes of 13/16", 11/16", and blade-type fuses; part # 7610 fits fuse sizes of 1/4", 9/32", 13/32", and 9/16".


Fuse holder lockout devices clamp on to fuse holders using a small screw. Applying a padlock prevents access to the screw, thereby locking the device into place.



7637







Part #	Description	Dimensions
7637	Fuse Holder Lockout, Round/Bottle	E14 or E18
7638	Fuse Holder Lockout, Round/Bottle	E27 or E33
7609	Fuse Blocker, 4-Way	1.75"H x 1.75"W x 0.75"D
7610	Fuse Blocker, 2-Way	3.25"H x 3"W x 1.25"L
7691	Fuse Holder Lockout	2.25" H x 1.0" W x 0.5"D
7692	Fuse Holder Lockout, Slim	2.25" H x 1.5" W x 0.5"D



7609 and 7610 application

Pin & Sleeve Socket Lockouts

Ideal for locking out pin and sleeve surface-mounted or trailing sockets. Lockouts are available in 4 sizes, and block sockets of 110V, 16 Amp to sockets of 500 V, 63 Amp. The lockouts are made from durable polyproylene plastic. To use the Socket Lockout, simply insert the device into the female socket, bring over the socket flap to hold it in place, and lock out with hasp & padlock.

Part #	Voltage	Description	Dimensions
7264	110-130V	Socket Lockout, Small	4"H x 2"W x 1.5"L
7265	220-240V	Socket Lockout, Medium	4.5"H x 2.5"W x 2.25"L
7266	380-415V	Socket Lockout, Large	5.25"H x 3"W x 2.5"L
7267	500V	Socket Lockout, Extra Large	7"H x 5"W x 4"L





Pin & Sleeve Plug Lockout

Pin & Sleeve Plug Lockout prevents plugs from being used. To apply, slide the device over the alignment tab on the plug rim and snap closed.

I		Dimensions	
7268	Pin and Sleeve Plug Lockout	2"H x 1.25"W x 1"L	





Ladder Lockouts and Lockout Kits

Ladder Lockout Cover Wrap

Wraps identifies ladders that are out of service or defective. Deters use by wrapping around the rungs and being secured with a padlock.

- 11.3 oz
- Overall Length: 87" x 13-3/8"
- Visible area when wrapped on the ladder: 43-1/2" x 13-3/8"
- Bilingual messaging: DANGER DO NOT CLIMB ON LADDER/ PELIGRO NO TREPE LA ESCALERA
- Highly visible graphic for visual communication
- Heavy-duty canvas construction
- 1/2" ID metal grommet at each end
- Can be easily rolled up or folded when not in use
- Made in the USA

7399 also includes (1) Lockout Padlock Keyed Different, with 1 key.

7400 also Includes (1) Lockout Padlock Keyed Different, with 1 key, (1) Out of Service Safety Tag, and (1) Cable Lockout with 3' cable.







7399

7400

Part #	Description	
7398	Ladder Cover Heavy-duty Canvas	
7399	Ladder Lockout Kit, Cover with Padlock	
7400	Deluxe Ladder Lockout Kit, with Cover, 3" Shackle Padlock, Safety Tag, and Cable Lockout	


Push Button Lockouts

Safe & effective method of locking out start/stop buttons.


- Made from clear plastic (polycarbonate).
- Accommodates 1 padlock.
- Lockout labels are provided.
- Easy installation

			4		
		RESET			
				NAME	ANKIT KA
		1/1/2		DESIGNATION	DET
				EMP. NO.	22889
DANGER DO NOT REMOVE	0			MY MACHINE	OIL DISPE
DO NOT REMOVE			AU	AREA	COMP.AS
				SIGNATURE	
				Machine Cl	eaning Ins
			160	- F	1410
	725	2			

7	า	\Box	2
_/	4	Э	J







Electrical Panel Handle Lockout

The Electrical Panel Handle lockout device prohibits the movement of handles or levers on electrical panels. A plastic yellow base and an adjustable stainless steel strip (1" x 11-4/5", with 20 holes) immobilizes handles once locked with a lockout padlock. Recommended for all handles and levers that do not have a built-in lockout arrangement.





Stainless Steel Cable Lockouts

Industrial Steel Cable Lockout devices are made from durable stainless steel and are suitable for harsh or outdoor environments. The cables are made from stainless steel.





7310

Part #	Description	Dimensions
7243	Cable Lockout, Steel, 6.5' Cable, with Adjustable Grip	4.5"H x 4"W x 4"L, with 6.5' Cable
7310	Cable Lockout, Steel, 6' Cable	1.5"H x 4"W x 4"L, with 6' Cable



7243 application

Multi-purpose Cable Lockouts

Multi-purpose Cable Lockouts conform to the shape of your hand, making them easy to adjust and secure. To install, simply squeeze the handle and apply your padlock when the cable is tight and the source is locked out. The device is available with a vinyl-coated steel cable or a dielectric nylon cable.



Part #	Description	Dimensions
7244	Cable Lockout, 3' Steel Cable	6"H x 6"W x 1"L, with 3' Cable
7245	Cable Lockout, 3' Dielectric Nylon Cable	6"H x 6"W x 1"L, with 3' Cable



Universal Cable Lockouts

Cable Lockout devices provide an effective, multi-purpose solution to lockout compliance. The accommodates 6 padlocks with a maximum shackle diameter of 3/8". The hasp is made from durable plastic, with a coated steel cable. Several cable lengths are available; see chart below.

Part #	Description	Dimensions
7289	Cable Lockout, 3' Steel Cable	5"H x 2.5"W x 1"L, with 3' Cable
7290	Cable Lockout, 6' Steel Cable	5"H x 2.5"W x 1"L, with 6' Cable
7291	Cable Lockout, 9' Steel Cable	5"H x 2.5"W x 1"L, with 9' Cable
7292	Cable Lockout, 15' Steel Cable	5"H x 2.5"W x 1"L, with 15' Cable



Eco Cable Lockouts

Eco Cable Lockout prevents switches, valves and other energy devices from being used while equipment is being serviced or repaired. The device is made in the USA from recycled plastic, with a coated steel cable. The closed hasp hole measures 1". The device features pry-resistant tabs for extra security, and

accommodates up to 6 padlocks with shackles up to 3/8" diameter.

Part #	Description	Dimensions
7132	Cable Lockout, Steel, 6' Cable	0.75"H x 3"W x 7"L, with 6' Cable
7133	Cable Lockout, Steel, 10' Cable	0.75"H x 3"W x 7"L, with 10' Cable



Cable Lockouts, 7 Hole

- Easy to carry and use.
- Plastic construction with 6 ft. insulated steel cable.
- Effective in a variety of lockout situations.

Part #	Description	Dimensions
7623	Cable Lockout, 6 ft. Coated Steel Cable	6"H x 2"W x 0.25"L, with 6' Cable
7624	Cable Lockout, 9 ft. Coated Steel Cable	6"H x 2"W x 0.25"L, with 9' Cable



Interlocking Cable Lockout

Interlocking Cable Lockout accommodates up to 4 padlocks and includes a vinyl-coated steel cable. Available with a 6 ft. or 15 ft. cable.

Part #	Description	Dimensions
7625	Cable Lockout, 6 ft. Coated Steel Cable	7"H x 3.25"W x 1"L, with 6' Cable
7646	Cable Lockout, 15 ft. Coated Steel Cable	7"H x 3.25"W x 1"L, with 15' Cable



Cable Lockouts, 4 Hole

Multi-purpose cable lockout device with 6ft. coated steel cable.

- PVC construction.
- Ergonomic design features finger curves and a thumb rest.
- Accommodates 4 padlocks.

Part #	Description	Dimensions
7626	Cable Lockout, 6 ft. Coated Steel Cable, 4 Holes	7"H x 4"W x 1"L, with 6' Cable





Pneumatic Lockout, Fits 7 Sizes

The stainless steel pneumatic lockout device locks out 7 sizes of pneumatic fittings, accommodating nearly all pneumatic fittings commonly used in manufacturing facilities. The device accepts up to 2 padlocks.

The device is easy to install: simply enclose the fittings between the two parts and apply a lockout padlock.

Part #	Description	Dimensions
7631	Pneumatic Lockout, Steel, Fits 7 Sizes	3"H x 7.25"W x 0.25"L



Pneumatic Lockout, Fits 3 Sizes

The 3-sided Pneumatic Lockout device isolates pneumatic energy without the expense of installing in-line lockout valves. The device is applied directly to the male fittings, isolating equipment from all compressed air sources.

Part #	Description	Dimensions	For Male Fittings:
7632	3-sided Pneumatic Lockout	3"H x 3"W x 0.75"L	1/4", 3/8", 1/2"



Wall Switch Lockouts

Wall Switch Lockout devices cover wall-mounted switches and locks switches in the "on" or "off" position. The devices accommodate 1 padlock each, with shackles up to 3/8" diameter.

Part #	Description	Dimensions
6064	Eco Wall Switch Lockout, Red	3.5"H x 1.5"W x 0.25"L
6064-WHITE	Eco Wall Switch Lockout, White	3.5"H x 1.5"W x 0.25"L
7613	Clear Wall Switch Lockout	3.75"H x 1.5"W x 0.5"L
7614	Universal Wall Switch Lockout	4.25"H x 1.5"W x 1"D
7507	Side-Hinge Wall Switch Lockout	3"H x 1.5"W x 0.5"L











Long of the state of the state

7613


7614

Switch/Button/Plug Lockouts

Multi-purpose lockout devices have been designed to lock out switches, buttons, and plugs without a built-in lockout provision. The devices are made from clear polycarbonate. Installation requires three steps:

- 1. Using the self-adhesive backing, attach the base directly over the relevant switch, button, or plug.
- 2. Place the house unit over the base.
- 3. To prevent unauthorized access, apply a lockout padlock.

The devices are available in several different designs (see chart below).



Part #	Description	Dimensions
7255	Key-type lockout device	3"H x 3.5"L x 3.5"W
7276	Switch/Button/Plug Lockout Device, Round, 45-degree cutouts	2.5"H x 3"L x 3"W
7277	Switch/Button/Plug Lockout Device, Round, 55-degree cutouts	3"H x 3.5"L x 3.5"W
7278	Switch/Button/Plug Lockout Device, Small Square Box	2.25" x 2.25" x 2.25"H
7279	Switch/Button/Plug Lockout Device, Medium Square Box	3.1" x 3.1" x 2.25"H
7280	Switch/Button/Plug Lockout Device, Medium Square Box, 45-degree cutouts	3.1" x 3.1" x 2.25"H
7281	Switch/Button/Plug Lockout Device, Medium Square Box, 90-degree cutouts	3.1" x 3.1" x 2.25"H
7282	Switch/Button/Plug Lockout Device, Large Square Box	4.15" x 4.15" x 4.15"H
7283	Switch/Button/Plug Lockout Device, Round	3"H x 3.5"L x 3.5"W

Lockout Tags

Lockout Tags communicate critical safety messages. The surface is easy to write on and will hold up against water, grease and a variety of chemicals. Tags exceed OSHA's 50 lb. pull requirement. Suitable for indoor or outdoor use. Sold in packs of 10.



Part #	Description	Dimensions
7010	Danger Do Not Operate Tags, 10/pk	5.75"H x 3"W
7011	Danger Out of Service Tags, 10/pk	5.75"H x 3"W
7502	Danger Do Not Operate Tags, 10/pk	6"H x 3"W
7503	Do Not Operate Tags, English/Spanish, 10/pk	6"H x 3"W
7504	Lockout Point Tags, 10/pk	6"H x 3"W
7343	Danger Do Not Operate Tags, with Border, 10/pk	5.5"H x 3.25"W

Part #	Description	Dimensions
7344	Danger Out of Service Tags, with Border, 10/pk	5.5"H x 3.25"W
7348	Danger Do Not Operate Tags, 10/pk	5.5"H x 3.25"W
7349	Danger Out of Service, Tags,10/pk	5.5"H x 3.25"W
7357	Stop Do Not Operate Tags, 10/pk	5.5"H x 3.25"W
7358	Only Person Listed Can Remove Tags, 10/pk	5.5"H x 3.25"W
7370	Do Not Operate, Maintenance Tags, 10/pk	5.5"H x 3.25"W

Self-laminating Lockout Tags

Self-laminating tags protect critical messages in industrial environments. When you need a customized message that won't smudge or fade, self-laminating tags let you seal in your message under a clear, protected layer. To laminate, remove the lining and press the clear laminate layer onto your text.

- Each tag features a reinforced grommet for sturdy hanging.
- Durable tags resist water and wear.
- 0.28" thick PVC with polyester laminate.

Part #	Description
7350	Self-laminating Tag, Do Not Operate, Equipment Locked Out By
7351	Self-laminating Tag, Do Not Operate





Two-part Perforated Lockout Tags

Perforated Tags are made from durable plastic and feature a removable stub for enhanced operational control and record-keeping. The tag and stub have matching serial numbers. The stub is removed when the tag is attached to a lockout point. Only the employee in possession of the stub has the authority to remove the tag. After the job is done, stub is returned to management for verification and monitoring.


Part #	Description
7352	Perforated Lockout Tag, Do Not Operate
7356	Perforated Lockout Tag, Equipment Locked Out



Lockout Training Poster

ZING's Lockout/Tagout poster provides a visual overview of Lockout/Tagout procedures. Eye-catching graphics emphasize and reinforce key points. Made from recycled plastic. Poster measures 18"H x 24"W. Made in the USA.

Part #	Description
6065	Eco Lockout/Tagout Poster



Lockout Training Booklets

ZING's Lockout/Tagout Training Booklets provide a clear overview of lockout/tagout procedures. Topics include lockout procedures, lockout devices, group lockout, and employee responsibilities. A quiz is also included to test employee knowledge.

Part #	Description
6071	Lockout Training Booklet, 10/pk



Lockout Registers

Lockout registers encourage lockout compliance and ensure that crucial lockout information is available for employees. The set includes two books: **Energy Isolation Record** and **Equipment Issue/Return Record**. Each department uses a register to:

- store procedures
- record which devices can be used by which employee
- record crucial information about each machine 's location, authorized employees, and recommended devices.

Part #	Description	
7600	Lockout Registers (set of 2)	



Stem Shield Valve Covers






Stem Shields are pipe and elastomeric foam sleeves that quickly slip over exposed stems. A small, stainless steel tether holds the unit firmly in place. They take less than 15 seconds to install and protect the stem for years.

BENEFITS OF STEM SHIELD:

- 1. **Worker Protection:** Workers are protected from injuries associated with exposed valve stems (cuts, gouges, broken ribs, concussions, facial trauma, impalement, etc.). Bright colored stem covers also raise awareness of potential hazards.
- 2. **Valve Protection:** The stems are protected from thread damage. They are protected from elements, corrosion, and over sprays. Also helps prevent yoke contamination, ensuring your valve will continue to operate correctly.
- 3. **Lubricant Protection**: The lubrication needed to keep stems operational is protected from the elements and debris, like sand and dirt, which causes wheels to tighten up and become difficult to turn. Lubricant run-off is eliminated and frequency of lubrication is reduced.



How It Works:

Simply slide the Stem Shield over an exposed stem and clip the stainless steel tether to the wheel or valve yoke casing. The installation process takes less than 15 seconds.

Stem Shield Valve Covers



Stem Shields provide simple, cost-effective safeguards against the all-too-preventable injuries sustained when workers bump, graze, or ram into stems that project from industrial valves.

LIGHTWEIGHT – Stem Shields, depending on size, weigh between 7-14 ounces. They are lightweight and easily ship from supplier to your job site. With 5 main sizes to choose from, Stem Shields are made to fit length and diameter of 95% of all industrial stems.

EASY INSTALLATION– Stem Shields are installed in less than 15 seconds per stem.

NO JOB INTERRUPTIONS– Stem Shields attach to valves without inhibiting operations, Stems are operational with Stem Shield installed.

MADE IN THE USA – Stem Shields are designed with quality in mind, utilizing stainless steel attachments and chemically resistant, waterproof, flexible rubber foam cushioning. Stem Shields are constructed to resist damage, high temperatures, and element erosion. Stem shields will provide quality insurance for years.



Part #	Description
7217	Stem Shield 5" fits 3"-5" Valve Stems
7218	Stem Shield 7" fits 6"-7" Valve Stems
7219	Stem Shield 9" fits 8"-9" Valve Stems
7211	Stem Shield 12" fits 10"-12" Valve Stems
7212	Stem Shield 18" fits 13"-18" Valve Stems

Eco GHS Stations

ZING® Compliance/Training Centers support compliance with the OSHA's GHS/Hazard Communication requirements. Compliance Stations include SDS binders, which provide quick and easy access to important chemical information. Training Stations include SDS binders and training manuals which give employees the resources they need to comply with the new standards. Stations are made in the USA from virtually indestructible aluminum. A variety of sizes and configurations are available; see chart below.











6041

6042











6043

6044

6068

Part #	Description	Dimensions
6039	GHS-SDS Compliance Center, Single Station, Includes 6030 Binder	13.5"W x 19.25"H x 4.75"D
6040	GHS-SDS Compliance Center, Double Station, Includes two 6030 Binders	27.5"W x 23.25"H x 4.75"D
6041	GHS-SDS Training Station, Includes 6030 Binder and 10 Training Books	27.5"W x 23.25"H x 4.75"D
6042	GHS-SDS Compliance Center, Single Station, Bilingual, Includes 6033 Binder	13.5"W x 19.25"H x 4.75"D
6043	GHS-SDS Compliance Center, Double Station, Bilingual, Includes two 6033 Binders	27.5"W x 23.25"H x 4.75"D
6044	GHS-SDS Training Station, Bilingual, Includes 6033 SDS Binder and 10 Training Books	27.5"W x 23.25"H x 4.75"D
6068	GHS SDS Wire Rack Kit, White Wire Rack and 1.5" Ring Binder 9"H x 14"W x 4.5"L	
6069	GHS SDS Wire Rack Kit, White Wire Rack and 3" Ring Binder	9"H x 14"W x 4.5"L
2708	SDS Station Kit, Economy, 1 Wall Rack, 1 1.5" English SDS Binder, 1 SDS Station Wall Sign	12"H x 14"W x 4"D
2709ENG	GHS-SDS Training Booklets, English, 10/pk	8.5"H x 5.5"W
2709SPN	GHS-SDS Training Booklets, Spanish, 10/pk	8.5"H x 5.5"W

Wire Binder Holders

SDS Wire Rack prominently stores safety information. Ideal for storage of SDS binders or any safety procedures required near a job site. The wire rack is made in the USA from high-quality recycled steel. Mounting hardware is included.

<	\vdash		٦	

Part #	Description	Dimensions
7199	Wire Rack Display, Yellow	9"H x 14"W x 4.5"L
7199-WHITE	Wire Rack Display, White	9"H x 14"W x 4.5"L



Eco SDS Binders

ZING SDS Binders are made from 100% post-consumer recycled materials. Our SDS binders are extremely durable, chemical-resistant, easy-to-clean and almost impossible to rip or tear. Each binder contains a heavy-duty ring assembly, which is available in three different sizes: 1.5" (up to 300 sheets), 2.5" (up to 500 sheets), and 3" (up to 600 sheets). The binders are available in English and English/Spanish bilingual versions.







English Binder Part #	English/Spanish Binder Part#	Description	Dimensions
6030	6033	SDS Binder, English, 1.5" Ring, 300 Sheets	12"H x 10.75"L x 2"W
6031	6034	SDS Binder, English, 2.5" Ring, 500 Sheets	12"H x 11.75"L x 3"W
6032	6035	SDS Binder, English, 3" Ring, 600 Sheets	12"H x 12.5"L x 3.5"W

Eco SDS Document Case

Portable Safety Document Case is made from heavy-gauge recycled stainless steel. Extra strong handle allows the unit to be easily carried to job site locations. The Document Case can also be wall-mounted for a more permanent location. Contains a 3-ring binder assembly which holds 300+ sheets.

Part #	Description	Dimensions
6046	GHS/SDS Document Case	13-5/8" x 12"H x 3"D





Eco GHS Projecting Signs

Three-sided TriView[®] and two-sided V and L signs provide 180° of visibility, thereby ensuring that critical information is easily seen by employees. Signs are made in the USA from high-quality recycled plastic. Self-adhesive mounting pads included. UL validated for recycled content.

V-shape 7"H x 12"W, projects 5" L-shape 7"H x 2.5"W, projects 7" **Standard Triview** 7.5"H x 20"W, projects 5" 12"H x 9"W, projects 3"

Slim Triview







6051









6053

6054

6055

6056

Eco GHS Posters



6036

Introduction to GHS Poster explains what the Globally Harmonized System (GHS) is and why OSHA adopted the GHS.



6037

GHS Container Labeling Poster discusses the six types of information contained on a GHS label and the differences between GHS labels and other types of chemical hazard labels.



6038

GHS Safety Data Sheets Poster reviews the composition of Safety Data Sheets (SDS) and the information contained in each section.

Need the Whole Set? Order part # 6070 for All 3 GHS Posters.

Eco GHS Signs

GHS safety signs are available in three eco-friendly materials: 94% recycled aluminum, 70% post-consumer recycled plastic, or recycled polystyrene self-adhesive. Aluminum and plastic signs have pre-drilled mounting holes for easy installation. Plastic signs also include adhesive mounting pads. All signs are 10"x14" except 2677, which is 14"x10".













Material
Plastic
Aluminum
Adhesive

Part #
2658
2658A
2658S

Part#
2659
2659A
2659S

Part#
2660
2660A
2660S

Part#
2661
2661A
2661S

Part#
2662
2662A
2662S

	Part#
	2663
	2663A
	2663S














Material
Plastic
Aluminum
Adhesive



Part#
2665
2665A
2665S

Part#
2666
2666A
2666s

Part#
2667
2667A
26678

Part#
2668
2668A
2668S

Part#
2669
2669A
2669S














Material
Plastic
Aluminum
Adhesive

Part #
2672
2672A
2672S

Part#
2673
2673A
26738

Part#
2674
2674A
2674S

Part#
2675
2675A
2675S

Part#
2676
2676A
2676S

Part#
2677
2677A
2677S

Eco Glove Dispensers

ZING® Glove Dispensers conveniently store and organize glove boxes. Glove dispensers are made in the USA from .150" thick, 100% recycled plastic. Available in clear or white, and in single, double or triple box sizes. Dispensers can be mounted vertically or horizontally.

Part #	Capacity	Color	Dimensions
7220	Single	Clear	10.5"L x 6"W 4"L
7221	Double	Clear	10.5"L x 12"W 4"L
7222	Triple	Clear	10.5"L x 16"W 4"L
7223	Single	White	10.5"L x 6"W 4"L
7224	Double	White	10.5"L x 12"W 4"L
7225	Triple	White	10.5"L x 16"W 4"L

Part #	Capacity
7226	Optional Magnet Mount

*Gloves not included







7224




7225 (Horizontal Mount)


Glove Dispenser Display Racks

Glove Dispenser Display Racks are made from six gauge steel wire with a durable powder-coated finish.

Available in Single, Double, and Triple sizes. Mounting hardware is included.

*Gloves not included





7497 7498



Bouffant, Beard, & Sleeve Guard Dispensers

ZING Eco PPE Dispensers are made in the USA from heavy-duty, 100% recycled plastic for superior durability and crack-resistance.

Bouffant Cap Dispenser

Conveniently stores and organizes bouffant boxes. Can be mounted vertically or horizontally. Holds one bouffant box, up to 9-3/8" wide by 3-3/8" deep.

Beard/Hair Net & Sleeve Guard Dispensers

Easy-access lid keeps contents clean and dust free. Can be wall mounted or simply placed on a counter-top. The Sleeve Guard Dispenser features two compartments.

Part #	Capacity	Dimensions
7305	Bouffant Dispenser	9"W x 10"L x 4"H
7306	Beard Net Dispenser	9"W x 7.5"L x 8"H
7307	Sleeve Guard Dispenser	12"W x 11"L x 10.5"H







YPPE not included

7307

Eco Fire Blanket Kit

Flame-resistant, oversized blanket is used to smother flames and cover injured victims. Ideal for use in first-aid stations, police and rescue vehicles, manufacturing facilities, offices and schools. Includes hangable tote bag. Made from 100% recycled materials. The blanket measures 96"x60". The complete kit measures 23"x23"x4".

Part #	Description	Dimensions
7230	Eco Fire Blanket Kit	23"H x 23"W x 4"L



Industrial Can Crusher and Kit

ZING Industrial Can Crusher helps workplaces save space and recycle efficiently. The can crusher is made in the USA from heavy-duty nylon, stainless steel, and aluminum. The crusher accommodates 12oz. aluminum cans and measures 20"H x 6"W x 3-1/2"L. The can crusher includes a 7" x 10" sign with the legend, "Please Crush Aluminum Cans." The sign is made in the USA from recycled plastic.

Our optional collection barrel attachment (part # 7007), mounts directly to the bottom of the crusher and holds up to 48 cans. The complete kit features the crusher, collection barrel, and triview projecting sign.

Part #	Description	
7006	Industrial Can Crusher and Sign	
7007	Can Collection Barrel, Stores 48 Cans	
7008	Industrial Can Crusher Kit, With Barrel and Projecting Sign	



Eco Tag Center

The Safety Tag Center stores and organizes safety tags. The board features 8 durable hooks, which can accommodate up to 10 tags per hook.

The Tag Center is made in the USA from heavy-duty, impact-resistant recycled plastic. Mounting holes are pre-drilled for easy installation. Bright green color attracts attention and encourages use. Tags sold separately.

Part #	Description	Dimensions
2670	Tag Center, 8 Hooks	15"H x 15"W





Eco Safety Tags

Safety Tags communicate critical safety messages and encourage compliance. The tags are made from heavy-duty 0.055" thick plastic. Made from 70% recycled materials. Accepts 1 padlock each. Sold 10/pk.



Part #	Description	Dimensions
7012	Safety Tag, Blank White, 10/pk	5.75"H x 3"W
7013	Safety Tag, Danger, 10/pk	5.75"H x 3"W
7014	Safety Tag, Safety Inspection Chart, 10/pk	5.75"H x 3"W
7011	Safety Tag, Danger Out of Service, 10/pk	5.75"H x 3"W
7015	Safety Tag, Blank Yellow, 10/pk	5.75"H x 3"W

7016Safety Tag, Fire Extinguisher Inspection Chart, 10/pk5.75"H x 3"W7017Safety Tag, Eye Wash and Shower Inspection Chart, 10/pk5.75"H x 3"W7018Safety Tag, AED Inspection Chart, 10/pk5.75"H x 3"W7019Safety Tag, Caution, 10/pk5.75"H x 3"W	Part #	Description	Dimensions
7018 Safety Tag, AED Inspection Chart, 10/pk 5.75"H x 3"W	7016	Safety Tag, Fire Extinguisher Inspection Chart, 10/pk	5.75"H x 3"W
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7017	Safety Tag, Eye Wash and Shower Inspection Chart, 10/pk	5.75"H x 3"W
7019 Safety Tag, Caution, 10/pk 5.75"H x 3"W	7018	Safety Tag, AED Inspection Chart, 10/pk	5.75"H x 3"W
	7019	Safety Tag, Caution, 10/pk	5.75"H x 3"W

Safety Tags

Safety Tags are made from 0.0275" gauge plastic and feature a brass grommet to reinforce the tag. Surface is easy to write on and resists oil, water, and extreme environments. Sold 10/pk.



LADDER INSPECTION

TO THE PROPERTY OF THE PROP









5 751

310 /

7518

75

Part #	Description	Dimensions
7515	Ladder Inspection Tag	5.75"H x 3"W
7516	Ladder Inspection Checklist Tag	5.75"H x 3"W
7517	Hot Work Permit Tag	5.75"H x 3"W

Part #	Description	Dimensions
7518	Barricade Tag	5.75"H x 3"W
7519	Scaffold Tag, Red	5.75"H x 3"W
7520	Scaffold Tag, Green	5.75"H x 3"W

Eco Signpost Base

ZING's Signpost Base holds parking, traffic, and policy signs firmly in place. The base is made in the USA from recycled tire rubber and supports sustainability initiatives and LEED credits. The recycled rubber construction is weather-proof and virtually maintenance-free. The base will not rust, crack, chip, crumble, or corrode, and the aerodynamic design is resistant to strong winds.

ZING's sign base helps create safe and organized parking and traffic environments. The base is recommended for use in parking lots, garages, corporate facilities, public events, crosswalks, and intersections. The base accommodates nearly all standard traffic signs. and can support round or square posts. The cone-shaped design allows the base to be easily tipped and rolled to new locations.



- 72 lb. aerodynamic design withstands strong winds and severe weather. No sand or water required.
- Promotes safety and minimizes liability & damage in vehicle or pedestrian incidents.
- The base will not rust, chip, crack, crumble, corrode, or need repainting.
- Easy to install.
- Can be tipped and rolled to new locations.
- Made from 100% post-consumer recycled tire rubber.


• Limited lifetime warranty.



72 lb. Solid Tire Rubber Base: Does Not Need Sand or Water and Will Not Tip in Strong Winds!
No Maintenance Required.

Specifications:

- 18" width x 14" height.
- 72lbs. under the 75lbs OSHA occupational lifting limit.
- Square holes support posts 1-3/4" wide.
- Round holes support posts with a 2-3/8" diameter.
- Supports any sign up to 24" diameter
- Made in America.
- Patents pending.





Part #	Description
7423	Rubber Sign Base with round 2-3/8" post hole. Base only.
7425	Rubber Sign Base with square 1-3/4" post hole. Base only.
7440	Sign Base Weight (adds 75lbs to base).
7441	Sign Base Moving Cart.
7442	Yellow Sign Base Cover with round post hole.
7443	Yellow Sign Base Cover with square post hole.
7446	Sign Mounting Hardware Kit (2 bolts, 2 nuts, 4 washers).
7447	Rubber Sign Base with square post (5' height).

7423 and 7442

Eco Sign Base Moving Cart

ZING's Sign Base Moving Cart allows sign bases to be easily moved from one location to another. The cart is specifically designed to accommodate our recycled signpost bases. The cart slips directly under the sign base, which can then be easily tilted and wheeled to a new location, using the post as a handle. The moving cart is made in the USA from high-performance welded steel, and the wheels are made from durable, weather-proof plastic.



Sign Posts


Galvanized Steel Posts:

ZING's steel signposts are sturdy, durable, and rust-proof. The posts measure 5" H x 1-3/4" W. All four sides feature 3/8" diameter mounting holes spaced 1" apart along the center of the post, which allows customers to adjust the height of the sign. Two signs can be mounted on opposite sides of the same post. Steel posts are available in two formats: galvanized steel and powder-coated steel. Powder-coated posts are available in yellow or black.

PVC Posts:

Round PVC signposts measure 5' by 2 3/8" diameter. PVC posts are strong, weather-proof, and can be pre-drilled upon request. Posts are white and include caps.

Part #	Description	
7475	Square Signpost, galvanized steel, 1-3/4" width x 5' height	
7476	Square Signpost, black coated steel, 1-3/4" width x 5' height	
7457	Square Signpost, yellow coated steel, 1-3/4" width x 5' height	
7474	Round Signpost, white PVC, 2-3/8" diameter x 5' height	



Complete Sign Kit Bundles

All complete sign bundle kits include the sign shown, a square galvanized steel signpost (1-3/4" width x 5' height), and a portable sign base. Mounting hardware is included (2 nuts, 2 bolts, 4 washers). All signs are 18"x 12" unless otherwise noted.

ZING aluminum parking signs are made from 99% recycled aluminum, which exceeds the EPA's recommended recycled content levels. All signs meet MUTCD standards and feature 3M Engineered Grade Prismatic reflective sheeting. ZING aluminum signs are UL-E validated for recycled content. Mounting holes are pre-drilled for easy installation.













Dimensions	
Sign Only	
Complete Bundle	

24"H x 24"W	
2232	
7448	ĺ

18"H x 12"W
2465
7449

18"H x 12"W
2466
7450



	18"H x 12"W
ĺ	2206
ĺ	7452









RESERVED
PARKING

Dimensions	
Sign Only	
Complete Bundle	ĺ

18"H x 12"W
2196
7453

18"H x 12"W	ĺ
2197	ĺ
7454	İ

18"H x 12"W	
2680	
7455	

18"H x 12"W	l
2468	
7456	

18"H x 12"W
2205
7458









|--|

Dimensions
Sign Only
Complete Bundle

18"H x 12"W	l
2273	l
7459	İ

12"H x 18"W	
2494	
7480	

18"H x 12"W	
2272	
7461	١

18"H x 12"W
2212
7462

18"H x 12"W
2276
7463

Complete Sign Kit Bundles







18"H x 12"W	
2283	1
7465	1



18"H x 12"W	
7496	I
7466	1



18"H x 12"W	
2238	
7467	



18"H x 12"W
2282
7468



Dimensions	18"H x 12"W
Sign Only	2209
Complete Bundle	7469



18"H x 12"W
2492
7470








12"H x 18"W	Ì
2500	
7472	١



18"H x 12	2"W
2426	
7473	





18"H x 12"W
2218
7478



24"H x 24"W
2229
7479



PRIVATE PROPERTY

AUTHORIZED PERSONNEL ONLY

TRESPASSERS WILL BE PROSECUTED

12"H x 18"W
2494
2480

_	
	18"H x 12"W
	2428
	7481

FOR

PEDESTRIAN

CROSSWALK



Dimensions		
Sign Only		
Complete Bundle		

18"H x 12"W	
2237	
7482	

SP	EED
LI	MIT
1	5

18"H x 12"W	l
2235	
7483	



18"H x 12"W	
2223	
7484	



Fillable Sign Bases

Durable, easily portable sign bases allow you to clearly mark traffic or parking arrangements. Made in the USA from recycled materials!

EZ-Grip finial

- Pre-drilled holes
- Recessed wheels for easy portability
- Avalable in black or yellow and in two sizes
- Can be used indoors or outdoors
- Stability plates keep base stable in 30-40 MPH winds
- Fits a wide variety of signs including 9" x 12", 24" x 24", and 12" x 36" signs



*sign not included

Part #	Description	Weight (filled)	Pole Size	Base Size	Color
7587BK	Fillable Sign Base	25 LBS	42"	18"	Black
7587YL	Fillable Sign Base	25 LBS	42"	18"	Yellow
7588BK	Fillable Sign Base	25 LBS	54"	18"	Black
7588YL	Fillable Sign Base	25 LBS	54"	18"	Yellow
7589BK	Fillable Sign Base	80 LBS	42"	22"	Black
7589YL	Fillable Sign Base	80 LBS	42"	22"	Yellow
7590BK	Fillable Sign Base	80 LBS	54"	22"	Black
7590YL	Fillable Sign Base	80 LBS	54"	22"	Yellow

Eco Parking Signs

ZING Parking Signs are made in the USA from durable, 99% recycled aluminum. All signs meet MUTCD standards and feature 3M reflective sheeting. The reflective sheeting is available in two grades:

Engineer Grade Prismatic (EGP): Recommended for non-critical parking signs and way-finding signs. High Intensity Prismatic (HIP): Highly reflective, recommended for critical messages and nighttime use.

















Size	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	12"H x 12"W	12"H x 12"W
EGP	2212	2213	2209	2286	2287	2214	2217	2211
HIP	2350	2351	2352	2353	2354	2357	2348	2349









NO PARKING ANY TIME



NO PARKING



Size	12"H x 18"W	18"H x 12"W	12"H x 12"W	12"H x 12"W				
EGP	2210	2277	2278	2268	2236	2272	2273	2465
HIP	2358	2367	2368	2340	2339	2373	2374	













NO PARKING Loading Zone



Size	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	12"H x 12"W	12"H x 12"W
EGP	2490	2468	2492	2204	2466	2279	2271	2280
HIP	2491	N/A	2493	2375	2384	2370	2369	2371







PRIVATE
PROPERTY
NO PARKING
UNAUTHORIZED
VEHICLES WILL
BE TICKETED
/TOWED AT
OWNERS EXPENSE

PRIVATE PROPERTY NO TRESPASSING PERMIT PARKING ONLY VIOLATORS SUBJECT TO FINE AND TOWING

10 MINUTE PARKING

TWO Hour Parking

Size	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	12"H x 12"W	12"H x 12"W
EGP	2281	2496	2206	2274	2275	2283	2506	2508
HIP	2372	2497	2378	2377	2376	2384	2507	2509

Eco Parking Signs



VISITOR PARKING CUSTOMER **PARKING ONLY**

COMPANY VEHICLES ONLY

STAFF PARKING ONLY

EMPLOYEE PARKING

RESERVED PARKING

MOTORCYCLE PARKING ONLY

Size	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	12"H x 12"W	12"H x 12"W
EGP	2502	2276	2202	2470	2469	2282	2205	2203
HIP	2503	2383	2381			2382	2380	2379





NO **VEHICLES BEYOND** THIS POINT





RESERVED FOR ULTRA LOW EMITTING VEHICLES AND FUEL **EFFICIENT VEHICLES**





Size	12"H x 18"W	18"H x 12"W	12"H x 12"W	12"H x 12"W				
EGP	2504	2510	2238	2462	2644	2645	2486	2514
HIP	2505	2511	2303				2487	2515

















Size	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	18"H x 12"W	12"H x 12"W	12"H x 12"W
EGP	2284	2285	2218	2216	2197	2207	2208	2196
HIP	2343	2344	2345	2386	2366	2355	2356	2385











VAN



\$250FINE

Size	6"H x 12"W	6"H x 12"W	6"H x 12"W	6"H x 12"W	6"H x 12"W	6"H x 12"W	6"H x 12"W	6"H x 12"W
EGP	2288	2290	2201	2289	2198	2215	2200	2199
HIP	2359	2362	2360	2361	2347	2346	2363	2364











Size	6"H x 12"W	12"H x 18"W	12"H x 18"W	12"H x 18"W
EGP	2291	2500	2498	2494
HIP	2365	2501	2499	2495

State-Specific Handicapped Parking Signs

ADA Handicapped Parking Signs comply with state law requirements. Signs are made in the USA from durable recycled aluminum and feature 3M Engineer Grade Prismatic sheeting.



















State	Alabama	Arkansas	California	Connecticut	Connecticut	Florida	S. Florida	Georgia	Hawaii
Size	18" x 12"	18" x 12"	24" x 12"	24" x 12"	24" x 12"	18" x 12"	18" x 12"	18" x 12"	18" x 12"
Part #	2678	2679	2682	2683	2684	2685	2686	2687	2688



















State	Massachusetts	Minnesota	Missouri	Missouri	Missouri	Nevada	New Jersey	N. Carolina	N. Carolina
Size	18" x 12"	18" x 12"	18" x 12"	6" x 12"	6" x 12"	18" x 12"	12" x 10"	26" x 12"	26" x 12"
Part #	2690	2691	2692	2693	2694	2695	2696	2697	2698



















State	N. Carolina	Pennsylvania	Tennessee	Texas	Virginia	Washington	Wyoming	N/A	N/A
Size	9" x 12"	18" x 12"	18" x 12"	24" x 12"	18" x 12"	18" x 12"	18" x 12"	18" x 12"	18" x 12"
Part #	2699	2702	2703	2704	2705	2706	2707	2680	2681







State	N/A	N/A	N/A	
Size	18" x 12"	18" x 12"	6" x 12"	
Part #	2689	2700	2701	

How Many Spaces Do I Need for ADA Compliance?

Total Spaces	Minimum # of Reserved	Total Spaces	Minimum # of Reserved	Total Spaces	Minimum # of Reserved
1-25	1	101-150	5	401-500	9
26-50	2	151-200	6	501-1,000	2%
51-75	3	201-300	7	1,000+	20 + 1 for every 100
76-100	4	301-400	8		every 100

Handicapped Stickers and Decals

communicate critical handicapped access information to employees, customers and visitors. **Stickers** can be applied to doors, walls or the outside of windows. **Decals** are designed to be placed on the inside of windows. Made from high-quality recycled polystyrene with UV resistant inks. Made in the USA.



Size	6" x 6"	6" x 6"	6" x 6"	6" x 6"	6" x 6"
Sticker (2/pk)	2712	2714	2716	2718	2720
Decal (2/pk)	2713	2715	2717	2719	2721

Eco GHS Danger Signs

GHS safety signs are available in three eco-friendly materials: 94% recycled aluminum, 70% post-consumer recycled plastic, or recycled polystyrene self-adhesive. Aluminum and plastic signs have pre-drilled mounting holes for easy installation. Plastic signs also include adhesive mounting pads. All signs are 10"x14" except 2677, which is 14"x10".

















Material
Plastic
Aluminum
Adhesive





Part#
2660
2660A
2660S





Part#
2663
2663A
2663S














Material
Plastic
Aluminum
Adhesive



Part#	
2665	
2665A	
2665S	
	-

Part#	
2666	
2666A	
2666s	

Part#
2667
2667A
26678

Part#
2668
2668A
2668S

Part#
2669
2669A
2669S













Material
Plastic
Aluminum
Adhesive

Part #	
2672	
2672A	
2672S	

Part#	
2673	
2673A	
2673S	

Part#
2674
2674A
2674S

Part#
2675
2675A
2675S

Part#
2676
2676A
26768

Part#
2677
2677A
2677S

Eco Danger Signs

Aluminum

Adhesive

1116A

1116S

2116A

2116S

1117A

1117S

2117A


21178

1118A

1118S

ZING Eco Safety Signs protect people and our environment. Signs are available in three sustainable formats: 94% recycled aluminum, 70% post-consumer recycled plastic, or recycled self-adhesive. Aluminum and plastic signs have pre-drilled holes for easy mounting. Plastic signs also include adhesive mounting pads.





2118A

2118S

1119A

1119S

2119A

2119S

2120A

2120S

1121A

1121S

2121A

2121S

1122A

1122S

2122A

2122S

1120A

1120S















Material	
Plastic	
Aluminum	
Adhesive	

7x10	10x14	7x10	10x14
1123	2123	1124	2124
1123A	2123A	1124A	2124A
1123S	2123S	1124S	2124S

7x10	10x14
1125	2125
1125A	2125A
1125S	2125S

7x10	10x14
1126	2126
1126A	2126A
1126S	2126S

7x10	10x14
1127	2127
1127A	2127A
1127S	2127S

7x10	10x14	7x10	10x14
10104	20104	10105	20105
10104A	20104A	10105A	20105A
10104S	20104S	10105S	20105S















10x14

20112

20112A

20112S

I	Material		
	Plastic		
I	Aluminum		
İ	Adhesive		

7x10	10x14
10106	20106
10106A	20106A

7x1	0	10x14
1010	7	20107
10107	Ά	20107A
10107	7S	20107S

/X10	10x14
10108	20108
10108A	20108A
10108S	20108S

7x10	10x14
10109	20109
10109A	20109A
10109S	20109S

7x10	10x14
10110	20110
10110A	20110A
10110S	20110S

7x10	10x14	7x10
10111	20111	10112
10111A	20111A	10112A
10111S	20111S	10112S











DANGER COMPRESSED GAS

DANGER H₂S MAY BE PRESENT



Material
Plastic
Aluminum
Adhesive

7x10	10x14
10113	20113
10113A	20113A
10113S	20113S

7x10	10x14
10114	20114
10114A	20114A
10114S	20114S

7x10	10x14
10115	20115
10115A	20115A
10115S	20115S
101158	201158

7x10	10x14
10116	20116
10116A	20116A
10116S	20116S

7x10	10x14
10117	20117
10117A	20117A
10117S	20117S

7x10	10x14
10118	20118
10118A	20118A
10118S	20118S

10x14	10x14
10119	20119
10119A	20119A
10119S	20119S















Material
Plastic
Aluminum
Adhesive

7x10	10x14
10120	20120
10120A	20120A
10120S	20120S

7x10	10x14
10121	20121
10121A	20121A
10121S	20121S

7x10	10x14
1967	2967
1967A	2967A
1967S	2967S

7x10	10x14
1968	2968
1968A	2968A
1968S	2968S

7x10	10x14
1969	2969
1969A	2969A
1969S	2969S

7x10	10x14
1970	2970
1970A	2970A
1970S	2970S

	7x10	10x14
	1971	2971
	1971A	2971A
]	1971S	2971S

DANGER CONSTRUCTION **AREA**



DANGER **HAZARDOUS** WASTE

DANGER WELDING **AREA**

CO

DANGER	D
MBUSTIBLE LIQUIDS	CO

DANGER
CONFINED
SDACE

	/X10	10X14
	1971	2971
	1971A	2971A
	1971S	2971S
_		

DANGER CONFINED SPACE

HAZARDOUS ATMOSPHERE CHECK OXYGEN LEVEL BEFORE AND DURING ENTRY

Material	
Plastic	
Aluminum	
Adhesive	1

7x10	10x14
1972	2972
1972A	2972A
1972S	2972S

7x10	10x14
1973	2973
1973A	2973A
1973S	2973S

7x10	10x14
1974	2974
1974A	2974A
1974S	2974S

7x10	10x14
1975	2975
1975A	2975A
1975S	2975S

7x10	10x14
1976	2976
1976A	2976A
1976S	2976S

	7x10	10x14
	1977	2977
]	1977A	2977A
	1977S	2977S

7x10	10x14
1978	2978
1978A	2978A
1978S	2978S

DANGER CORROSIVE



DANGER **ELECTRICAL HAZARD** AUTHORIZED PERSONNEL ONLY







	DANGER
	NOT ENTER
	NFINED SPACE
PER	MIT REQUIRED

Material
Plastic
Aluminum
Adhesive

7x10	10x14
1979	2979
1979A	2979A
1979S	2979S

7x10	10x14
1980	2980
1980A	2980A
1980S	2980S

10x14
2981
2981A
2981S

7x10	10x14
1982	2982
1982A	2982A
1982S	2982S

7x10	10x14
1983	2983
1983A	2983A
1983S	2983S

7x10	10x14
1984	2984
1984A	2984A
1984S	2984S

7x10	10x14
1985	2985
1985A	2985A
1985S	2985S

Eco Danger Signs













PELIGRO





Material
Plastic
Aluminum
Adhesive





14x10
2988
2988A
2988S

14x10
2989
2989A
2989S

ALTO

VOLTAJE



7x10	10x14
1998	2998
1998A	2998A
1998S	2998S

7x10	10x14
1955	2955
1955A	2955A
1955S	2955S









Material
Plastic
Aluminum
Adhesive

7x10	10x14
1961	2961
1961A	2961A
1961S	2961S

7x10	10x14
1965	2965
1965A	2965A
1965S	2965S

7x10	10x14
1966	2966
1966A	2966A
1966S	2966S

Eco Caution Signs









CAUTION
EYE PROTECTION REQUIRED
IN THIS AREA

A	CAUTION
NC	HARD HATS
	REQUIRED
@ <u>@</u>	AM

CA	UT	ION
	ZARD ATER	
		AREA

Material	
Plastic	
Aluminum	
Adhesive	

7x10	10x14
1144	2144
1144A	2144A
1144S	2144S

7x10	10x14
1145	2145
1145A	2145A
1145S	2145S

7x10	10x14
1146	2146
1146A	2146A
1146S	2146S

10x14	10x14
1147	2147
1147A	2147A
1147S	2147S

7x10	10x14
1148	2148
1148A	2148A
1148S	2148S

7x10	10x14
1149	2149
1149A	2149A
1149S	2149S





CAUTION CHOCKED BEFORE LOADING OR UNLOADING

CAUTION **WATCH YOUR STEP**

7v10 10v14

CAUTION **WATCH FOR** FORKLIFT TRAFFIC

CAUTION
HARD HAT AND
REQUIRED

CAUTION
OAGHON
DO NOT OPERATE
WITHOUT GUARDS
WITHOUT GUARDS

Material	
Plastic	
Aluminum	
Adhesive	

7x10	10x14
1151	2151
1151A	2151A
1151S	2151S

7x10	10x14
1152	2152
1152A	2152A
1152S	2152S

/X10	10X14
1153	2153
1153A	2153A
1153S	2153S

/A10	10714
1154	2154
1154A	2154A
1154S	2154S

7x10	10x14
1155	2155
1155A	2155A
1155S	2155S

7x10	10x14	
1156	2156	
1156A	2156A	
1156S	2156S	

7x10	10x14
1157	2157
1157A	2157A
1157S	2157S





CAUTION **OPEN DOOR SLOWLY**

CAUTION HEARING PROTECTION REQUIRED

CAUTION **OPEN DOOR SLOWLY**

CAUTION WATCH **YOUR HEAD**

CAUTION
BATTERY CHARGING
STATION
NO SMOKING
OR OPEN FLAMES

Material	
Plastic	
Aluminum	
Adhesive	

7x10	10x14
1158	2158
1158A	2158A
1158S	2158S

7x10	10x14
1159	2159
1159A	2159A
1159S	2159S

7x10	10x14
1996	2196
1996A	2196A
1996S	2196S

7x10	10x14
1997	2997
1997A	2997A
1997S	2997S

7x10	10x14
10122	20122
10122A	20122A
10122S	20122S

	7x10	10x14	
	10123	20123	
ĺ	10123A	20123A	
l	10123S	20123S	

7x10	10x14
10124	20124
10124A	20124A
10124S	20124S

CAUTION HARD HATS, SAFETY GLASSES, SAFETY SHOES BEYOND THIS POINT

CAUTION HEARING PROTECTION **EQUIPMENT IS OPERATING** **CAUTION EAR PROTECTION MUST BE WORN IN THIS AREA**

CAUTION USE **HANDRAIL**

CAUTION **STEP DOWN**

CAUTION **STEP** UP

Material
Plastic
Aluminum
Adhesive

7x10	10x14
10125	20125
10125A	20125A
10125S	20125S

10x14
20126
20126A
20126S

7x10	10x14
10127	20127
10127A	20127A
10127S	20127S

7x10	10x14
10130	20130
10130A	20130A
10130S	20130S

Eco Notice Signs

NOTICE

NOTICE ALL VISITORS MUST REGISTER AT OFFICE

NOTICE AUTHORIZED PERSONNEL ONLY

NOTICE **DO NOT BLOCK DOOR** NOTICE KEEP THIS AREA CLEAR

NOTICE NO **SMOKING**

NOTICE REPORT ALL INJURIES IMMEDIATELY NO MATTER HOW SLIGHT

Material
Plastic
Aluminum
Adhesive















NOTICE **SMOKING AREA**

NOTICE THIS IS A SMOKE FREE FACILITY

NOTICE **WASH HANDS** BEFORE RETURNING TO WORK

NOTICE KEEP THIS DOOR CLOSED

NOTICE NO **TRESPASSING**

NOTICE SECURITY ALARM WILL SOUND IF DOOR IS OPENED



Material	
Plastic	
Aluminum	
Adhesive	

7x10	10x14
1135	2135
1135A	2135A
1135S	2135S

7x10	10x14
1136	2136
1136A	2136A
1136S	2136S

7x10	10x14
1137	2137
1137A	2137A
1137S	2137S

7x10	10x14
1138	2138
1138A	2138A
1138S	2138S

7x10	10x14
1139	2139
1139A	2139A
1139S	2139S

7x10	10x14
1140	2140
1140A	2140A
1140S	2140S

7x10	10x14
1141	2141
1141A	2141A
1141S	2141S

NOTICE KEEP ALL CYLINDERS



NOTICE NO FOOD OR **DRINK IN THIS AREA**

NOTICE SAFETY GLASSES **REQUIRED IN** THIS AREA

7 10 10 14

NOTICE RESTRICTED AREA AUTHORIZED PERSONNEL ONLY

MOTIOE
NOTICE
SAFETY GLASSE
RECHIRED

BEYOND THIS POINT

NOTICE **EMPLOYEES ONLY**

Material	
Plastic	
Aluminum	
Adhesive	

7x10	10x14
1142	2142
1142A	2142A
1142S	2142S

7x10	10x14
1143	2143
1143A	2143A
1143S	2143S

7x10	10x14	
1991	2991	
1991A	2991A	
1991S	2991S	

1992 2992 1992A 2992A 1992S 2992S	7x10	10x14
	1992	2992
1992S 2992S	1992A	2992A
	1992S	2992S

7x10	10x14
1993	2993
1993A	2993A
1993S	2993S

7x10	10x14	7x1
1994	2994	199
1994A	2994A	1995
1994S	2994S	199

7x10	10x14
1995	2995
1995A	2995A
1995S	2995S

NOTICE **EMPTY CYLINDERS**

NOTICE **FULL CYLINDERS** NOTICE **NOT AN ENTRANCE**

NOTICE ELECTRICAL ROOM

7x10	10x14
10103	20103
10103A	20103A
10103S	20103S



Material
Plastic
Aluminum
Adhesive

10x14	10x14
10100	20100
10100A	20100A
10100S	20100S

7x10	10x14
10101	20101
10101A	20101A
10101S	20101S

10102 20102 10102A 20102A 10102S 20102S	ı	,		
		10102	20102	
10102S 20102S	ĺ	10102A	20102A	
	ĺ	10102S	20102S	

7x10 10x14

Agriculture Safety Signs

ZING's Agriculture Safety Signs communicate critical safety messages and offer durable performance in agricultural environments. The signs are made in the USA from recycled plastic or recycled aluminum.

















Material
Plastic
Aluminum





























Material
Plastic
Aluminum













10 x 14	
20013	
	_
20013A	














Material
Plastic
Aluminum





DANGER

DIESEL





10 x 14
20018
20018A

10 x 14
20019
20019A









LMACENAMIENTO

DE QUÍMICOS



O INICIAR LLAMA

EN ESTA ÁREA





FUMAR



Material	
Plastic	
Aluminum	



14 x 10	
20022	
20022A	

14 x 10
20023
20023A

20024	
20024A	

14 x 10
20025
20025A

DANGER

14 x 10
20026
20026A









DANGER
ELECTRIC FENCE
· LNOL
PELIGRO
0=004

ELECTRIFICADA

	CONSTRUCTION AREA KEEP OUT
•	PELIGRO
1	ÁREA DE CONSTRUCCÍON
١	PROHIBIDO EL PASO



Material
Plastic
Aluminum

14 x 10	
20027	
20027A	

20028
20028A

14 x 10
20029
20029A

14 x 10
20030
20030A

14 x 10
20031
20031A

14 x 10
20032
20032A

14 x 10
20033
20033A

















16 x 14
20034
20034A



16 x 14
20036
20036A

10 x 14
20037
20037A

21 x 14
20038
20038A

14 x 10
20039
20039A

11.25 x 11.25
20040
20040A

Security Stickers and Decals

Stickers can be applied to doors, walls or the outside of windows. Decals have adhesive on the front or face of the sign, making them ideal for use on the inside of windows or other glass surfaces. Stickers and decals are made in the USA from recycled polystyrene with UV-resistant inks. Sold 2/pack







4 x 4	
2771	
2772	



5 x 7	
2767	
2768	



5 x 7	
2769	
2770	l

ccupancy Signs with Number Kit

ZING Occupancy Signs clearly communicate the maximum occupancy of a room or area. Signs include a customizable number kit with durable adhesive numbers for a professional appearance. Made in the USA.

> **MAXIMUM OCCUPANCY**

Material Plastic Aluminum Adhesive

7x10 10x14 1905 2905 1905A 2905A 1905S 2905S

MAXIMUM OCCUPANCY PERSONS

7x10 10x14 1906 2906 1906A 2906A 1906S 2906S

MAXIMUM **OCCUPANCY NOT TO EXCEED PERSONS**

7x10 10x14 1907 2907 1907A 2907A 1907S 2907S

MAXIMUM OCCUPANCY 95 **PERSONS**

1906 with number kit applied

Biohazard Signs and Labels

ZING Biohazard, Radiation and other public facility safety signs comply with OSHA regulations. Signs warn employees, patients and visitors of dangerous biohazards, radiation, and other potentially harmful situations:

- Adhesive Labels can be applied directly to doors, walls or the outside of windows. Signs are made from high-quality, recycled polystyrene with UV-resistant inks.
- Plastic Signs are made from high-quality recycled plastic. UL Validated for recycled content. Signs includes 4 mounting holes and adhesive tabs.
- Aluminum Signs are manufactured using high-quality, 94% recycled aluminum. UL Validated for recycled content. Signs include 4 pre-drilled holes for easy mounting.



Material	5x7
Labels (2/pack)	1920S

Material	7x10
Plastic	1921
Aluminum	1921A
Adhesive	1921S




Material	5x3.5	7x5
Labels (2/pack)	1913S	1914S

Material	7x10
Plastic	1915
Aluminum	1915A
Adhesive	1915S



Material	5x7
Labels (2/pack)	1916S
Material	7x10





Labels (2/pack)	1918S
Material	7x10
Plastic	1919
Aluminum	1919A

Material

Adhesive



Material	7x10
Plastic	1912
Aluminum	1912A
Adhesive	1912S



Material	7x10
Plastic	1922
Aluminum	1922A
Adhesive	1922S



Material	7x10
Plastic	1923
Aluminum	1923A
Adhesive	1923S



Material	7x10
Plastic	1924
Aluminum	1924A
Adhesive	1924S



1919S

Material	7x10	10x14
Plastic	10054	20054
Aluminum	10054A	20054A
Adhesive	10054S	20054S



Material	7x10	10x14
Plastic	10055	20055
Aluminum	10055A	20055A
Adhesive	10055S	20055S



Material	7x10	10x14
Plastic	10056	20056
Aluminum	10056A	20056A
Adhesive	10056S	20056S



Material	7x10	10x14
Plastic	10057	20057
Aluminum	10057A	20057A
Adhesive	10057S	20057S



Material	7x10	10x14
Plastic	10058	20058
Aluminum	10058A	20058A
Adhesive	10058S	20058S



Material	7x10	10x14
Plastic	10059	20059
Aluminum	10059A	20059A
Adhesive	10059S	20059S



Material	7x10
Plastic	10051
Aluminum	10051A
Adhesive	10051S



Material	7x10
Plastic	10053
Aluminum	10053A
Adhesive	10053S



BIOHAZARD	BIOHAZARD
26	100



	2000	2007
Part #	Description	Dimensions
2608	V Sign, Warning Biohazard	7" x 12", projects 5"
2609	L Sign, Warning Biohazard	7" x 2.5", projects 7"

Radiation and X-Ray Signs













Material	10x7
Plastic	1925
Aluminum	1925A
Adhesive	1925S

Material	7x10
Plastic	1926
Aluminum	1926A
Adhesive	1926S

Material	7x10
Plastic	1927
Aluminum	1927A
Adhesive	1927S

Material	7x10
Plastic	1928
Aluminum	1928A
Adhesive	1928S

















Material	14x10
Plastic	2931
Aluminum	2931A
Adhesive	2931S

Material	7x10
Plastic	1932
Aluminum	1932A
Adhesive	1932S


Material	7x10
Plastic	1933
Aluminum	1933A
Adhesive	1933S

Material	10x7
Plastic	1934
Aluminum	1934A
Adhesive	1934S

Material	10x7
Plastic	1935
Aluminum	1935A
Adhesive	1935S

Material	7x10
Plastic	1936
Aluminum	1936A
Adhesive	1936S







Material	7x10	10x14
Plastic	10070	20070
Aluminum	10070A	20070A
Adhesive	10070S	20070S



Material	7x10	10x14
Plastic	10071	20071
Aluminum	10071A	20071A
Adhesive	10071S	20071S



Material	7x10	10x14
Plastic	10072	20072
Aluminum	10072A	20072A
Adhesive	10072S	20072S



Material	10x7	14x10
Plastic	10073	20073
Aluminum	10073A	20073A
Adhesive	10073S	20073S



Material	10x7	14x10
Plastic	10074	20074
Aluminum	10074A	20074A
Adhesive	10074S	20074S



Material	7x10	10x14
Plastic	10075	20075
Aluminum	10075A	20075A
Adhesive	10075S	20075S



Material	7x10	10x14
Plastic	10076	20076
Aluminum	10076A	20076A
Adhesive	10076S	20076S



Material	7x10	10x14
Plastic	10077	20077
Aluminum	10077A	20077A
Adhesive	10077S	20077S



Material	7x10
Plastic	1909
Aluminum	1909A
Adhesive	1909S

Health Safety Signs

ZING Health Safety signs communicate critical health and safety messages. Made in the USA from recycled materials.









Material	10x7	14x10
Plastic	1908	2908
Aluminum	1908A	2908A
Adhesive	1908S	2908S

Material	10x7	14x10
Plastic	10049	20049
Aluminum	10049A	20049A
Adhesive	10049S	20049S

Material	7x10	10x14
Plastic	10060	20060
Aluminum	10060A	20060A
Adhesive	10060S	20060S

Material	7x10	10x14
Plastic	10061	20061
Aluminum	10061A	20061A
Adhesive	10061S	20061S









Material	10x7	14x10
Plastic	10062	20062
Aluminum	10062A	20062A
Adhesive	10062S	20062S

Material	10x7	14x10
Plastic	10078	20078
Aluminum	10078A	20078A
Adhesive	10078S	20078S

Material	7x10	10x14
Plastic	10079	20079
Aluminum	10079A	20079A
Adhesive	10079S	20079S

Material	7x10	10x14
Plastic	10080	20080
Aluminum	10080A	20080A
Adhesive	10080S	20080S









Material	10x7	14x10
Plastic	10063	20063
Aluminum	10063A	20063A
Adhesive	10063S	20063S

Material	10x7	14x10
Plastic	10064	20064
Aluminum	10064A	20064A
Adhesive	10064S	20064S

Material	7x10	10x14
Plastic	10065	20065
Aluminum	10065A	20065A
Adhesive	10065S	20065S

Material	7x10	10x14
Plastic	10066	20066
Aluminum	10066A	20066A
Adhesive	10066S	20066S







I	DANGER
	INFECTION HAZARD HANDLE NEEDLES WITH CARE
ı	WITH CARE

Material	10x7	14x10
Plastic	10067	20067
Aluminum	10067A	20067A
Adhesive	10067S	20067S

Material	10x7	14x10
Plastic	10068	20068
Aluminum	10068A	20068A
Adhesive	10068S	20068S

Material	7x10	10x14
Plastic	10050	20050
Aluminum	10050A	20050A
Adhesive	10050S	20050S

Material	7x10	10x14
Plastic	10052	20052
Aluminum	10052A	20052A
Adhesive	10052S	20052S

Due To
Patient
Privacy, Only
Patients
Beyond This
Point

10x7

10081A

10081S

14x10

20081A

20081S

Material

Aluminum

Adhesive



Material	10x7	14x10
Plastic	10084	20084
Aluminum	10084A	20084A
Adhesive	10084S	20084S




	Material	7x10	10x14
	Plastic	10082	20082
ĺ	Aluminum	10082A	20082A
	Adhesive	10082S	20082S



Material	7x10	10x14
Plastic	10083	20083
Aluminum	10083A	20083A
Adhesive	10083S	20083S





Adhesive



Material	10x7	14x10
Plastic	1938	2938
Aluminum	1938A	2938A
Adhesive	1938S	2938S



Material	10x7	14x10
Plastic	1939	2939
Aluminum	1939A	2939A
Adhesive	1939S	2939S



Material	9x2
Magnetic	1956M
Adhesive	1956S



Material	9x2
Magnetic	1957M
Adhesive	1957S

Health Facility Parking Signs

ZING Parking Signs are made from 99% recycled aluminum, which exceeds the EPA's recommended recycled content level. All Parking Signs meet MUTCD Standards. Signs feature 3M™ Engineer Grade reflective sheeting. Signs measure 18"H by 12"W and are pre-drilled for easy mounting. UL Validated for recycled content. Made in the USA.



EMERGENCY AND **AUTHORIZED VEHICLES ONLY**

3070

AMBULANCE PARKING ONLY

3071

STAFF PARKING ONLY

3078

10 MINUTE PARKING **PATIENT DISCHARGE ONLY**

3084

DOCTORS PARKING ONLY

3073

DOCTORS **PARKING ONLY** 3075

DOCTORS PARKING ONLY

3074

HOSPITAL PATIENT & **VISITOR PARKING ONLY** 3077

OUT **PATIENT PARKING ONLY**

LOADING AND UNLOADING ONLY

PATIENT

PATIENT PARKING ONLY

3080

PATIENT PARKING ONLY

PATIENT PARKING ONLY

3081

RESERVED FOR NURSE PARKING ONLY

RESIDENT PARKING ONLY

VISITOR PARKING ONLY

3083

3085

3082

3079

3072


3076

Eco Fire and Exit Signs

ZING Fire and Exit Signs are available in 4 eco-friendly formats, each made from recycled materials: aluminum, plastic, glow-in-the-dark plastic, and self-adhesive. Signs meet OSHA and NFPA Life Safety Code requirements.

- Aluminum Signs are manufactured using high-quality 94% recycled aluminum. UL validated for recycled content. Signs include 4 pre-drilled holes for easy mounting.
- Plastic Signs are manufactured using high-quality 70% post-consumer recycled plastic. UL validated for recycled content. Signs include 4 pre-drilled holes and adhesive tabs for easy mounting.
- Self-Adhesive Signs can be applied directly to doors, walls or the outside of windows. Signs are made from high-quality, recycled polystyrene with UV-resistant inks.
- Glow-in-the-Dark Signs are manufactured from recycled plastic with a high-performance, safety grade photoluminescent coating. Signs do not require an electrical power source and will glow for a period of 10 hours on a full charge. Can be used indoors or outdoors. ZING glow-in-the-dark signs exceed requirements for life safety, emergency egress, and other safety standards.







Material	7 x 10	10 x 14
Plastic	1078	2078
Aluminum	1078A	1078A
Adhesive	1078S	2078S
Glow Plastic	1078G	2078G




Material	7 x 10	10 x 14
Plastic	1084	2084
Aluminum	1084A	1084A
Adhesive	1084S	2084S
Glow Plastic	1084G	2084G



Material	7 x 10	10 x 14
Plastic	1081	2081
Aluminum	1081A	1081A
Adhesive	1081S	2081S
Glow Plastic	1081G	2081G







Material	7 x 10	10 x 14	
Plastic	1886	2886	
Aluminum	1886A	1886A	
Adhesive	1886S	2886S	
Glow Plastic	1886G	2886G	
Adhesive 5x7 1884S			
1884S Label meets NFPA Font size requirements. Sold 2/pack.			





Material	7 x 10	10 x 14
Plastic	1080	2080
Aluminum	1080A	1080A
Adhesive	1080S	2080S
Glow Plastic	1080G	2080G



Material	7 x 10	10 x 14
Plastic	1079	2079
Aluminum	1079A	1079A
Adhesive	1079S	2079S
Glow Plastic	1079G	2079G



1077G Glow Sign Application

Material	7 x 10	10 x 14
Plastic	10131	20131
Aluminum	10131A	10131A
Adhesive	10131S	20131S

Eco Fire and Exit Signs



Material	7x10	10x14
Plastic	1897	2897
Aluminum	1897A	1897A
Adhesive	1897S	2897S
Glow Plastic	1897G	2897G



Material	7x10	10x14
Plastic	1898	2898
Aluminum	1898A	1898A
Adhesive	1898S	2898S
Glow Plastic	1898G	2898G



Material	10x7	14x10
Plastic	1891	2891
Aluminum	1891A	1891A
Adhesive	1891S	2891S
Glow Plastic	1891G	2891G



Material	14 x 3.25
Plastic	1892
Aluminum	1892A
Adhesive	1892S



Material	7x10	10x14
Plastic	1904	2904
Aluminum	1904A	1904A
Adhesive	1904S	2904S
Glow Plastic	1904G	2904G



Material	7x10	10x14
Plastic	1894	2894
Aluminum	1894A	1894A
Adhesive	1894S	2894S
Glow Plastic	1894G	2894G



Material	10x7	14x10
Plastic	1893	2893
Aluminum	1893A	1893A
Adhesive	1893S	2893S
Glow Plastic	1893G	2893G



Material	14 x 3.25
Plastic	1895
Aluminum	1895A
Adhesive	1895S



Material	10x7	14x10
Plastic	1896	2896
Aluminum	1896A	1896A
Adhesive	1896S	2896S
Glow Plastic	1896G	2896G



Material	5x14
Adhesive	1899SS







Material	14 x 3.25
Plastic	1885
Aluminum	1885A
Adhesive	1885S



Material	10x7	14x10
Plastic	1887	2887
Aluminum	1887A	1887A
Adhesive	1887S	2887S
Glow Plastic	1887G	2887G




Material	10x7	14x10
Plastic	1888	2888
Aluminum	1888A	1888A
Adhesive	1888S	2888S
Glow Plastic	1888G	2888G



Material	10x7	14x10
Plastic	1889	2889
Aluminum	1889A	1889A
Adhesive	1889S	2889S
Glow Plastic	1889G	2889G







Material	7x10	10x14
Plastic	1901	2901
Aluminum	1901A	1901A
Adhesive	1901S	2901S
Glow Plastic	1901G	2901G



Material	7x10	10x14
Plastic	1902	2902
Aluminum	1902A	1902A
Adhesive	1902S	2902S
Glow Plastic	1902G	2902G



Material	7x10	10x14
Plastic	1903	2903
Aluminum	1903A	1903A
Adhesive	1903S	2903S
Glow Plastic	1903G	2903G



Material	7x10	10x14
Plastic	1083	2083
Aluminum	1083A	1083A
Adhesive	1083S	2083S

Fire Extinguisher Backplate, Glow-in-the-Dark

Fire Extinguisher backplate features a glow-in-the-dark surface for extra visibility. Rugged recycled plastic construction. Features 4 mounting holes for easy installation. Fire extinguisher not included.

Part #	Description	Dimensions
2671	Glow-in-the Dark Fire Extinguisher Backplate	5"H x 7"W x 0.1"D





Eco-Brite Glow Exit Signs

ZING's Eco-Brite exit sign provides powerful illumination without an electrical power source. Photoluminescent technology absorbs and stores ambient light, so that signs remain dependably visible during power outages or smoky conditions. ZING's Eco-Brite exit sign is visible from 100 feet. Illuminated exit signs prevent injuries and promote orderly egress during emergency situations. The sign is made in the USA from recycled plastic, which supports sustainability initiatives and LEED credits. The glow-in-the-dark design also saves on maintenance and electricity costs.

Features:

- Sustainable design: no energy consumption
- No bulb or battery replacement needed
- Can be charged with LED light
- Non-toxic, non-radioactive
- No disposal costs
- Can be surface, flag, ceiling or conduit mounted
- Easily movable if egress path changes
- Thin, space-saving design
- Consistent, uniform illumination
- Visible from 100ft.
- Recyclable
- Supports LEED credits

Technical Information:

- Size: 15.5" x 8.75" x 0.75"
- Letter size: 7" height, 7/8" letter stroke
- Illumination: high visibility green
- Rated viewing distance: 100 feet
- Two removable directional chevrons included
- ABS plastic with photoluminescent panel
- Explosion-proof
- 25+ years life expectancy
- Surface, flag, ceiling or stem mounted. Before installation it must be determined that there is a minimum of 5 Fc of LED, fluorescent, metal halide or mercury vapor light on the face(s) of the sign at all times during building occupancy. Included chevrons can be removed for directional applications as needed.

Listed To

- UL 924 Emergency Lighting and Power Equipment
- NFPA Life Safety Code 101
- OSHA requirements
- International Building and Fire Code 2009, 2012, 2015
- Listed for LED lighting



Style	Part#
Red, Single-Sided	7401
Red, Double-Sided	7402
Green, Single-Sided	7403
Green, Double-Sided	7404
Black, Single-Sided	7405
Black, Double-Sided	7406
Outdoor, Red, Single-Sided	7407
Outdoor, Red, Double-Sided	7408
Outdoor, Green, Single-Sided	7409
Outdoor, Green, Double-Sided	7410
Outdoor, Black, Single-Sided	7411
Outdoor, Black, Double-Sided	7412
·	·

Eco Projecting Signs



ZING Projecting signs provide maximum visibility and safety!

TriView® Safety & Public Facility Signs feature three projecting sides for maximum visibility. ZING manufactures the only available TriView® safety signs. Signs are made from high-quality, 70% post-consumer recycled plastic. UL Validated for recycled content.



- Recycled material supports sustainability initiatives and LEED credits.
- Includes two mounting holes and adhesive mounting tabs.
- Available in two sizes: Standard and Slim.
- Glow-in-the-Dark model illuminates for over 10 hours, exceeding the ASTME 2072-00 standards.

Standard TriView Signs

7.5"H x 20"W, Projects 5"

Slim TriView Signs 12"H x 9"W, Projects 3"









V & L Style Signs

Two projecting sides for high visibility.

Standard V Style Signs measure 7"H x 12"W, and project 5" Bilingual V Style Signs measure 11"H x 7"W, and project 5" Standard L Style Signs measure 7"H x 2.5"W, and project 7"

Corner Style Signs

Signs easily mount on any 90-degree angle corner. ZING manufactures the only available corner mounting signs.

Corner Style Signs measure 10"H x 10"W and project 5"









Tri-View Projecting Signs











FIRST

FIRST

FIRST AID













Standard	3057
Slim	4057

Standard	3059
Slim	4059

Standard	3060
Slim	4060















Standard	3063
Slim	4063

























3010 Standard

3011 Standard

3021 Standard

3022 Standard

Standard 3024





















Standard 3026 Standard 3028

Standard 3030

3031 Standard

Standard 3033





















Standard	3041

V, L, & Corner Projecting Signs



V-Shape	2562
L-Shape	2563
Corner	2637



V-Shape	2586
L-Shape	2587



Standard	2566
Slim	2567



V-Shape	2552
L-Shape	2553



V-Shape	2632
L-Shape	2633



V-Shape	2520
L-Shape	2521
Corner	2638



V-Shape	2626
L-Shape	26272



_		
	V-Shape	2588
Ī	L-Shape	2589



Standard	2568
Slim	2569



V-Shape	2630
L-Shape	2631



V-Shape	2516
L-Shape	2517
Corner	2634



V-Shape	2620
L-Shape	2621



V-Shape	2576
L-Shape	2577



V-Shape	2592
L-Shape	2593



V-Shape	2594
L-Shape	2595



V-Shape	2554
L-Shape	2555



V-Shape	2614
L-Shape	2615
Corner	2635



V-Shape	2522
L-Shape	2523



V-Shape	2590	
L-Shape	2591	



V-Shape	2550
L-Shape	2551



V-Shape	2518
L-Shape	2519
Corner	2636



V-Shape	2578
L-Shape	2579



V-Shape	2558
L-Shape	2559



V-Shape	2596
L-Shape	2597



V-Shape	2598
L-Shape	2599



V-Shape	2564
L-Shape	2565



V-Shape	2616
L-Shape	2617



V-Shape	2556
L-Shape	2557



V-Shape	2628
L-Shape	2629



V-Shape	2608
L-Shape	2609

V, L, & Corner Projecting Signs



V-Shape	2600
L-Shape	2601



V-Shape	2544
L-Shape	2545



V-Shape	2536
L-Shape	2537
Corner	2642



V-Shape	2528
L-Shape	2529
Corner	2641



V-Shape	2540
L-Shape	2541
Corner	2639



V-Shape	2584
L-Shape	2585



V-Shape	2570
L-Shape	2571



V-Shape	2546
L-Shape	2547



V-Shape	2582
L-Shape	2583



V-Shape	2618
L-Shape	2619



V-Shape	2560
L-Shape	2561



V-Shape	2542
L-Shape	2543



V-Shape	2572
L-Shape	2573



V-Shape	2534
L-Shape	2535



V-Shape	2532
L-Shape	2533



V-Shape	6049
L-Shape	6050



V-Shape	2612
L-Shape	2613



V-Shape	2622
I -Shape	2623



V-Shape	2574
L-Shape	2575



V-Shape	2610
L-Shape	2611



V-Shape	2548
L-Shape	2549



V-Shape	6053
L-Shape	6054



V-Shape	2530
L-Shape	2531



V-Shape	2580
L-Shape	2581



V-Shape	2606
L-Shape	2607



V-Shape	2526
L-Shape	2527



V-Shape	2624
L-Shape	2625



V-Shape	2604
L-Shape	2605

Eco No Smoking Signs

ZING® No Smoking Signs clearly communicate smoking policies and rules.

- Window Decals have adhesive on the front or face of the sign, making them ideal for use on the inside of windows or other glass surfaces. Each decal is made from recycled plastic and UV-resistant inks.

- Adhesive Labels can be applied to doors, walls or the outside of windows. Made from recycled plastic with UV-resistant inks.
- Plastic Signs are made from high quality, 70% post-consumer recycled plastic. Includes 4 mounting holes and adhesive tabs.
- Aluminum Signs are made from high quality, 94% recycled aluminum. Includes 4 mounting holes.











Material	
Window Decal	
Adhesive Label	
Plastic Sign	
Aluminum Sign	

7x5 (2/pk)	10x7	14x10
1832D		
1832S	1836S	2836S
	1836	2836
	1836A	2836A

7x5 (2/pk)	10x7	14x10
1833D		
1833S	1837S	2837S
	1837	2837
	1837A	2837A

5x7 (2/pk)	7x10	10x14
1834D		
1834S	1838S	2838S
	1838	2838
	1838A	2838A

5x7 (2/pk)	7x10	10x14
1835D		
1835S	1839S	2839S
	1839	2839
	1839A	2839A

5x7 (2/pk)	7x10	10x14
1869D		
1869S	1870S	2870S
	1870	2870
	1870A	2870A











Material
Window Decal
Adhesive Label
Plastic Sign
Aluminum Sign

5x7 (2/pk)	7x10	10x14
1871D		
1871S	1872S	2872S
	1872	2872
	1872A	2872A

5x7 (2/pk)	7x10	10x14
1873D		
1873S	1874S	2874S
	1874	2874
	1874A	2874A

7x5 (2/pk)	10x7	14x10
1875D		
1875S	1876S	2876S
	1876	2876
	1876A	2876A

7x5 (2/pk)	10x7	14x10
1877D		
1877S	1836S	2836S
	1836	2836
	1836A	2836A

7x5 (2/pk)	10x7	14x10
1879D		
1879S	1880S	2880S
	1880	2880
	1880A	2880A







10x7	14x10	
1085S	2085S	
1085	2085	
1085A	2085A	



10x7	14x10
1087S	2087S
1087	2087
1087A	2087A



3	
NO MOKING	E-CIGARETTE: PROHIBITED
MA is for Electric Committee Subsection control management and subsection control	


Material		
Window Decal		
Adhesive Label		
Plastic Sign		
Aluminum Sign		

4x4 (2/pk)	6x6 (2/pk)
1840D	1841D
1840S	1841S

5x7 (2/pk)	7x10
1842D	
1842S	1843S
	1843
	1843A

0	10x7	14x10
S	1086S	2086S
;	1086	2086
A	1086A	2086A

7x5 (2/pk)	
1831D	
1831S	



State-Specific No Smoking Signs

 $ZING^*\ State-Specific\ No\ Smoking\ signs\ effectively\ communicate\ state\ smoking\ policies\ and\ laws.$











State	
Material	
Window Decal	
Adhesive Label	
Plastic Sign	
Aluminum Sign	

Arizona		
7x5 (2/pk)	10x7	10x14
1844D		
1844S	1845S	2845S
	1845	2845
	1845A	2845A

Arkansas		
10x14		
2846S		
2846		
2846A		

Arkansas		
10x14		
2847S		
2847		
2847A		

Illinois		
7x5 (2/pk)	10x7	10x14
1848D		
1848S	1850S	2850S
	1850	2850
	1850A	2850A

Illinois		
7x5 (2/pk)	7x10	10x14
1849D		
1849S	1851S	2851S
	1851	2851
	1851A	2851A











State
Material
Window Decal
Adhesive Label
Plastic Sign
Aluminum Sign

Indiana		
7x5 (2/pk)	7x10	10x14
1852D		
1852S	1853S	2853S
	1853	2853
	1853A	2853A

Iowa		
5x7 (2/pk)	10x7	4x6
1854D		
1854S	1855S	2855S
	1855	2855
	1855A	2855A

New Jersey				
7x5 10x7 14x10 (2/pk)				
1856D				
1856S	1857S	2857S		
1857 2857				
	1857A	2857A		

Ohio		
7x5 (2/pk)	10x7	14x10
1858D		
1858S	1859S	2859S
	1859	2859
	1859A	2859A

Oregon		
5x7 (2/pk)	7x10	10x14
1860D		
1860S	1861S	2861S
	1861	2861
	1861A	2861A









State
Material
Window Decal
Adhesive Label
Plastic Sign
Aluminum Sign

Rhode Island		
7x5 (2/pk)	10x7	14x10
1862D		
1862S	1863S	2863S
	1863	2863
	1863A	2863A

Tennessee		
7x5 (2/pk)	10x7	14x10
1864D		
1864S	1865S	2865S
	1865	2865
	1865A	2865A

Washington		
5x7 (2/pk)	7x10	10x14
1866D		
1866S	1867S	2867S
	1867	2867
	1867A	2867A

	Wisconsin		
	5x7 (2/pk)	7x10	10x14
	1881D		
	1881S	1882S	2882S
		1882	2882
	·	1882A	2882A



Concealed Carry Signs

ZING® Concealed Carry signs effectively communicate weapons policies.












Material
Window Decal
Adhesive Label
Plastic Sign
Aluminum Sign

7x5 (2/pk)	10x7	14x10
1810D		
1810S	1813S	2813S
	1813	2813
	1813A	2813A

7x5 (2/pk)	10x7	14x10
1811D		
1811S	1814S	2814S
	1814	2814
	1814A	2814A

7x5 (2/pk)	10x7	14x10
1812D		
1812S	1815S	2815S
	1815	2815
	1815A	2815A

5x7 (2/pk)	7x10	10x14
1816D		
1816S	1818S	2818S
	1818	2818
	1818A	2818A













Material
Window Decal
Adhesive Label
Plastic Sign
Aluminum Sign

5x7 (2/pk)	7x10	10x14
1821D		
1821S	1824S	2824S
	1824	2824
	1824A	2824A

	5x7 (2/pk)	7x10	10x14
l	1822D		
	1822S	1825S	2825S
		1825	2825
		1825A	2825A

5x7 (2/pk)	7x10	10x14
1823D		
1823S	1826S	2826S
	1826	2826
	1826A	2826A

10x7	14x10
1820S	2820S
1820	2820
1820A	2820A

14x10
2829S
2829
2829A











Material
Window Decal
Adhesive Label

7x5 (2/pk)	
1827D	
1827S	

7x5 (2/pk)
1828D
1828S

7x5 (2/pk)	
2762	
2761	

7x5 (2/pk)
2764
2763

7x5 (2/pk)
2766
2765







Material	
Aluminum Sign	

10x14	
2745	

10x14	
2749	

State-Specific Concealed Carry Signs

ZING® State Specific Concealed Carry Signs clearly communicate firearms policies, and comply with individual state laws.



- Window Decals have adhesive on the front or face of the sign, making them ideal for use on the inside of windows or other glass surfaces. Each decal is made from recycled plastic and UV-resistant inks.
- Adhesive Labels can be applied to doors, walls or the outside of windows. Made from recycled polystyrene with UV-resistant inks.
- **Plastic Signs** are made from high-quality, 70% post-consumer recycled plastic. Mounting holes are predrilled and adhesive mounting tabs are included.
- **Aluminum Signs** are made from high-quality, 94% recycled aluminum. Mounting holes are pre-drilled and adhesive mounting tabs are included.











State
Material
Window Decal
Adhesive Label
Plastic Sign
Aluminum Sign

Ariz	zona
7x10	10x14
1800S	2800S
1800	2800
1800A	2800A

Illinois	
4x6	
2735D	
2735S	

Kansas
8x8
1802D
1802S
1802

Kansas Municipal
14x10
2801S
2801
2801A

Missouri/Wisconsin
14x10
2803S
2803
2803A













State	
Material	
Window Decal	
Adhesive Label	
Plastic Sign	
Aluminum Sign	

Ohio
14x10
2805S
2805
2805A

South Carolina
14x10
2806S
2806
2806A

Tennessee
14x10
2807S
2807
2807A

Texas	
24x18	
	7
2830A	٦

Wisconsin				
7x5 (2/pk)	10x7	14x10		
1808D				
1808S	1809S	2809S		
	1809	2809		
	1809A	2809A		

Green@Work Signs

ZING Green@Work® signs encourage waste reduction and energy-saving habits. Standard 7H" x 10"W signs are recommended for most viewing applications. 5"H x 3"W mini-signs work particularly well above light switches and water taps. 10"H x 14"W signs are recommended for large, open areas, where longer viewing distances are expected. Signs include adhesive mounting pads.



Green@Work* We Support A Greener Work Environment	Green@Work* How Can I Be Greener Today?	Green@Work* Take The Stairs It's Good For You and The Environment	Green@Work- Car Pooling Reduces Carbon Emissions	Green@Work* Think Green ***********************************	Green@Work* Turn Off Lights When Not In Use	Green@Work- Deposit Recyclables Here	Green@Work* Use Sleep Mode or Shut Off Computers When Not In Use
Size Part # 7x10 1000	Size Part # 7x10 1002	Size Part # 7x10 1003	Size Part # 7x10 1004	Size Part # 7x10 1005	Size Part # 5x3 0006 7x10 1006	Size Part # 7x10 1007 TriView 3007	Size Part # 7x10 1008 TriView
Green@Work Please Recycle	Green@Work* Recycle Reciclar	Green@Work* Recycle Recycler	Green@Work* Recycle Reciclar Recycler ************************************	Green@Work* Aluminum Cans Only ************************************	Green@Work* Switch To Reusable Mugs & Water Bottles ************************************	Green@Work Glass Only	Green@Work Plastic Only ***Control of the control
Size Part # 7x10 1009 TriView 3009	Size Part # 7x10 1010 TriView 3010	Size Part # 7x10 1011 TriView 3011	Size Part # 7x10 1012	Size Part # 7x10 1028 10x14 2028 TriView 3028	Size Part # 7x10 1029	Size Part # 7x10 1030 10x14 2030 TriView 3030	Size Part # 7x10 1031 10x14 2031 TriView 3031
Green@Work* Please Take Only What You Need	Green@Work* Recycle Magazines Catalogs and Newspapers	Green@Work* Shut Off Water Taps Tightly	Green@Work* Print or Copy on Both Sides	Green@Work* Print and Copy Only What You Need	Green@Work* Recycle Toner and Print Cartridges	Green@Work* Remove Your Name From Unwanted Mailing Lists **********************************	Green@Work* Use E-Mail for Memos and Meeting Notes
Size Part # 7x10 1032	Size Part # 7x10 1033 10x14 2033 TriView 3033	Size Part # 5x3 0034 7x10 1034	Size Part # 7x10 1013	Size Part # 7x10 1014	Size Part # 7x10 1016	Size Part # 7x10 1017	Size Part # 7x10 1018
Green@Work* Use PC Files Not Paper Files	Green@Work* Reuse Scrap Paper	Green@Work Office Paper	Green@Work* Newspaper	Green@Work Cardboard	Green@Work- Recyclable Paper Only	Green@Work* Reuse File Folders and Routing Envelopes	Green@Work* Trash Only
Size Part # 7x10 1019	Size Part # 7x10 1020	Size Part # 7x10 1021 10x14 2021 TriView 3021	Size Part # 7x10 1022 10x14 2022 TriView 3022	Size Part # 7x10 1024 10x14 2024 TriView 3024	Size Part # 7x10 1026 10x14 2026 TriView 3026	Size Part # 7x10 1023	Size Part # 7x10 1068 10x14 2068
Green@Work* How Can Scrap Be Reduced or Reused?	Green@Work* How Can Defects Be Reduced?	Green@Work* How Can Lot Size or Set Up Time Be Reduced?	Green@Work* Turn Off/Unplug Equipment When Not In Use	Green@Work* Recycle	Green@Work* Reduce Reuse Recycle	Green@Work* Metals Only	Green@Work* Report All Water Leaks
Size Part # 7x10 1035 10x14 2035	Size Part # 7x10 1036 10x14 2036	Size Part # 7x10 1037 10x14 2037	Size Part # 7x10 1038 10x14 2038	Size Part # 7x10 1039 10x14 2039	Size Part # 7x10 1040 10x14 2040	Size Part # 7x10 1041 10x14 2041	Size Part # 7x10 1042 10x14 2042

TriView

3039

TriView

3041

Green@Work Signs and Posters

















Size	Part #
7x10	1043
10x14	2043

Size	Part #
7x10	1044
10x14	2044

Size	Part #
7x10	1045
10x14	2045

Size	Part #
7x10	1046
10x14	2046
TriView	3046

Size	Part #
7x10	1047
10x14	2047
TriView	3047

Size	Part #
7x10	1048
10x14	2048

Size	Part #
7x10	1049
10x14	2049


Size	Part #
7x10	1050
10x14	2050



Size	Part #
7x10	1051
10x14	2051

Rely on these unique, informative and fun posters to reinforce green work habits. All posters are 22"H x 16"W and are printed on high-quality, tear-resistant recycled plastic. Made in the USA.





Part #	Description
5001	Lobby



Part #	Description
5002	General



Part #	Description
5003	Copy/Print/Mail



Part #	Description
5004	Break/Lunch Room



Part #	Description
5005	Energy Savings



Part #	Description
5006	Manufacturing



Part #	Description
5007	Warehouse



Part #	Description
5008	Mission Statement

Green@Work Adhesive Labels

ZING Green@Work labels clearly mark recycling containers. The eco-friendly self-adhesive labels can be applied directly to recycle bins, trash receptacles, and walls. Signs are sold 5/pk.







Size	Part #
7x5	0021S
10x7	1021S
14x10	0021S



Size	Part #
7x5	0022S
10x7	1022S
14x10	0022S



Size	Part #
7x5	0024S
10x7	1024S
14x10	0024S



Size	Part #
7x5	0026S
10x7	1026S
14x10	0026S



Size	Part #
7x5	0028S
10x7	1028S
14x10	0028S



Size	Part #
7x5	0030S
10x7	1030S
14x10	0030S







Size	Part #
7x5	0041S
10x7	1041S
14x10	0041S



Size	Part #
7x5	0046S
10x7	1046S
14x10	0046S



Size	Part #
7x5	0047S
10x7	1047S
14x10	0047S



Size	Part #
7x5	0049S
10x7	1049S
14x10	0049S



Size	Part #
7x5	0050S
10x7	1050S
14x10	0050S



Size	Part #
7x5	0068S
10x7	1068S
14x10	0068S

Lean@Work Signs

Lean@Work signs encourage cost-effective, low-waste business practices. Ideal for shop floors, training rooms, or break areas, Lean@Work signs help form efficient habits. Signs are made in the USA from recycled plastic and include adhesive mounting tabs. Signs measure 10"H x 14"W, except for part #'s 2184-2186, which measure 14"H x 10"W.



700 and 800 Series Padlocks!
Dependable performance from the most versatile lockout padlocks on the market. See pages 4-5 inside!



700 Series

Superior Lockout
Performance
Solid recycled aluminum
body and plastic-encased
hardened steel shackle
unites durability with
dielectric properties!





800 Series

The Best Solution for Extreme Environments
Stainless steel shackle excels in environments with frequent washdowns including:

- Food Manufacturing
- Oil Rigs
- Mining

*Every padlock includes English, English/Spanish, and English/French Labels!













*700 Series available in 6 colors!

- Innovative wraparound labels make Zing padlocks the only lockout padlock that can accommodate a bilingual label on a standard size padlock.
- A unique barrier cap around the shackle protects the lock mechanism from dirt and moisture.





P.O. Box 789 Oswego, IL 60543 Phone: 630-636-6188 Fax: 630-225-5303

Printed on 100% Recycled Paper